## 20K CAST STAINLESS STEEL BALL VALVE FLANGED ENDS

KITZ Fig: 20UTDZ

Sizes: 1/2-8inch(15-200mm)

ANTI-STATIC DEVICE, FULL BORE, CONFORM TO ISO5211

Standards

. End to End: ASME B16.10 CLASS 300 . End Connection: JIS B2220 20K

. Wall Thickness: ASME B16.34 CLASS 300

Test Standard
. KITZ STANDARD

Approvals

Japan Valve Manufacturer's Association 15-200 mm (1/2-8 inch)

approved

## Dimensions

SIZE(inch/mm)		L	L1	Н	D1	Kg
1/2	15	140.0	0.0	108.0	130.0	0.00
3/4	20	152.0	0.0	111.0	130.0	0.00
1	25	165.0	0.0	124.0	160.0	0.00
11/4	32	178.0	0.0	128.0	160.0	0.00
11/2	40					
2	50	216.0	0.0	143.0	230.0	0.00
21/2	65	241.0	0.0	179.0	400.0	0.00
3	80	283.0	0.0	188.0	400.0	0.00
4	100	305.0	0.0	251.0	750.0	0.00
5	125	381.0	0.0	267.0	750.0	0.00
6	150	403.0	0.0	314.0	1000.0	0.00
8	200	502.0	0.0	406.0	1500.0	0.00




matoriat Erot						
NAME OF PART	MATERIAL	SPECIFICATION				
BODY	STAINLESS STEEL	A351 Gr.CF8/SCS13A				
BODY CAP	STAINLESS STEEL	A351 Gr.CF8/SCS13A				
STEM	STAINLESS STEEL	304SS				
BALL	STAINLESS STEEL	A351 Gr.CF8/SCS13A				

## Specifications

20K CAST STAINLESS STEEL BALL VALVE FLANGED ENDS, ANTI-STATIC DEVICE, FULL BORE, CONFORM TO ISO5211

End to End: ASME B16.10 CLASS 300, End Connection: JIS B2220 20K, Wall Tchickness: ASME B16.34 CLASS 300, Test Standard: KITZ STANDARD, Sizes: 1/2-8inch(15-200mm), Approvals: Japan Valve Manufacturer's Association 15-200 mm (1/2-8 inch), B0DYMATERIAL: STAINLESS STEEL, B0DY CAPMATERIAL: STAINLESS STEEL, STEMMATERIAL: STAINLESS STEEL, BALLMATERIAL: STAINLESS STEEL, KITZ Fig: 20UTDZ





Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.



