## CLASS 300 CAST STAINLESS STEEL GATE VALVE FLANGED ENDS

KITZ Fig: 300UMA

Sizes: 1/2-24inch(15-600mm)

BOLTED BONNET, OUTSIDE SCREW & YOKE.

Standards

. End to End: ASME B16.10 CLASS 300 . End Connection: ASME B16.5 CLASS 300 . Wall Thickness: ASME B16.34 CLASS 300

Test Standard . API 598

## Dimensions

Dillensions						
SIZE(inch/mm)		L	L1	Н	D1	Kg
1/2	15	140.0	0.0	209.0	100.0	0.00
3/4	20	152.0	0.0	220.0	100.0	0.00
1	25	165.0	0.0	239.0	100.0	0.00
11/2	40	190.0	0.0	293.0	140.0	0.00
2	50	216.0	0.0	355.0	180.0	0.00
21/2	65	241.0	0.0	404.0	180.0	0.00
3	80	283.0	0.0	472.0	225.0	0.00
4	100	305.0	0.0	560.0	250.0	0.00
5	125	381.0	0.0	625.0	300.0	0.00
6	150	403.0	0.0	753.0	350.0	0.00
8	200	419.0	0.0	968.0	400.0	0.00
10	250	457.0	0.0	1177.0	450.0	0.00
12	300	502.0	0.0	1378.0	500.0	0.00
14	350					
16	400					
18	450					
20	500					
24	600					

## Material List NAME OF PART MATERIAL SPECIFICATION BODY STAINLESS STEEL A351 Gr.CF8/SCS13A BONNET STAINLESS STEEL A351 Gr. CF8/SCS13A

**Specifications** 

STFM

DISC

CLASS 300 CAST STAINLESS STEEL GATE VALVE FLANGED ENDS, BOLTED

STATNLESS STEEL


STAINLESS STEEL

BONNET, OUTSIDE SCREW & YOKE.

End to End: ASME B16.10 CLASS 300, End Connection: ASME B16.5 CLASS 300, Wall Tchickness: ASME B16.34 CLASS 300, Test Standard: API 598, Sizes: 1/2-24inch(15-600mm), BODYMATERIAL: STAINLESS STEEL, BONNETMATERIAL :STAINLESS STEEL, STEMMATERIAL :STAINLESS

STEEL, DISCMATERIAL : STAINLESS STEEL, KITZ Fig : 300UMA





For more details, please refer to the drawing.

Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.

304SS

A351 Gr. CF8/SCS13A



