



# Thailand - Vista Intertrade

Altro safety flooring  
Altro smooth flooring  
Accessories

**January 2020**

Cancels and replaces any previous price list

**altro.com**



# Contents

---

## Safety flooring

Altro Wood™ adhesive-free	4
Altro Wood™	8
Altro Wood™ Comfort	10
Altro Aquarius™	12
Altro Pisces™	16
Altro Stronghold™ 30	18
Altro Classic™ 25	22
Altro XpressLay™	24
Altro Walkway™ 20	26
Altro Walkway™ 20 SD	29

## Smooth flooring

Altro Cantata™	30
Altro Orchestra™	34
Altro Operetta™	38
Altro Serenade™	40

<b>Adhesives</b>	44
------------------	----

<b>Conditions of sale</b>	47
---------------------------	----








# Altro Wood™ adhesive-free

Patent number GB 2 462 167

New safety option utilising award-winning adhesive-free technology. With 14db sound reduction, one in a million slip-resistance reassurance, Altro Wood adhesive-free can be welded and walked on the same day, and at the end of its life can be removed easily, reused or recycled. Co-ordinates with other wood ranges.

**Typical applications:** Bedrooms in care homes and hotels. Reception areas in care homes and kindergartens. Corridors, general circulation and public areas in hospitals, care homes, kindergartens and schools. Wards, waiting and treatment rooms in hospitals and care homes. As an alternative to LVTs in student accommodation. Common room / staff rooms in schools. Café / dining areas.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 4.5kW/m <sup>2</sup> Pass Cfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 36 R10 ESf
	<b>Sound insulation</b>	EN ISO 10140	ca. 14 dB
	<b>Thickness</b>	EN ISO 24346	2.4 mm
	<b>Wear layer</b>	EN ISO 24340	0.7 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.4 kg/m <sup>2</sup>

# Altro Wood™ adhesive-free



Colour (plain)	Product code	Weldrod	Mastic
Caramel Oak	AFW280006	WR353	A1M225
Champagne Oak	AFW280010	WR338	A1M338
Dusky Cherry	AFW280003	WR336	A1M239
Frosted Oak	AFW280001	WR335	A1M335
Honey Maple	AFW280011	WR352	A1M352
Imperial Walnut	AFW280009	WR341	A1M160
Pitch Oak	AFW280008	WR348	A1M348
Shaded Cherry	AFW280004	WR337	A1M337
Soft Maple	AFW280002	WR339	A1M339
Summer Oak	AFW280005	WR340	A1M340
Timeless Oak	AFW280007	WR347	A1M347
Vintage Oak	AFW280012	WR322	A1M239

## Price

m²

£12.88

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)

**NEW**

## Altro Wood adhesive-free

**Frosted Oak**  
AFW280001

**Champagne Oak**  
AFW280010

**Summer Oak**  
AFW280005

**Caramel Oak**  
AFW280006

**Honey Maple**  
AFW280011

**Imperial Walnut**  
AFW280009

**Soft Maple**  
AFW280002

**Shaded Cherry**  
AFW280004

**Timeless Oak**  
AFW280007

**Dusky Cherry**  
AFW280003

**Vintage Oak**  
AFW280012

**Pitch Oak**  
AFW280008



**Altro Wood adhesive-free**








# Altro Wood™

Patent number GB 2 462 167

Homely and stylish, great biophilic safety option. Choice of designs, plank sizes and shades in a roll. Suitable for indoor public spaces such as entrances, care homes / school corridors, student accommodation, restaurants, dining areas. Co-ordinates with other wood ranges.

**Typical applications:** Reception areas and general circulation areas in hotels, leisure centres, offices, retail, colleges and universities, healthcare and care homes. Resident rooms and student accommodation. Serveries, bars and dining in restaurants and café areas.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m² Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 36 R10 ESf
	<b>Sound insulation</b>	EN ISO 140-8	ca. 4 dB
	<b>Thickness</b>	EN ISO 24346	2 mm
	<b>Wear layer</b>	EN ISO 24340	0.7 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m²
	<b>Weight</b>	EN ISO 23997	2.66 kg/m²





Colour	Product code	Weldrod	Mastic
Antique Walnut	WSA2007	WR341	A1M160
Autumn Maple	WSA2005	WR339	A1M339
Bleached Oak	WSA2001	WR335	A1M335
Deep Bamboo	WSA2019	WR342	A1M224
Farmhouse Oak	WSA2004	WR338	A1M338
Light Beech	WSA2017	WR462	A1M462
Manor Oak	WSA2016	WR348	A1M348
Mountain Oak	WSA2022	WR339	A1M339
Noble Oak	WSA2024	WR467	A1M467
Oak Traditions	WSA2013	WR353	A1M225
Ranch Oak	WSA2021	WR335	A1M335
Rustic Oak	WSA2006	WR340	A1M340
Spring Maple	WSA2018	WR352	A1M352
Stately Oak	WSA2025	WR468	A1M62
Urban Cherry	WSA2003	WR337	A1M337
Vintage Cherry	WSA2002	WR336	A1M239
Walnut Noir	WSA2011	WR345	A1M62
Washed Bamboo	WSA2020	WR463	A1M392
Washed Oak	WSA2015	WR347	A1M347
Worn Oak	WSA2023	WR322	A1M239

## Price

m<sup>2</sup>

£10.30

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)








# Altro Wood™ Comfort

Patent number GB 2 462 167

Biophilic, homely aesthetics combined with 14dB noise reduction plus comfort underfoot, in a safety option. Great in noisy environments such as hospitals and kindergartens, where users are on their feet all day. Low residual indentation for easy furniture and equipment movement. Co-ordinates with other wood ranges.

**Typical applications:** Corridors and classrooms in schools, kindergartens, universities. Student accommodation. Hospital / care home corridors and patient rooms. Retail. Home adaptations / social housing.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 4.5kW/m <sup>2</sup> Pass Cfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 36 R10 ESf
	<b>Sound insulation</b>	EN ISO 140-8	ca. 14 dB
	<b>Thickness</b>	EN ISO 24346	2.85 mm
	<b>Wear layer</b>	EN ISO 24340	0.7 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.6 kg/m <sup>2</sup>

# Altro Wood™ Comfort



Colour	Product code	Weldrod	Mastic
Aged Oak	WSASC2815	WR347	A1M347
Antique Cherry	WSASC2802	WR336	A1M239
Classic Walnut	WSASC2807	WR341	A1M160
Deep Cherry	WSASC2803	WR337	A1M337
Field Oak	WSASC2806	WR340	A1M340
Light Bamboo	WSASC2820	WR463	A1M392
Reclaimed Oak	WSASC2821	WR335	A1M335
Regent Oak	WSASC2825	WR468	A1M62
Royal Oak	WSASC2823	WR322	A1M239
Soft Oak	WSASC2804	WR338	A1M338
Veteran Oak	WSASC2822	WR339	A1M339
Warm Maple	WSASC2805	WR339	A1M339

## Price

m<sup>2</sup>

£12.70

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)

# Altro Aquarius™








Patent number GB 2 462 167

Specialist solution for combined wet and dry, shoe and barefoot areas. Keeps you safe with common contaminants such as shampoo and conditioner. Comfortable underfoot and resistant to wear and tear from shoes. Great in bathrooms, showers, saunas, spas.

**Typical applications:** Bathrooms. Showers. Changing rooms\*. Saunas. Spas. Wet environments in social care: home adaptations, social housing. Student accommodation.

\*In changing rooms where spikes and studs are used, we recommend Altro Atlas 40.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m² Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C DIN 51097	≥ 0.30 / DS ≥ 50 (slider 96) R11 ESf / ESb B
	<b>Sound insulation</b>	EN ISO 140-8	ca. 5 dB
	<b>Thickness</b>	EN ISO 24346	2 mm
	<b>Wear layer</b>	EN ISO 24340	2 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m²
	<b>Weight</b>	EN ISO 23997	2.6 kg/m²

# Altro Aquarius™



Colour	Product code	Weldrod	Mastic
Blue Penguin	AQI2002	WR288	A1M71
Coral Crab	AQI2014	WR300	A1M42
Cygnets	AQ2004	WR287	A1M79
Dragonfly	AQ2001	WR292	A1M292
Hippo	AQI2013	WR301	A1M82
Gosling	AQI2023	WR369	A1M369
Iguana	AQ2021	WR297	A1M20
Mallard	AQI2015	WR302	A1M302
Newt	AQ2022	WR368	A1M368
Otter	AQI2006	WR290	A1M239
Puffin	AQI2005	WR287	A1M79
Salamander	AQI2011	WR294	A1M294
Sea Snail	AQI2024	WR370	A1M370
Spoonbill	AQI2016	WR303	A1M303
Swan	AQI2012	WR291	A1M01
Tern	AQI2008	WR261	A1M81
Terrapin	AQI2009	WR289	A1M265
Treefrog	AQI2003	WR293	A1M271
Vole	AQ2010	WR289	A1M265
Walrus	AQ2007	WR261	A1M81

## Price

m<sup>2</sup>

£8.76

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)



## Altro Aquarius

Swan  
AQI2012

Gosling  
AQI2023

Iguana  
AQI2021

Vole  
AQI2010

Salamander  
AQI2011

Spoonbill  
AQI2016

Terrapin  
AQI2009

Otter  
AQI2006

Puffin  
AQI2005

Cygnets  
AQI2004

Tern  
AQI2008

Coral Crab  
AQI2014

Sea Snail  
AQI2024

Walrus  
AQI2007

Dragonfly  
AQI2001

Newt  
AQI2022

Treefrog  
AQI2003

Mallard  
AQI2015

Blue Penguin  
AQI2002

Hippo  
AQI2013



## Altro Pisces


**Lighthouse  
SB2001**



**Cuttlefish  
SB2002**



**Shoreline  
SB2006**



**Driftwood  
SB2004**




**Fisherman  
SB2009**



**Jellyfish  
SB2005**



**Porthole  
SB2007**



**Anchor  
SB2008**



**Breakwater  
SB2003**




**Deckchair  
SB2013**




**Sea Urchin  
SB2014**



**Houseboat  
SB2015**



**Starfish  
SB2010**



**Seahorse  
SB2011**



**Beach Hut  
SB2012**



**Windbreak  
SB2016**



# Altro Pisces™








Patent number GB 2 462 167

Domestic-look specialist flooring for a “home from home”, warm feel in wet environments; designed for shoe and bare foot use in home adaptations, care homes, social housing, saunas and spas. Keeps you safe with common contaminants such as shampoo and conditioner.

**Typical applications:** Bathrooms. Showers. Changing rooms\*. Saunas. Spas. Wet environments in social care: home adaptations, social housing. Student accommodation.

\*In changing rooms where spikes and studs are used, we recommend Altro Atlas 40.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m <sup>2</sup> Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C DIN 51097	≥ 0.30 / DS ≥ 50 (slider 96) R11 ESf / ESb B
	<b>Sound insulation</b>	EN ISO 140-8	ca. 5 dB
	<b>Thickness</b>	EN ISO 24346	2 mm
	<b>Wear layer</b>	EN ISO 24340	2 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.6 kg/m <sup>2</sup>



# Altro Pisces™



Colour	Product code	Weldrod	Mastic
Anchor	SB2008	WR391	A1M82
Beach Hut	SB2012	WR395	A1M395
Breakwater	SB2003	WR386	A1M20
Cuttlefish	SB2002	WR385	A1M385
Deckchair	SB2013	WR396	A1M396
Driftwood	SB2004	WR387	A1M387
Fisherman	SB2009	WR392	A1M392
Houseboat	SB2015	WR398	A1M398
Jellyfish	SB2005	WR388	A1M388
Lighthouse	SB2001	WR291	A1M01
Porthole	SB2007	WR390	A1M390
Seahorse	SB2011	WR394	A1M394
Sea Urchin	SB2014	WR397	A1M397
Shoreline	SB2006	WR389	A1M389
Starfish	SB2010	WR393	A1M393
Windbreak	SB2016	WR399	A1M399

## Price

m<sup>2</sup>

£10.82








To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)

# Altro Stronghold™ 30

Specialist safety for commercial kitchens / canteens, food preparation and service areas; providing highest level of slip resistance even with grease, oils and fat. Cushioned for comfort underfoot to reduce fatigue.

**Typical applications:** Kitchens, canteens, food preparation and service areas, areas where grease, oils or fats are present.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m² Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 55 R12 ESf
	<b>Sound insulation</b>	EN ISO 140-8	ca. 10 dB
	<b>Thickness</b>	EN ISO 24346	3 mm
	<b>Wear layer</b>	EN ISO 24340	3 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 15 m = 30 m²
	<b>Weight</b>	EN ISO 23997	4.0 kg/m²

# Altro Stronghold™ 30



Colour	Product code	Weldrod	Mastic
Abyss	K3001	WR100	A1M100
Biscuit	K30907	WR146	A1M20
Cannon	K30911	WR101	A1M72
Dolphin	K3010	WR86	A1M86
Lime	K3086	WR472	A1M381
Midnight	K30421	WR72	A1M72
Monsoon	K30153	WR81	A1M81
Oyster	K30215	WR20	A1M20
Russet	K30262	WR41	A1M41
Skyline	K30332	WR52	A1M52
Star	K30912	WR79	A1M191
Surf	K30412	WR71	A1M71
Torch	K30913	WR278	A1M42
Tundra	K30500	WR153	A1M239

## Price


m<sup>2</sup> £11.85

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)




## Altro Stronghold 30


Oyster  
K30215




Biscuit  
K30907




Torch  
K30913



Russet  
K30262



Star  
K30912



Monsoon  
K30153




Dolphin  
K3010



Cannon  
K30911




Skyline  
K30332



Surf  
K30412




Midnight  
K30421




Abyss  
K3001



Lime  
K3086



Tundra  
K30500












**Altro Stronghold 30**

# Altro Classic™ 25

Specialist R11 slip resistance for locations with contaminants such as chalk, paint, clay or dirt such as craft, design and technology / art rooms and circulation areas. Enables safe transition between R12 and R10 floors, helping to reduce slip risk. Providing durability and toughness for over 60 years.

**Typical applications:** Locations where substances like chalk, paint, clay or dirt are present, such as craft, design and technology (CDT) / art rooms and circulation areas.

## Technical information

	<b>Fire behaviour tested in acc. with</b>  <b>Classified in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m² Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 45 R11 ESf
	<b>Sound insulation</b>	EN ISO 140-8	ca. 5 dB
	<b>Thickness</b>	EN ISO 24346	2.5 mm
	<b>Wear layer</b>	EN ISO 24340	2.5 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m²
	<b>Weight</b>	EN ISO 23997	3.1 kg/m²

# Altro Classic™ 25



Colour	Product code	Weldrod	Mastic
Anvil	X2594R11	WR101	A1M72
Aster	X2549R11	WR286	A1M286
Blackberry	X2547R11	WR100	A1M100
Blue	X2541R11	WR71	A1M71
Graphite	X2546R11	WR86	A1M86
Legend	X2544R11	WR231	A1M73
Mushroom	X2542R11	WR24	A1M27
Pewter Grey	X2539R11	WR81	A1M81
Quarry Red	X2560R11	WR42	A1M42
Truffle	X2545R11	WR153	A1M239
Walnut	X2586R11	WR62	A1M62
Whisper	X2548R11	WR354	A1M84

## Price

m<sup>2</sup>

£9.27

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)








Altro XpressLay™

Patent number GB 2 462 167

Adhesive-free general purpose safety for where: downtime is an issue and speed of installation critical; avoiding adhesive odours is beneficial to wellbeing; easy access to subfloors useful; uplifting / recycling floor at end of life key. Co-ordinates with Altro Walkway 20.

**Typical applications:** General purpose for areas where the ability to remove and recycle post-installation plays an important part in your requirements for sustainable flooring finishes

Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m <sup>2</sup> Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 36 R10 ESf
	<b>Sound insulation</b>	EN ISO 140-8	ca. 7 dB
	<b>Thickness</b>	EN ISO 24346	2.2 mm
	<b>Wear layer</b>	EN ISO 24340	0.8 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.6 kg/m <sup>2</sup>

Colour (chipped)	Product code	Weldrod	Mastic
Blizzard	XLI2255	WR79	A1M191
Coal	XLI2258	WR100	A1M100
Lupin	XLI2259	WR286	A1M286
Nightfall	XLI2256	WR72	A1M72
Pavement	XLI2207P	WR83	A1M83
River	XLI2257	WR71	A1M71
Rock	XLI2204P	WR84	A1M84
Sand	XLI2251	WR20	A1M20
Savannah	XLI2250	WR153	A1M239
Streetlight	XLI2205P	WR287	A1M79
Swan	XLI2212P	WR291	A1M01
Tarragon	XLI2252	WR52	A1M52
Whale	XLI2254	WR86	A1M86
Winter	XLI2253	WR105	A1M01



# Altro XpressLay™



Colour (plain)	Product code	Weldrod	Mastic
Biscuit	XL22907	WR146	A1M20
Black	XL22892	WR100	A1M100
Blue	XL22412	WR71	A1M71
Bone	XL22215	WR20	A1M20
Cherry	XL22920	WR148	A1M148
Cloud	XL2214	WR79	A1M191
Dolphin	XL2210	WR86	A1M86
Fog	XL22153	WR81	A1M81
Midnight	XL22421	WR72	A1M72
Minster	XL2218P	WR289	A1M265
Runway	XL2206P	WR72	A1M72
Skyline	XL22332	WR52	A1M52
Tango	XL2231	WR42	A1M42
Temple	XL2209P	WR261	A1M81
Tundra	XL22910	WR153	A1M239
Waterfall	XL22912	WR155	A1M135

## Price

m<sup>2</sup> £10.30

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)








Altro Walkway™ 20

Patent number GB 2 462 167

Versatile, hard-wearing safety flooring for general purpose areas. A contractor favourite for over 30 years as it's easy to install. Shares same colour palette as Altro XpressLay, offering co-ordination with adhesive-free options where desired. Co-ordinates with Altro Walkway 20 SD.

**Typical applications:** General purpose.

Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m² Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 36 R10 ESf
	<b>Sound insulation</b>	EN ISO 140-8	ca. 5 dB
	<b>Thickness</b>	EN ISO 24346	2 mm
	<b>Wear layer</b>	EN ISO 24340	2 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m²
	<b>Weight</b>	EN ISO 23997	2.6 kg/m²

Colour (chipped)	Product code	Weldrod	Mastic
Blizzard	VMI2055	WR79	A1M191
Coal	VMI2058	WR100	A1M100
Lupin	VMI2059	WR286	A1M286
Nightfall	VMI2056	WR72	A1M72
Pavement	VMI2007P	WR83	A1M83
River	VMI2057	WR71	A1M71
Rock	VMI2004P	WR84	A1M84
Sand	VMI2051	WR20	A1M20
Savannah	VMI2050	WR153	A1M239
Streetlight	VMI2005P	WR287	A1M79
Swan	VMI2012P	WR291	A1M01
Tarragon	VMI2052	WR52	A1M52
Whale	VMI2054	WR86	A1M86
Winter	VMI2053	WR105	A1M01

# Altro Walkway™ 20



Colour (plain)	Product code	Weldrod	Mastic
Biscuit	VM20907	WR146	A1M20
Black	VM20892	WR100	A1M100
Blue	VM20412	WR71	A1M71
Bone	VM20215	WR20	A1M20
Cherry	VM20920	WR148	A1M148
Cloud	VM2014	WR79	A1M191
Dolphin	VM2010	WR86	A1M86
Fog	VM20153	WR81	A1M81
Midnight	VM20421	WR72	A1M72
Minster	VM2018P	WR289	A1M265
Runway	VM2006P	WR72	A1M72
Skyline	VM20332	WR52	A1M52
Tango	VM2031	WR42	A1M42
Temple	VM2009P	WR261	A1M81
Tundra	VM20910	WR153	A1M239
Waterfall	VM20912	WR155	A1M135

## Price

m<sup>2</sup>

£8.24

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)



## Altro Walkway 20

Swan VMI2012P	Winter VMI2053	Minster VMI2018P	Bone VMI20215	Biscuit VMI20907
Sand VMI2051	Savannah VMI2050	Tundra VMI20910	Cherry VMI20920	Tango VMI2031
Streetlight VMI2005P	Blizzard VMI2055	Temple VMI2009P	Cloud VMI2014	Pavement VMI2007P
Fog VMI20153	Rock VMI2004P	Dolphin VMI2010	Whale VMI2054	Black VMI20892
Skyline VMI20332	Tarragon VMI2052	Waterfall VMI20912	Lupin VMI2059	Nightfall VMI2056
Blue VMI20412	River VMI2057	Runway VMI2006P	Midnight VMI20421	Coal VMI2058








# Altro Walkway™ 20 SD



Static-dissipative option to reduce damage risk to sensitive equipment in computer rooms and laboratories. Co-ordinates with Altro Walkway 20.

**Typical applications:** Labs with static-sensitive equipment / gases. Computer suites.  
Production areas for electronics.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m <sup>2</sup> Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 PTV DIN 51130 / BGR 181 EN 13845 Annex C	≥ 0.30 / DS ≥ 36 R10 ESf
	<b>Sound insulation</b>	EN ISO 140-8	ca. 5 dB
	<b>Thickness</b>	EN ISO 24346	2 mm
	<b>Wear layer</b>	EN ISO 24340	2 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.6 kg/m <sup>2</sup>

Colour	Product code	Weldrod	Mastic
Fog	VM20153SD	WR81	A1M81

Price	
m <sup>2</sup>	£10.50








To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)

# Altro Cantata™

Tonal and modernist, adhesive-free floor for maximum impact with minimum downtime. Enhanced cleanability makes it ideal for busy public spaces where disruption needs to be minimal and it has no associated adhesive odours. It features our award-winning adhesive-free installation method for same day weld and walk, easy end of life removal, re-use or recycling.

**Typical applications:** Corridors in hospitals, residential care homes and education buildings. Patient rooms in hospitals. General circulation areas in retail, kindergartens, schools and universities. General circulation in retail.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	$\geq 4.5\text{kW/m}^2$ Pass Cfl-s1
	<b>Slip resistance</b>	EN 13893 DIN 51130 / BGR 181	$\geq 0.30$ / DS R10
	<b>Sound insulation</b>	EN ISO 140-8	ca. 14 dB
	<b>Thickness</b>	EN ISO 24346	2.4 mm
	<b>Wear layer</b>	EN ISO 24340	0.7 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.4 kg/m <sup>2</sup>

# Altro Cantata™



Colour	Product code	Weldrod	Mastic
Black Sand	AFP282010	WR485	A1M485
Bluebell	AFP282004	WR398	A1M398
Bluefin	AFC281001	WR438	A1M486
Crème Caramel	AFP282006	WR385	A1M385
Elephant Grey	AFC281003	WR436	A1M487
Frosted Glass	AFP282005	WR388	A1M388
Graphite	AFP282002	WR390	A1M390
Hazelnut	AFP282009	WR418	A1M239
Milan	AFT284002	WR482	A1M482
Mocha	AFP282003	WR389	A1M389
Rome	AFT284001	WR481	A1M83
Seal Grey	AFC281002	WR435	A1M390
Sunrise	AFP282008	WR393	A1M393
Treviso	AFT284003	WR483	A1M483
True Grit	AFP282001	WR391	A1M82
Venice	AFT284004	WR484	A1M484
Willow Tree	AFP282007	WR399	A1M399

## Price

m<sup>2</sup>

£12.88


To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)

**NEW**



## Altro Cantata

**Frosted Glass**  
AFP282005



**Mocha**  
AFP282003



**Graphite**  
AFP282002




**True Grit**  
AFP282001




**Black Sand**  
AFP282010



**Bluebell**  
AFP282004



**Willow Tree**  
AFP282007




**Sunrise**  
AFP282008



**Crème Caramel**  
AFP282006



**Hazelnut**  
AFP282009




**Bluefin**  
AFC281001




**Seal Grey**  
AFC281002



**Elephant Grey**  
AFC281003



**Treviso**  
AFT284003




**Milan**  
AFT284002



**Venice**  
AFT284004



**Rome**  
AFT284001














**Altro Cantata**

# Altro Orchestra™

15dB sound reduction and comfort underfoot in wide choice of colours and three designs. With excellent resistance to residual indentation it's great in corridors, classrooms, housing, patient / resident rooms and retail. Co-ordinates with other ranges.

**Typical applications:** School, kindergarten and university corridors and classrooms. Student accommodation. Hospital and care home corridors and patient / resident rooms. Retail. Home adaptations / social housing.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 4.5kW/m <sup>2</sup> Pass Cfl-s1
	<b>Slip resistance</b>	EN 13893 DIN 51130 / BGR 181	≥ 0.30 / DS R10
	<b>Sound insulation</b>	EN ISO 140-8	ca. 15 dB
	<b>Thickness</b>	EN ISO 24346	2.85 mm
	<b>Wear layer</b>	EN ISO 24340	0.7 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.6 kg/m <sup>2</sup>



## Altro Orchestra

Ragtime CH2810	Classical CH2807	Latin CH2803	Country CH2808	House CH2811	Folk CH2812
Flamenco CH2806	Salsa CH2802	Pop CH2805	Reggae CH2801	Romantic CH2804	Motown CH2809
Punk CH2822	Jungle CH2823	Jazz CH2824	Gospel CH2821	Rap CH2820	Swing CH2819
Urban CH2816	Soul CH2817	Metal CH2818	Club CH2815	Chant CH2814	Fusion CH2813
Flute CH2833	Trombone CH2839	Drum CH2837	Bassoon CH2831	Cello CH2829	Guitar CH2828
Piano CH2838	Chimes CH2836	Bongo CH2840	Banjo CH2826	Glockenspiel CH2827	
Violin CH2834	Oboe CH2835	Harp CH2830	Clarinet CH2832	Trumpet CH2825	

# Altro Orchestra™

Colour	Product code	Weldrod	Mastic
Banjo	CH2826	WR447	A1M200
Bassoon	CH2831	WR452	A1M200
Bongo	CH2840	WR461	A1M200
Cello	CH2829	WR450	A1M200
Chant	CH2814	WR435	A1M200
Chimes	CH2836	WR457	A1M200
Clarinet	CH2832	WR453	A1M200
Classical	CH2807	WR428	A1M200
Club	CH2815	WR436	A1M200
Country	CH2808	WR429	A1M200
Drum	CH2837	WR458	A1M200
Flamenco	CH2806	WR427	A1M200
Flute	CH2833	WR454	A1M200
Folk	CH2812	WR433	A1M200
Fusion	CH2813	WR434	A1M200
Glockenspiel	CH2827	WR448	A1M200
Gospel	CH2821	WR442	A1M200
Guitar	CH2828	WR449	A1M200
Harp	CH2830	WR451	A1M200
House	CH2811	WR432	A1M200

# Altro Orchestra™



Colour	Product code	Weldrod	Mastic
Jazz	CH2824	WR445	A1M200
Jungle	CH2823	WR444	A1M200
Latin	CH2803	WR424	A1M200
Metal	CH2818	WR439	A1M200
Motown	CH2809	WR430	A1M200
Oboe	CH2835	WR456	A1M200
Piano	CH2838	WR459	A1M200
Pop	CH2805	WR426	A1M200
Punk	CH2822	WR443	A1M200
Ragtime	CH2810	WR431	A1M200
Rap	CH2820	WR441	A1M200
Reggae	CH2801	WR422	A1M200
Romantic	CH2804	WR425	A1M200
Salsa	CH2802	WR423	A1M200
Soul	CH2817	WR438	A1M200
Swing	CH2819	WR440	A1M200
Trombone	CH2839	WR460	A1M200
Trumpet	CH2825	WR446	A1M200
Urban	CH2816	WR437	A1M200
Violin	CH2834	WR455	A1M200

## Price

m<sup>2</sup>

£10.30








To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)

# Altro Operetta™

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient / school corridors, retail. Co-ordinates with other ranges.

**Typical applications:** Hospital / care home corridors and patient rooms. Retail. Schools, universities – general circulation areas, corridors.

## Technical information

	<b>Fire behaviour tested in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	≥ 8kW/m² Pass Bfl-s1
	<b>Slip resistance</b>	EN 13893 DIN 51130 / BGR 181	≥ 0.30 / DS R10
	<b>Sound insulation</b>	EN ISO 140-8	ca. 4 dB
	<b>Thickness</b>	EN ISO 24346	2 mm
	<b>Wear layer</b>	EN ISO 24340	0.7 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m²
	<b>Weight</b>	EN ISO 23997	2.66 kg/m²

# Altro Operetta™



Colour	Product code	Weldrod	Mastic
Acapella	OP2135	WR456	A1M200
Alto	OP2119	WR440	A1M200
Baroque	OP2133	WR454	A1M200
Bass	OP2121	WR442	A1M200
Canon	OP2129	WR450	A1M200
Clef	OP2125	WR446	A1M200
Contralto	OP2120	WR441	A1M200
Crescendo	OP2102	WR423	A1M200
Duo	OP2111	WR432	A1M200
Glee	OP2136	WR457	A1M200
Harmony	OP2107	WR428	A1M200
Key	OP2131	WR452	A1M200
Madrigal	OP2134	WR455	A1M200
Melody	OP2108	WR429	A1M200
Overture	OP2123	WR444	A1M200
Quartet	OP2113	WR434	A1M200
Quaver	OP2101	WR422	A1M200
Quintet	OP2114	WR435	A1M200
Sharp	OP2103	WR424	A1M200
Solo	OP2110	WR431	A1M200
Soprano	OP2137	WR458	A1M200
Tempo	OP2115	WR436	A1M200
Tenor	OP2138	WR459	A1M200
Trio	OP2112	WR433	A1M200
Waltz	OP2106	WR427	A1M200

## Price

m<sup>2</sup>

£9.79








To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)

# Altro Serenade™

High design with 19dB acoustic performance and comfort underfoot. Ideal where the passage of sound must be prevented between storeys, such as in kindergartens, hotel rooms, offices, care homes. Co-ordinates with other ranges.

**Typical applications:** Kindergarten playrooms. Hotel rooms. Offices. Care homes. Anywhere where the passage of sound must be prevented between storeys.

## Technical information

	<b>Fire behaviour tested in acc. with</b> <b>Classified in acc. with</b>	EN ISO 9239-1 EN ISO 11925-2 EN 13501-1	$\geq 4.5\text{kW/m}^2$ Pass Cfl-s1
	<b>Slip resistance</b>	EN 13893 DIN 51130 / BGR 181	$\geq 0.30$ / DS R10
	<b>Sound insulation</b>	EN ISO 140-8	ca. 19 dB
	<b>Thickness</b>	EN ISO 24346	3.9 mm
	<b>Wear layer</b>	EN ISO 24340	0.7 mm
	<b>Roll dimensions</b>	EN ISO 24341	2 m x 20 m = 40 m <sup>2</sup>
	<b>Weight</b>	EN ISO 23997	2.9 kg/m <sup>2</sup>



# Altro Serenade™



Colour	Product code	Weldrod	Mastic
Bar	SE3931	WR452	A1M200
Bridge	SE3912	WR433	A1M200
Cadence	SE3908	WR429	A1M200
Cymbal	SE3910	WR431	A1M200
Encore	SE3929	WR450	A1M200
Finale	SE3902	WR423	A1M200
Maestro	SE3903	WR424	A1M200
March	SE3925	WR446	A1M200
Metronome	SE3914	WR435	A1M200
Mezzo	SE3913	WR434	A1M200
Octave	SE3915	WR436	A1M200
Prelude	SE3923	WR444	A1M200
Rhythm	SE3907	WR428	A1M200
Saxophone	SE3920	WR441	A1M200
Tambourine	SE3911	WR432	A1M200

## Price

m<sup>2</sup> £11.54

To view colour swatches or for more information visit [www.altro.com](http://www.altro.com)



## Altro Serenade

**Cymbal**  
**SE3910**

**Rhythm**  
**SE3907**

**Maestro**  
**SE3903**

**Cadence**  
**SE3908**

**Tambourine**  
**SE3911**

**Bridge**  
**SE3912**

**Finale**  
**SE3902**

**Prelude**  
**SE3923**

**Mezzo**  
**SE3913**

**Metronome**  
**SE3914**

**Octave**  
**SE3915**

**Saxophone**  
**SE3920**

**March**  
**SE3925**

**Encore**  
**SE3929**

**Bar**  
**SE3931**



**Altro Serenade**

# AltroFix™

Altro only approve adhesives recommended within this price list. Alternative adhesives may be available from other suppliers which are suitable for adhering the Altro range.

**All direct to ground subfloors should incorporate a DPM.**

**Note:** unit coverage of AltroFix adhesives will depend upon subfloor, trowel size, etc. See full laying details for each floor product for complete recommendations. AltroFix range normally available from stock.

## AltroFix™ 19 Plus

Two-part solvent and water-free polyurethane adhesive. After setting, this adhesive is not affected by spillage of water and most other liquids. For use with **Altro safety flooring**.

Flooring may require weighting down. Floor must be kept clear during setting of adhesive. Not suitable for vertical surfaces.

Colour	Neutral	
Product code	ADH19PK15 - 1.5kg unit	Price £9.27 Coverage: 6 - 7m²
	ADH19PK3 - 3kg unit	Price £17.51 Coverage: 12 - 14m²
	ADH19PK6 - 6kg unit	Price £30.90 Coverage: 24 - 28m²

# Welding rod and mastic

---

## Altro PVC welding rod 4.5mm

PVC welding rod for use with **Altro safety flooring** and **Altro smooth**. These welding rods are available in a range of colours designed to blend with the floor coverings.

**Unless otherwise specified matching rods and AltroMastic 100 should be used with Altro safety flooring. All sheets should be hot welded.**

Welding rod for non-stock colours will be supplied in a blending shade, unless otherwise specified.

Price	per 50m coil <b>£8.24</b>
-------	---------------------------

## AltroMastic 100

AltroMastic 100 is available to colour match **Altro safety flooring**. Standard sealant gun required.

Coverage	40 LM at a 3mm bead
Price	per one-part cartridge sealant, full size <b>£8.24</b>

# Altro safety flooring

---



Altro safety flooring carries a five, ten, fifteen or twenty-year guarantee when the correct grade of flooring is installed in the recommended area. It has wide use in education, healthcare, public, hospitality, commercial, industrial and military establishments. Each product in the range is designed to meet specific flooring needs as efficiently and cost effectively as possible.

## **Altro safety flooring is not normally recommended for use in**

- Car showrooms – due to antioxidant staining from tyres

**Note:** certain dark colours mask this effect and Altro are pleased to provide further guidance on this

- Areas where power driven trucks will be driven at speed – excessive tyre burn may occur due to high friction
- Areas where severe mechanical damage may occur due to protruding nails in wooden pallets etc
- Areas where excessive spillage of ketones or other solvents of PVC occur
- Areas where the flooring may come into contact with oven-hot objects

All products are subject to availability

# Altro Floors Conditions of Sale

---

## 1. Definitions

**"Altro"** means Altro Limited (Company Number 00154159) whose registered office is at Works Road, Letchworth Garden City, Hertfordshire SG6 1NW

**"the Customer"** means the persons, firm, body or company with whom Altro contracts.

## 2. General

- 2.1 Unless otherwise agreed by Altro in writing, these terms and conditions shall apply to all orders placed with Altro and will prevail over any terms which the Customer may purport to apply under any purchase order, confirmation order or other document.
- 2.2 Any stipulations or conditions in the Customer's order form shall be deemed to be inapplicable to any order placed with Altro unless expressly agreed to by Altro in writing before goods are despatched in accordance with the order in question.

## 3. Acceptance

- 3.1 A quotation given by Altro is an invitation to purchase only. It remains open for acceptance by the Customer for 28 days, or as agreed in writing
- 3.2 A "Contract" shall be made when Altro despatches goods in accordance with the Customer's order.

## 4. Prices

- 4.1 Notwithstanding any bespoke quotation provided by Altro, the price payable for goods ordered by the Customer shall be the price stated in the Altro price list current at the date of despatch of such goods by Altro unless otherwise agreed in writing between Altro and the Customer.
- 4.2 The Customer shall notify Altro in writing within 90 days of receipt of invoice of any claim relating to the price charged for goods.
- 4.3 All prices quoted by Altro exclude value added tax which will be charged at the rate applicable at the date of invoice unless otherwise stated by Altro.
- 4.4 Prices are ex-works and exclude packaging and carriage costs unless otherwise agreed in writing between Altro and the Customer.

## 5. Payment

- 5.1 Time for payment shall be of the essence under the Contract.
- 5.2 Payment is due by the 30th of the month following the month of invoice for credit account Customers, or against receipt of cleared funds prior to despatch of goods for pro forma Customers unless otherwise agreed in writing between Altro and the Customer.
- 5.3 When an invoice is overdue for payment or when a credit limit has been exceeded Altro reserves the right at its absolute discretion to withdraw credit terms or charge interest. Altro reserves the right to charge interest on overdue accounts, such interest to be calculated on a day-to-day basis on the amount outstanding at the rate of 4 per cent above the arithmetic average for each day of the published base rate of Barclays Bank plc.
- 5.4 The Customer shall not be entitled to delay or withhold payment in full or in part for any reason whatsoever including any alleged defence, set-off or counterclaim.
- 5.5 If the goods are delivered in instalments, Altro shall be entitled to invoice the Customer as and when each instalment is ready for despatch, and payment shall be due in respect of each instalment as though the goods therein comprised were the subject of a separate order, notwithstanding late delivery or non-delivery of other instalments.
- 5.6 If Altro agrees that the Customer may pay by instalments then the Customer shall be deemed to be in default on the whole Contract in the event of non-payment of an instalment by the due date and the outstanding balance of the invoiced sum shall immediately become payable by the Customer.
- 5.7 If so requested, the Customer shall deposit such monies (in cleared funds) with Altro, the amount of which may be agreed between the parties from time to time, for the purpose of securing the payment by the Customer of all or any invoices associated with current Contracts and / or future orders placed with Altro. In such circumstances, the Customer hereby irrevocably and unconditionally agrees that:
  - 5.7.1 it shall have no right whatsoever to the return of the deposit monies and Altro shall be under no obligation whatsoever to return the deposit monies, in circumstances where orders for goods have been, or are placed by the Customer with Altro that await completion;
  - 5.7.2 Altro shall be entitled, in its absolute discretion, to withdraw and pay to itself all or any part of the deposit funds and apply such monies against any outstanding invoice(s) of the Customer (which for the avoidance of doubt shall include any applicable VAT and other applicable taxes) regardless of the solvency (or otherwise) of the Customer; and
  - 5.7.3 Altro shall be entitled to set off any claims it might have against the Customer in respect of any Contracts (which for the avoidance of doubt shall include any applicable VAT and other applicable taxes) against the deposit monies so held, regardless of the solvency (or otherwise) of the Customer.
- 5.8 If Altro has requested such monies to be deposited by a Customer in accordance with clause 5.7 above, and in the opinion of Altro such monies are either (i) not deposited or (ii) are insufficient for the value of the appropriate order(s) / Contract(s), Altro may at its own discretion refuse to commence, continue or complete any order and / or Contract.

# Altro Floors Conditions of Sale

---

## 6. Delivery and collection

- 6.1 All times and dates given for delivery of goods are given in good faith but are estimates only and time for delivery shall not be of the essence under the Contract.
- 6.2 If Altro is unable to meet any delivery date, unless the delay is substantial and is the result of the wilful default or negligence of Altro, the delay shall not constitute a breach of the Contract and the Customer shall not be entitled to treat the Contract as thereby repudiated nor to rescind it or any other Contract with Altro in whole or in part nor to claim for any resulting direct or consequential loss or damage.
- 6.3 Where delivery is to site the Customer will be responsible for off-loading the goods and for storing them locked-up under cover and protected from the elements.
- 6.4 The Customer shall notify Altro in writing of any claim for loss or damage to goods in transit within 14 days of the date of despatch (in the case of non-delivery) and within 3 days of delivery (in the case of damage).
- 6.5 If goods are collected by the Customer, Altro's liability ceases when the goods are loaded onto the Customer's transport and no subsequent claims for breakages or shortages will be recognised.

## 7. Quality of goods

- 7.1 Subject to these conditions, the goods to be provided shall:
  - 7.1.1 conform as to quantity, quality and description with the Customer's order and any specification or standards stated or referred to in the order;
  - 7.1.2 be of first-class materials and workmanship throughout and be executed with reasonable care and skill by properly qualified and experienced persons;
  - 7.1.3 be equal in all material respects to any samples, patterns, demonstration or specification provided or given by either party;
  - 7.1.4 be capable of any standard of performance specified in the Customer's order;
  - 7.1.5 if the purpose for which they are required is indicated in the Customer's order, either expressly or by implication, be fit for that particular purpose; and
  - 7.1.6 comply with any statutory rule or regulation that may be in force relating to the ordered goods.
- 7.2 Altro reserves the right to make any necessary changes to the goods from time to time.

## 8. Risk and title

- 8.1 The risk in the goods shall pass from Altro to the Customer upon delivery of such goods to the Customer. However, notwithstanding delivery and the passing of risk in the goods, title and property in the goods, including full legal and beneficial ownership, shall not pass to the Customer until Altro has received in cash or cleared funds payment in full for all goods delivered to the Customer under this and all other Contracts between Altro and the Customer for which payment of the full price of the goods thereunder has not been paid. Payment of the full price of the goods shall include the amount of any interest or other sum payable under the terms of this and all other Contracts between Altro and the Customer under which the goods are delivered.
- 8.2 Where payment is to be made by instalments the property in respect of all goods supplied under this and all other Contracts shall not pass to the Customer until all instalment payments have been made.
- 8.3 Where, in accordance with clause 5.7 above, Altro has drawn down and applied all or any of the security deposit monies in satisfaction of Customer invoices, title and property in the goods, including all legal and beneficial ownership, shall pass to the Customer when all outstanding invoices (including any applicable interest) of that Customer have been paid in full, from the security deposit monies or otherwise.
- 8.4 Until payment in full has been made the Customer shall have possession of the goods as a bailee only, shall keep them separate from other assets and clearly marked as Altro's property, shall maintain them in satisfactory condition and shall not alter or add to them in any way.
- 8.5 The Customer shall be entitled to resell or use the goods in the normal course of the Customer's business provided that the Customer shall remain fully accountable to Altro for the goods and shall hold the proceeds of the sale on trust for Altro to the extent of the Customer's outstanding liability to Altro under this and all other Contracts and shall promptly remit all such proceeds to Altro until payment in full of all sums due under the Contract is made.
- 8.6 Property in any goods supplied shall not pass to the Customer or to any other person merely by virtue of their becoming affixed to the real or personal property of the Customer or such other person.
- 8.7 Altro shall be entitled to recover payment for the goods notwithstanding that ownership of any of the goods has not passed from Altro.
- 8.8 The Customer shall keep the goods fully insured against all usual risks at the Customer's expense and ensure that Altro's interest is noted on the policy and shall, upon request, produce to Altro a valid policy of insurance in accordance with this clause.
- 8.9 The Customer's right to possession of the goods shall be terminated immediately if:
  - (a) the Customer has a bankruptcy order made against him or makes an arrangement or composition with his creditors, or otherwise takes the benefit of any statutory provision for the time being in force for the relief of insolvent debtors, or (being a body corporate) convenes a meeting of creditors (whether formal or informal), or enters into liquidation (whether voluntary or compulsory) except a solvent voluntary liquidation for the purpose only of reconstruction or amalgamation, or has a receiver and / or manager administrator or administrative receiver appointed of its undertaking or any part thereof, or documents are filed with the court for the appointment of an administrator of the Customer or notice of intention to appoint an administrator is given by the Customer or its directors or by a qualifying floating charge holder (as defined in paragraph 14 of Schedule B1 of the Insolvency



# Altro Floors Conditions of Sale

---

- Act 1986), or a resolution is passed or a petition presented to any court for the winding-up of the Customer or for the granting of an administration order in respect of the Customer, or any proceedings are commenced relating to the insolvency or possible insolvency of the Customer; or
- (b) the Customer suffers or allows any execution, whether legal or equitable, to be levied on its property or obtained against it, or fails to observe or perform any of its obligations under the Contract or any other Contract between Altro and the Customer, or is unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986 or the Customer ceases to trade; or
- (c) the Customer encumbers or in any way charges any of the goods.
- 8.10 The Customer grants Altro, its agents and employees an irrevocable licence at any time to enter any premises where the goods are or may be stored in order to inspect them, or, where Customer's right to possession has terminated, to recover them.

## 9. Default or insolvency

- 9.1 If either Altro or the Customer:
- 9.1.1 commits a breach of any Contract and the breach remains unremedied 21 days after written notice by the other party;
- 9.1.2 makes or offers to make any composition with creditors;
- 9.1.3 commits any act of bankruptcy;
- 9.1.4 is the subject of any resolution or petition to wind-up the business (other than for the purpose of amalgamation or reconstruction);
- 9.1.5 has an administrator, receiver or administrative receiver appointed,
- then the other party may terminate the Contract forthwith by giving written notice to the other party to that effect.
- 9.2 Where the Customer is in default of any payment or any term as to payment, whether under the Contract in question or any other Contract with Altro or otherwise from time to time due to Altro from the Customer, or is subject to clauses 9.1.1 to 9.1.5 above, then all sums owed to Altro by the Customer under all Contracts with Altro shall become immediately due and payable and Altro may:
- 9.2.1 cancel all relevant Contracts;
- 9.2.2 cease making any further deliveries to the Customer;
- 9.2.3 require the Customer by not less than 7 days' notice in writing to deliver up to Altro all and any goods in the Customer's possession which are the property of Altro;
- 9.2.4 enter the premises of the Customer to take possession of Altro's goods (using reasonable force if necessary but making good any damage thereby caused); or
- 9.2.5 sell the repossessed goods and apply the proceeds of sale towards satisfaction of the Customer's liability to Altro under the Contract of sale;
- and Altro shall further be entitled:
- 9.2.5.1 to recover damages in respect of any loss or damage caused by the failure of the Customer to make payment in full by the due date; and
- 9.2.5.2 to be indemnified by the Customer against all legal and other costs incurred or paid by Altro in the process of seeking to regain possession of goods which were in the power, custody or possession of the Customer and to which title was vested in Altro, whether by virtue of general law or under the Contract in question or any other Contract with the Customer.
- 9.2.6 The Customer shall be liable to Altro for legal and any other costs incurred in the recovery of all monies owing.

## 10. Lien

- 10.1 In addition to any right of lien to which Altro may by law be entitled, in the event of the Customer's insolvency, Altro shall be entitled to a general lien on all goods of the Customer in Altro's possession (whether paid for or otherwise) for the unpaid price of any other goods sold and delivered to the Customer by Altro under the same or any other contract.
- 10.2 In the case of any default of any term as to payment in respect of any Contract Altro reserves the right on the expiration of 7 days' notice to the Customer to resell any such goods in its possession, or any goods repossessed in accordance with clause 9, and to apply the proceeds of the sale to settle the Customer's debt to Altro.

## 11. Liability

- 11.1 Altro will indemnify the Customer against any death or personal injury resulting from the negligence of Altro or its employees.
- 11.2 Where direct damage to property is caused by the negligence of Altro or its employees then Altro shall make good any such damage caused provided that Altro's total liability shall not exceed £1,000,000 in aggregate for any claim or claims resulting from any one or more related incidents.
- 11.3 Altro's liability as regards goods is limited to replacement (and where appropriate reinstallation) of any goods which within one year from the date of installation prove to be defective by reason of faulty materials or manufacture or become defective by reason of faulty installation by Altro. In such circumstances:
- 11.3.1 the Customer shall notify Altro in writing of the alleged defect within 10 days of the defect becoming apparent;
- 11.3.2 Altro will acknowledge any claim in writing and investigate such claim;
- 11.3.3 Altro shall not be liable for any other expense or labour costs not authorised by Altro or, for the avoidance of doubt, any damage caused as a result of sub-contracted third party acts where such sub-contractor has not been instructed and / or specifically authorised by Altro to undertake the work.

# Altro Floors Conditions of Sale

---

- 11.4 Any advice or recommendation given by Altro or its employees or agents to the Customer or its employees or agents as to the storage, installation, application or use of the goods which is not confirmed in writing by Altro is followed or acted upon entirely at the Customer's own risk and accordingly Altro shall not be liable for any such advice or recommendation which is not so confirmed.
- 11.5 Altro shall not be liable for any indirect or consequential loss whatsoever whether arising from, or in connection with:
  - 11.5.1 the supply of defective goods;
  - 11.5.2 delay in delivery or non-delivery;
  - 11.5.3 loss of or damage to goods in transit, or
  - 11.5.4 damage to property of the Customer or any third party.
- 11.6 Any express or implied term, condition, representation or guarantee not stated in these conditions is hereby excluded except the condition as to the title implied by Section 12 of the Sale of Goods Act 1979 and in the case of a sale to a consumer, the conditions and guarantees implied by Sections, 13 14 and 15 of the same Act.
- 11.7 In the event of any resale by the Customer, the Customer shall similarly exclude liability and shall indemnify Altro against all liability of Altro consequent upon such resale.
- 11.8 For the avoidance of doubt, nothing contained herein affects the statutory rights of a consumer.

## 12. Export liability

The Customer shall ensure that all import regulations of the country of destination and all local and national regulations and / or requirements which relate to the sale and use of the goods in that country are satisfied and shall indemnify Altro against all claims and demands whatsoever which arise whether directly or indirectly from the sale and use of the goods.

## 13. Force majeure

Neither party shall be liable for delays in performance, or non-performance, due to causes beyond its reasonable control.

## 14. Selection of goods

The selection of goods is a matter solely for the Customer who is strongly advised to ascertain in advance whether the goods are suitable for the purpose for which they are required.

## 15. Specifications

- 15.1 Except in the case of a sale to a consumer all illustrations and descriptions issued by Altro are of an informative nature only and are not part of any specification.
- 15.2 Altro reserves the right to modify any specification as necessary.
- 15.3 Altro shall not in any event be liable for the inaccuracy of any information or document not originating from Altro.
- 15.4 All specifications, illustrations and descriptions are copyright and remain the property of Altro at all times. They may not be copied or released to third parties and must be returned to Altro at its request at any time.

## 16. Cancellations

Cancellation of an order, or part of an order, by the Customer shall be on such terms as agreed by Altro, in writing.

## 17. Alterations

Goods supplied by Altro shall not be altered or modified in any way.

## 18. Waiver

The failure of either party to insist upon the strict performance of any provision of these conditions shall not be deemed to be a waiver of that party's rights and remedies nor shall it constitute a precedent as regards subsequent contracts.

## 19. Severance

If any provision of these conditions shall be found by any court or administrative body of competent jurisdiction to be invalid or unenforceable, such invalidity or unenforceability shall not affect the other provisions of these conditions which shall remain in full force and effect.

## 20. Third party rights

A person who is not party to this agreement shall have no right under the Contracts (Rights of Third Parties) Act 1999 to enforce any term of this agreement. This clause does not affect any right or remedy of any person which exists or is available otherwise than pursuant to that Act.

## 21. Law

The agreement between the parties shall be governed by English law and shall be subject to the exclusive jurisdiction of the English courts.

## 22. Anti-bribery

Altro has a strict anti-bribery policy. Altro will not engage in bribery or corruption in any form and has a zero tolerance approach to breach whether it involves private individuals or public officials. A full copy of our policy is available upon request.

For details of how we deal with personal data please go to <https://www.altro.co.uk/Privacy-policy>. If you have any questions about how we deal with personal data or you would like a copy of our privacy policy, please contact us at [mydata@altro.com](mailto:mydata@altro.com)

Revised – March 2012b

# Special conditions

---

## Overdue payments

We reserve the right to impose a surcharge of 1.5% per month pro rata for payments not received into Altro's account by due date. This amount will be invoiced separately.

## Stock availability

Please check our current availability statement or contact the International Sales Office at Letchworth.

# Terms and conditions

## Prices

Quoted in Sterling

## Our Bank is:-

Barclays Bank PLC  
PO Box 544  
54 Lombard Street  
London EC3V 9EX

## Our Account No. is:-

20106054

## Our BIC Code is:-

BARCGB22

## Our IBAN Code is:-

GB32 BARC 2082 9420 1060 54



Altro, Altro Aquarius, Altro Pisces, Altro Operetta, Altro Orchestra, Altro Serenade, Altro Cantata, Altro Wood adhesive-free, Altro Wood, Altro Wood Comfort, Altro XpressLay, Altro Walkway 20, Altro Walkway 20 SD, Altro Classic 25, Altro Stronghold 30, AltroFix, Altro Easyclean technology, Altro Whiterock and Altro Fortis are all trademarks of Altro Limited.

**altro.com**