



# 3MP NVR KIT

WIRELESS SURVEILLANCE SYSTEM

**HW-3308KIT302M-H3**



**ULTRA**  
Compression Code

**3Mpixel**

**WIRELESS Network**



**hiviewwifi**



**HDMI**  
HIGH DEFINITION MULTIMEDIA INTERFACE



**P2P**



# 3MP NVR KIT

## WIRELESS SURVEILLANCE SYSTEM



**3Mpixel** WIRELESS Network **HDMI** CLOUD P2P

## Features

- \* 3MP / 1080P / 960P / 720P Wireless Network Video Recorder
- \* Built-in WIFI module with high-performance and high stability
- \* Automatically Connection between NVR and IPC
- \* Support video preview / recording / playback backup
- \* Support the mixed use of wireless and wire, support different scene
- \* Support Android / IOS / PC remote

## Specification

Model	HW-3308M-H3
Video Input	8ch 720P / 960P / 1080P / 3MP
HDMI Output	1 ch, resolution: 1024x768, 1280x1024, 1366x768, 1440x900, 1920x1080, 2K, support audio output
VGA Output	1 ch, resolution: 1024x768, 1280x1024, 1366x768, 1440x900, 1920x1080
Resolution	720P / 960P / 1080P / 3MP / 5MP
Playback	4ch
Recording	Manual, time, motion dection, alarm
Storage	1 SATA
Storage capacity	6TB for each HDD
Network interface	1 RJ45 10M/100M 2 WIFI connector
USB interface	2 USB2.0
Audio interface	3.5 mm headphone jack
Power consumption	≤5W
Power	DC12V
working temperature	-10C-- +55C
Dimension (mm)	258*210*42mm
Working humidity	10%--90%RH

**ULTRA**  
Compression Code



# 3MP NVR KIT

## WIRELESS SURVEILLANCE SYSTEM



**3Mpixel** WIRELESS Network **HDMI** HIGH DEFINITION MULTIMEDIA INTERFACE **CLOUD** P2P

### Features

- \* 3MP / 1080P / 960P / 720P Wireless Network Video Recorder
- \* Built-in WIFI module with high-performance and high stability
- \* Automatically Connection between NVR and IPC
- \* Support video preview / recording / playback backup
- \* Support the mixed use of wireless and wire, support different scene
- \* Support Android / IOS / PC remote

### Specification

#### Model **HW-33B302M-H3**

<b>Sensor</b>	<b>1/3" Progressive Scan Sensor</b>
<b>Signal System</b>	<b>PAL / NTSC</b>
<b>Resolution</b>	<b>2304x1296 16:9 High Definition</b>
<b>Minimum illumination</b>	<b>Color: 0.01 Lux; B/W: 0.001 Lux</b>
<b>Shutter</b>	<b>1/25s to 1/25,000s</b>
<b>Lens</b>	<b>4mm</b>
<b>OSD</b>	<b>Date Time &amp; Title</b>
<b>White Balance</b>	<b>Auto</b>
<b>Day &amp; Night</b>	<b>Auto / Color / BW</b>
<b>3D-DNR</b>	<b>Auto</b>
<b>Mirror / Flip</b>	<b>On / Off</b>
<b>smart stream</b>	<b>Dual-stream: 2304x1296@15fps 640x360@15fps</b>
<b>S/N</b>	<b>&gt; 39.1 Db</b>
<b>Interface</b>	<b>RJ45 / WIFI 802.11b/g/n</b>
<b>Anti-thunder Level</b>	<b>Standard IEC61000-4-5</b>
<b>Working Temperature</b>	<b>-10°C to +50°C</b>
<b>Working Humidity</b>	<b>30% to 80% RH</b>
<b>Working Temperature</b>	<b>-20°C to +60°C</b>
<b>Working Humidity</b>	<b>20% to 90% RH</b>
<b>Power Input</b>	<b>DC12V-1A</b>
<b>Power consumption</b>	<b>≤6W</b>
<b>Size</b>	<b>66*180mm</b>
<b>Weight</b>	<b>500g</b>
<b>Level of Protection</b>	<b>IP66</b>

**ULTRA**  
Compression Code