



PT WI-FI CAM
FULL COLOR NIGHT VISION

HW-33MPT30W



263° **90°**
PT Control Pan 263° /Tilt 90°



3MPixel



Wi-Fi Conect



2-Way Audio



Cloud Storage(Optional)
TF Card Storage



PT Control
Pan 263° /Tilt 90°



Full Color/
BW mode



Remote Playback



Support ONVIF



Application
HIVIEWWiFi



3M PIXEL HD
WiFi Camera Series



Feature

- 1/3" progressive scan CMOS
- 3.0 Megapixel
- Compression H.265 / H.265+ / H.264+
- Dual-stream Supported
- Color: 0.1lux , B/W: 0.01lux with IR
- Day / Night Auto (ICR) / Color / B/W
- Focal Length 4mm
- Dual IR Array (White light + BW)
- Infrared light 20-30M / White light 15-20M
- Wireless Wi-Fi
- Wi-Fi 802.11b/g/n 2.4G, Wi-Fi AP
- Application Programming ONVIF
- Hot Spot Supported
- Wi-Fi 2 x Built-in Wi-Fi module
- 1 x Mic built-in , 1 x Speaker built-in
- Memory supports 256GB/slot

Specification

Model	HW-33MPT30W
Image Sensor	1/3" progressive scan CMOS
Pixels	3.0 Megapixel
Compression	H.265 / H.265+ / H.264+
Dual-stream	Supported
Image Resolution	Main stream: 2304x1296 / 1920x1080 / 1280x720 Secondary stream: 640x360
Frame Rate	Main stream: 2304x1296 / 1920x1080 / 1280x720@15fps Secondary stream:640x360@15fps
Bitrate	Main stream 1024~2048Kbps Secondary stream 256~1024Kbps
Bitrate Control	VBR / CBR
Video Standard	PAL/NTSC
Min. Illumination	Color: 0.1lux , B/W: 0.01lux with IR
Shutter Speed	1 ~ 1/30,000s
Day / Night	Auto (ICR) / Color / B/W
Wide Dynamic Range	74dB
S/N Ratio	36dB
White Balance	Auto
Gain Control	Auto
Backlight Compensation	Not Support
Lens	
Mount Type	M12
Auto Iris	DC drive
Focal Length	4mm
Focus Control	Manual
Infrared	
IR Type	Dual IR Array (White light + BW)
IR Distance	Infrared light 20-30M / White light 15-20M
IR Intensity	Smart IR
PTZ Camera Pan and Tilt	
Pan / Tilt Range	263° Endless / 90°
Pan / Tilt Speed	Pan manual speed: 0.1~20/s Tilt manual speed: 0.1~20/s
Preset	10
Patrol	1 x cruise, up to 10 presets per cruise
Power-off Memory	Supported
Auto Guard	Supported
Recording	
Resolution	3MP
Mode	Schedule / Event
Event Trigger	Supported
Tag	Not Support



Application

HIVIEWWiFi





263° 90°
PT Control Pan 263° /Tilt 90°



3MPixel



Wi-Fi Conect



2-Way Audio



Cloud Storage(Option)
TF Card Storage



PT Control
Pan 263° /Tilt 90°



Full Color/
BW mode



Remote Playback



Support ONVIF

Feature

- 1/3" progressive scan CMOS
- 3.0 Megapixel
- Compression H.265 / H.265+ / H.264+
- Dual-stream Supported
- Color: 0.1lux , B/W: 0.01lux with IR
- Day / Night Auto (ICR) / Color / B/W
- Focal Length 4mm
- Dual IR Array (White light + BW)
- Infrared light 20-30M / White light 15-20M
- Wireless Wi-Fi
- Wi-Fi 802.11b/g/n 2.4G, Wi-Fi AP
- Application Programming ONVIF
- Hot Spot Supported
- Wi-Fi 2 x Built-in Wi-Fi module
- 1 x Mic built-in , 1 x Speaker built-in
- Memory supports 256GB/slot

Specification

Model	HW-33MPT30W
Cloud Storage	Supported (Optional)
Search & Playback	
Search Mode	Date and time (Calendar)
Resolution	3MP
Audio	
Compression	ACC / G711
Bitrate	64kbps
Network	
Network Protocols	TCP/IP, UDP, HTTP, DHCP, IPv4
User Interface	EseeCloud
Cloud	Cloud (QR COD)
Max. User Access	Max. 3 (main) + 3 (Sub) Users (includes 2 internal)
Wireless Wi-Fi	
Wi-Fi	802.11b/g/n 2.4G, Wi-Fi AP
Application Programming	ONVIF
Hot Spot	Supported
Recognitive Functions	
Target Detection	Human shape detection
Alarm	
Intelligent	Motion detection / Human detection
Alarm Events	Push notifyt / Recording / Acoustic alarm Human tracking / light Alarm
Interfaces	
Ethernet	10/100M, RJ45 interface
Wi-Fi	2 x Built-in Wi-Fi module
Audio In / Out	1 x Mic built-in 1 x Speaker built-in
Memory Slot	Built-in 1 x SD card supports up to 256GB / slot
Environmental	
Operating Temperature	-40C ~ 70C / -40F ~ 158F
Operating Humidity	10% ~ 95%
Protection Level	IP66, TVS 4000V lightning protection, surge protection
Electrical	
Power	12V DC
PoE (IEEE802.3af)	No
Power Consumption	Max. 15W (IR on)
Mechanical	
Weight	40 kg / 88.2lb (Gross Weight)
Dimensions	290 x 545.5mm / 11.4" x 21.47"
Housing	2-Inch
Mounting Bracket	Bracket included



Application

HIVIEWWiFi

Available on the
App Store

ANDROID APP ON
Google play