



**PT** IP CAMERA SERIES  
4G/Wireless/LED Light

## 4G MINI DOME CAMERA

1080P Wireless Connection Pan :350 ° Tilt :90°



Pan 350° Tilt 90°

**3M PIXEL HD**  
WIFI Camera Series



**hiviewwifi**

Download on the  
App Store

GET IT ON  
Google Play



Pan  
350°

Tilt  
90°



## Feature

- \* 1/3" progressive scan CMOS
- \* 3.0 Megapixel
- \* Compression H.265 / H.264
- \* Focal Length 4mm / F2.0
- \* IR LED 4 pcs IR LED Array
- \* White Light LED 4 pcs IR LED Array
- \* IR LED Distance 20 ~ 30m
- \* Spot Light Distance 15m
- \* Working Mode Wi-Fi / 4G
- \* Pan / Tilt Range Pan  $\varnothing$  ~ 35 $\varnothing$  / Tilt 9 $\varnothing$
- \* Power 12V DC / 2A

**3M PIXEL HD**  
WIFI Camera Series

## Specification

Model	HW-33MPT30-4G
Image Sensor	1/3" progressive scan CMOS
Pixels	3.0 Megapixel
Min. Illumination	Color 0.1Lux@F1.2 / B/W0.01Lux@F1.2
Shutter Speed	Adaptation
Day / Night	Auto (IR-CUT) / Color / B/W
Wide Dynamic Range	Digital WDR
White Balance	Auto / Manual
Gain Control	Auto / Manual
Working Mode	Wi-Fi / 4G
<b>Lens</b>	
Focal Length	4mm / F2.0
Angle of View	104
<b>Infrared</b>	
IR LED	4 pcs IR LED Array
White Light LED	4 pcs IR LED Array
IR LED Distance	20 ~ 30m
Spot Light Distance	15m
IR Intensity	IR-Smart
<b>Pan and Tilt</b>	
Pan / Tilt Range	Pan $\varnothing$ ~ 35 $\varnothing$ / Tilt 9 $\varnothing$
Pan / Tilt Speed	Pan manual speed: 20°/s Tilt manual speed: 10°/s
Speed Adjust	Supported
Preset Position	Supported
Auto Cruise	Supported
<b>Video</b>	
Compression	H.265 / H.264 (HD/SD, Rate adaptation)
Image Resolution	Main stream: 2304x1296@15fps Secondary stream: 640x360@15fps
Multi-stream	Dual stream
Privacy Masking	Supported
Digital Noise Reduction	3D noise reduction



hiviewwifi





# PT IP CAMERA SERIES

4G/Wireless/LED Light



Pan  
350°

Tilt  
90°



## Feature

- \* 1/3" progressive scan CMOS
- \* 3.0 Megapixel
- \* Compression H.265 / H.264
- \* Focal Length 4mm / F2.0
- \* IR LED 4 pcs IR LED Array
- \* White Light LED 4 pcs IR LED Array
- \* IR LED Distance 20 ~ 30m
- \* Spot Light Distance 15m
- \* Working Mode Wi-Fi / 4G
- \* Pan / Tilt Range Pan 0 ~ 350 / Tilt 90
- \* Power 12V DC / 2A

# 3MPixel HD

WiFi Camera Series

## Specification

Model	HW-33MPT30-4G
Image Flip	Flip / Mirror
<b>Audio</b>	
Compression	AAC / G.711A
<b>Network</b>	
Network Protocols	TCP / IP, N1, NTP, P2P
Wi-Fi Standard	2.4GHz.
4G Standard	4G: LTE-TDD / LTE FDD; WIFI: 802.11bgn
4G Band	LTE-FDD: B1 / B3 / B5 / B8 LTE-TDD: B34 / B38 / B39 / B40 / B41 WIFI: 2400MHz - 2483.5MHz
AP mode	Supported
User Interface	Mobile Application hiviewwifi EseeCloud
<b>Alarm</b>	
Intelligent	Motion detection / Humanoid tracking
Alarm Notification	Alarm notification push / Line Push Voice alarm import
Device Prompt	English / Chinese
<b>Interfaces</b>	
Ethernet	1 x 10/100M, RJ45 interface (None-POE)
Wi-Fi Antenna	2 x
Audio In / Out	1 x Mic built-in / 1 x Speaker built-in
Memory Slot	1 x SD card supports up to 128GB
Reset Button	2 x
4G SIM Slot	1 x
<b>Environmental</b>	
Operating Temperature	-20C ~ 50C
Operating Humidity	95% no condensation
Protection Level	IP66
<b>Electrical</b>	
Power	12V DC / 2A
Power Consumption	IR Off: 3W / IR On: 5W / White light :3W
<b>Mechanical</b>	
Weight	0.5KG
Dimensions	170.9x111.8x267.6mm



### hiviewwifi

