


# ตรวจคัดกรอง มะเร็งปากมดลูก



ป้ายบริเวณ ปากมดลูก เบาๆ  
เพื่อเก็บสิ่งส่งตรวจ



ส่งตรวจห้องปฏิบัติการที่ได้รับมาตรฐานระดับสากล  
ทราบผลภายใน 7 วัน



CMC WELLNESS CLINIC

## PAP SMEAR

ตรวจหาความผิดปกติ  
ของเซลล์ปากมดลูก




## HPV DNA TEST

ตรวจหาเชื้อ  
เพื่อค้นหาความเสี่ยงก่อนเกิดโรค




# Co-Testing

ตรวจคู่ ความแม่นยำสูง  
ตรวจพบความผิดปกติ ได้เร็วกว่า



PAP SMEAR

ตรวจหาความผิดปกติ  
ของเซลล์ปากมดลูก




HPV DNA TEST

ตรวจหาเชื้อ  
เพื่อค้นหาความเสี่ยงก่อนเกิดโรค

หากผลปกติทั้งคู่ ตรวจทุก 3 ปี



CMC WELLNESS CLINIC



เก็บสิ่งส่งตรวจในครั้งเดียว  
แต่สามารถเลือก วิธีการตรวจได้



PAP SMEAR



HPV DNA TEST



Co-Testing





CMC WELLNESS CLINIC

# COLPOSCOPY

## หากตรวจพบ

- เซลล์ปากมดลูกผิดปกติ
- มีการติดเชื้อ HPV 16 หรือ HPV 18



# PCOS SYMPTOMS



HAIR LOSS



HIRSUTISM



PELVIC PAIN



INFERTILITY




OVERWEIGHT



IRREGULAR PERIODS





FATIGUE




HIGH TESTOSTERONE LEVELS




ACNE



**Normal Ovary**



**Polycystic Ovary**




# Herpes simplex

## ເຣັມ




Herpes simplex virus




© 2016 Healthwise


First appears as small white blister




Blisters turn into soft wet ulcers



New layer of skin begins to form, fewer virus copies in sore



Skin surface again normal, but virus remains in body




Virus migrating to other parts of body

Herpes appearance




# Herpes simplex

## เริ่น



- **HSV-1 infection: 3.7 billion people (67%)**



- **HSV-2 infection: 491 million people (13%)**

