


ROCKER BULLBAR 078

ROCKER BAR SEIRES,

THIS UNIQUE LOOKING BULLBAR AVAILABLE WITH NO LOOP, TRIPLE LOOP, SINGLE BLACK OR STAINLESS LOOP.



A : ADR & WINCH COMPATIBLE AND RATED FOR A 12,000lb LOW MOUNT WINCH.

B : 078-01 STAINLESS STEEL SINGLE LOOP: BOLT ON SYSTEM FOR CENTRE LOOP MADE BY 1.5MM 304 STAINLESS STEEL 76.2MM DIAMETRE WITH STANDARD TWO AERIAL MOUNTING PORTS ON BAR.

078-01 BLACK STEEL SINGLE LOOP: BOLT ON SYSTEM FOR CENTRE LOOP MADE BY 1.5MM STEEL WITH 76.2MM DIAMETRE WITH STANDARD TWO AERIAL MOUNTING PORTS ON BAR.

078-02: FULLY WELDED 3 PIECES 1.5MM THICK STEEL WITH 60MM DIAMETER CENTRE TUBE, 52MM SHOULDER TUBES WITH STANDARD TWO AERIAL MOUNTS TAB.

C : BAR CONSTRUCTED OF ONE PIECE 3MM THICK STEEL WITH DURABLE SAND BLACK POWDER COAT FINISHED STANDARD

D : INTREGRATED WINCH MOUNT ON CHASSIS.

E : 4.5MM THICK INTERNAL BAR MOUNTING FLANGES WITH 3.5MM WING BRACING PLATES.

F : FULLY WELDED 15MM THICK TOWING SHACKLE MOUNTS STANDARD, INTERGRATED DIRECTLY INTO THE INTERNAL STRUCTURE FOR MAXIMUM STRENGTH. (SHACKLES MAY BE PURCHASED SEPARATELY).

G : DESIGNED TO MAXIMIZE APPROACH AND DEPARTURE ANGLES. WITH HIGH CLEARANCE SIDE WINGS AND FRONTAL PAN.

H : RE-INFORCE HI-LIFT JACK LIFTING POINTS FOR EASY RECOVERY OPERATIONS.

I : TWO PRE DRILLED LIGHT MOUNTING POINTS ON TOP OF BULLBAR CAN FIT UP TO 28 INCH L.E.D. LIGHT BAR OR 7 INCH L.E.D. ROUND LIGHTS UNDER THE CENTRE LOOP.


J : STANDARD RECESSED LIGHT PORTS WITH 110MM DIAMETER HALOGEN FOG LIGHTS (HB4).

K : 81MM DIAMETER L.E.D PARK & INDICATORS LIGHTS

DESIGNED AND TESTED IN AUSTRALIA. TO MEET ADR 69 STANDARD.

MCC4X4 WINCH MOUNT BRACKET

MCC SIGNATURE'S DESIGN WINCH AND BAR SUPPORT BRACKET.



A : ADR & WINCH COMPATIBLE AND RATED FOR A 12,000lb LOW MOUNT WINCH.

INTREGATED WINCH AND BAR MOUNTING BRACKET ATTACHES DIRECTLY TO CHASSIS .(DUE TO DIFFERENT VEHICLE DESIGNS SOME BRACKETS ARE IN THREE PIECES THAT ASSEMBLE TOGETHER AS ONE)

B : CRUSH ZONE CONSTRUCTION. DESIGNED TO ABSORB ENERGY AND MEET ADR AIRBAG SAFETY REQUIREMENTS.

C : 4.5MM THICK STEEL CONSTRUCTION .

DESIGNED AND TESTED IN AUSTRALIA. TO MEET ADR69 STANDARD.

ROCKER BULLBAR 078

078-02 TRIPLE LOOP



078-01 STAINLESS STEEL
SINGLE LOOP



078-01 SAND BLACK
SINGLE LOOP



078-01 NO LOOP

