

气源处理器/F.R.L Equipment

EAC系列三联件



EAC SERIES F+R+L

型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	调压范围 Set Pressure (MPa)	流量/ Air Flow m ³ /min(ANR)
EAC1000-01	G1/8	1.0	0.05-0.85	0.35
EAC2000-02	G1/4			0.6
EAC3000-02	G1/4			1.2
EAC3000-03	G3/8			1.7
EAC3000-04	G1/2			1.9
EAC4000-03	G3/8			2.0
EAC4000-04	G1/2			2.5
EAC4000-06	G3/4(配变径接头使用)			2.8
EAC5000-06	G3/4			5.0
EAC5000-10	G1			5.0

EAC系列二联件



EAC SERIES FR+L

型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	调压范围 Set Pressure (MPa)	流量/ Air Flow m ³ /min(ANR)
EAC1010-01	G1/8	1.0	0.05-0.85	0.35
EAC2010-02	G1/4			0.6
EEC3010-02	G1/4			1.1
EEC3010-03	G3/8			1.5
EAC3010-02	G1/4			1.2
EAC3010-03	G3/8			1.7
EAC3010-04	G1/2			1.9
EAC4010-03	G3/8			2.0
EAC4010-04	G1/2			2.5
EAC4010-06	G3/4(配变径接头使用)			2.8
EAC5010-06	G3/4			5.0
EAC5010-10	G1			5.0

EAW系列过滤减压阀



EAW Series Filter Regulator

型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	调压范围 Set Pressure (MPa)	流量/ Air Flow m ³ /min(ANR)
EAW1000-01	G1/8	1.0	0.05-0.85	0.8
EAW2000-02	G1/4			1.2
EEW3000-02	G1/4			2.0
EEW3000-03	G3/8			2.3
EAW3000-02	G1/4			2.2
EAW3000-03	G3/8			2.5
EAW3000-04	G1/2			3.0
EAW4000-03	G3/8			3.5
EAW4000-04	G1/2			4.5
EAW4000-06	G3/4(配变径接头使用)			5.0
EAW5000-06	G3/4			5.0
EAW5000-10	G1			5.0

EAW系列单向过滤减压阀



EAW Series check valve Filter Regulator

型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	调压范围 Set Pressure (MPa)	流量/ Air Flow m ³ /min(ANR)
EAW1100-01	G1/8	1.0	0.05-0.85	0.8
EAW2100-02	G1/4			1.2
EAW3100-02	G1/4			2.2
EAW3100-03	G3/8			2.5
EAW3100-04	G1/2			3.0
EAW4100-03	G3/8			3.5
EAW4100-04	G1/2			4.5
EAW4100-06	G3/4(配变径接头使用)			5.0

EAF系列过滤器



EAF Series Filter (F)

型号 Model	接管螺纹 Port Size	最高使用压力 Operating Pressure (MPa)	流量/Air Flow m ³ /min(ANR)	过滤精度 Filtration μm
EAF1000-01	G1/8	1.0	0.5	5或/ or 40
EAF2000-02	G1/4		0.65	
EAF3000-02	G1/4		1.1	
EAF3000-03	G3/8		1.5	
EAF3000-04	G1/2		1.8	
EAF4000-03	G3/8		2.0	
EAF4000-04	G1/2		2.7	
EAF4000-06	G3/4(配变径接头使用)		3.0	
EAF5000-06	G3/4		5.0	
EAF5000-10	G1		5.0	

EAR系列减压阀



EAR Series Regulator(R)

型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	调压范围 Set Pressure (MPa)	流量/Air Flow m ³ /min(ANR)
EAR1000-01	G1/8	1.0	0.05-0.85	0.6
EAR2000-02	G1/4			1.0
EER3000-02	G1/4			1.9
EER3000-03	G3/8			2.5
EAR3000-02	G1/4			2.1
EAR3000-03	G3/8			2.8
EAR3000-04	G1/2			3.5
EAR4000-03	G3/8			4.0
EAR4000-04	G1/2			5.0
EAR4000-06	G3/4(配变径接头使用)			6.0
EARS000-06	G3/4			8.0
EARS000-10	G1			8.0

EAR系列单向减压阀



EAR Series Check valve Regulator(R)

型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	调压范围 Set Pressure (MPa)	流量/Air Flow m ³ /min(ANR)
EAR1000-01	G1/8	1.0	0.05-0.85	0.6
EAR2000-02	G1/4			1.0
EAR3000-02	G1/4			2.1
EAR3000-03	G3/8			2.8
EAR3000-04	G1/2			3.5
EAR4000-03	G3/8			4.0
EAR4000-04	G1/2			5.0
EAR4000-06	G3/4(配变径接头使用)			6.0

ERP 精密减压阀

ERP Precision Regulator



型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	调压范围 Set Pressure (MPa)	流量/Air Flow L/min(ANR)
ERP2000-02	G1/4	1.0	0.005~0.2 0.005~0.4 0.005~0.8	1200

EAL系列油雾器

EAL Series Lubricator(L)



型号 Model	接管螺纹 Port Thread	最高使用压力 Operating Pressure (MPa)	流量/Air Flow m ³ /min(ANR)	储油量 Max Oil Level (cm ³)
EAL1000-01	G1/8	1.0	0.5	20
EAL2000-02	G1/4		0.6	
EEL3000-02	G1/4		1.1	
EEL3000-03	G3/8		1.6	70
EAL3000-02	G1/4		1.2	
EAL3000-03	G3/8		1.8	
EAL3000-04	G1/2		2.0	85
EAL4000-03	G3/8		2.3	
EAL4000-04	G1/2		2.6	
EAL4000-06	G3/4(配变径接头使用) put reducing fitting for G3/4		2.9	170
EAL5000-06	G3/4		5.0	
EAL5000-10	G1		5.0	140

自动排水器

Auto drain appliance



型号Model	接管螺纹 Port Thread	工作介质 Fluids	使用温度 Operating Temperature (°C)	使用压力 Operating Pressure (MPa)	允许耐压力 Max Pressure (MPa)
EAD-402-02	G1/4	经过滤的压缩空气 the constrigent after filtered	0~60	0.3~1.0	1.5
EAD-402-03	G3/8				
EAD-402-04	G1/2				


气源处理器安装附件

Mouting Bracket

L型支架 /L-Bracket

C型支架 /C-Bracket

T型支架 /T-Bracket

 变径接头
Different Caliber Screw Thread


压力表

Pressure Gauge

GS-27

GR-40


GR-50

 全自动排水装置
Automatic Drainage



方向控制阀/Directional Control Valve

3ES 系列二位三通电磁阀

3ES Series 3/2 Way Solenoid Valve



3ES□10-D




3ES□20-D

型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure	寿命 Life
3ES110-M5	进气/ Supply=出气/ Export=排气/ Exhaust=M5	-5~60℃	12mm ² (CV=0.67)	0.15~0.8 (MPa)	1.2 (MPa)	2500万次 25million times
3ES120-M5						
3ES110-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"					
3ES120-06						
3ES210-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"					
3ES220-06						
3ES210-08	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"					
3ES220-08						
3ES310-08	进气/ Supply=出气/ Export=排气/ Exhaust= G1/4"					
3ES320-08						
3ES310-10	进气/ Supply=出气/ Export=G3/8" 排气/ Exhaust=G1/4"					
3ES320-10						
3ES410-10	进气/ Supply=出气/ Export=排气/ Exhaust= G3/8"					
3ES420-10						
3ES410-15	进气/ Supply=出气/ Export=G1/2" 排气/ Exhaust=G1/2"					
3ES420-15						

注: D:标准/DIN L:直接引线+指示灯/line+lamp

4ES 系列二位五通/三位五通电磁阀


4ES Series 5/2 Way& 5/3 Way Solenoid Valve



4ES□10-D



4ES□20-D



4ES□30C-D

型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure	寿命 Life
4ES110-M5	进气/ Supply=出气/ Export=排气/ Exhaust=M5	-5~60℃	5.5mm ²	0.15~0.8 (MPa)	1.2 (MPa)	2500万次 25million times
4ES120-M5	进气/ Supply=出气/ Export=排气/ Exhaust=M5		5mm ²			
4ES130-M5	进气/ Supply=出气/ Export=排气/ Exhaust=M5		12mm ²			
4ES110-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		9mm ²			
4ES120-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²			
4ES130-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		12mm ²			
4ES210-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		16mm ²			
4ES220-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		12mm ²			
4ES230-06	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		12mm ²			
4ES210-08	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		12mm ²			
4ES220-08	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		12mm ²			
4ES230-08	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		12mm ²			
4ES310-08	进气/ Supply=出气/ Export=排气/ Exhaust= G1/4"		25mm ²			
4ES320-08	进气/ Supply=出气/ Export=G3/8" 排气/ Exhaust=G1/4"		18mm ²			
4ES330-08	进气/ Supply=出气/ Export=G3/8" 排气/ Exhaust=G1/4"		30mm ²			
4ES310-10	进气/ Supply=出气/ Export=G3/8" 排气/ Exhaust=G1/4"		18mm ²			
4ES320-10	进气/ Supply=出气/ Export=G3/8" 排气/ Exhaust=G1/4"		18mm ²			
4ES330-10	进气/ Supply=出气/ Export=G3/8" 排气/ Exhaust=G1/4"		18mm ²			
4ES410-15	进气/ Supply=出气/ Export=G1/2" 排气/ Exhaust=G1/2"		50mm ²			
4ES420-15	进气/ Supply=出气/ Export=G1/2" 排气/ Exhaust=G1/2"		30mm ²			
4ES430-15	进气/ Supply=出气/ Export=G1/2" 排气/ Exhaust=G1/2"		30mm ²			

注: 其中三位五通电磁阀有三种型式/Three types for 5/3way solenoid valve。例/example: 4ES230C (中间封闭式/middle Closed Type) 4ES230E (中间泄压式/middle Decompression Type) 4ES230P (中间加压式/middle adding PressureType) D:标准/DIN L:直接引线+指示灯/line+lamp



4V 系列二位五通/三位五通电磁阀

4V Series 5/2 Way & 5/3 Way Solenoid Valve




型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure	寿命 Life	
4V110-M5	进气/ Supply=出气/ Export=	- 5~60℃	5.5mm ²	0.15~0.8 (MPa)	1.2 (MPa)	1500万次 15million times	
4V120-M5	排气/ Exhaust=M5						
4V110-06	进气/ Supply=出气/ Export=		12mm ²				
4V120-06	排气/ Exhaust=G1/8"						
4V130-06	进气/ Supply=出气/ Export=		14mm ²				
4V210-06							排气/ Exhaust=G1/8"
4V220-06							
4V210-08	进气/ Supply=出气/ Export=G1/4"		16mm ²				
4V220-08	排气/ Exhaust=G1/8"						
4V310-08	进气/ Supply=出气/ Export=		25mm ²				
4V320-08	排气/ Exhaust=G1/4"						
4V310-10	进气/ Supply=出气/ Export=G3/8"		30mm ²				
4V320-10	排气/ Exhaust=G1/4"						
4V410-15	进气/ Supply=出气/ Export=G1/2"		50mm ²				
4V420-15	排气/ Exhaust=G1/2"						

注：其中三位五通电磁阀有三种型式/Three type for 5/3way solenoid valve。例/example: 4V230C (中间封闭式/middle Closed Type) 4V230E (中间泄压式/middle Decompression Type) 4V230P (中间加压式middle PressureType) D:标准/DIN L:直接引线+指示灯/line+lamp

4M 系列二位五通纳摩阀

4M Series 5/2 Way Namur Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
4M210-08	进气/ Supply=G1/4" 排气/ Exhaust=G1/8"	- 5~60℃	16mm ²	0.15~0.8(MPa)	1.2(MPa)
4M220-08					
4M310-08	进气 Supply=G1/4" 排气/ Exhaust=G1/4"		25mm ²		
4M320-08					

2V-ZQ010 二位二通电磁阀

2/2VZ Way Solenoid Valve



型号 Model	工作介质 Fluids	公称通径 Nominal Orifice (mm)	工作压力 Operating Pressure (MPa)	环境温度 Operating Temp (℃)	功率消耗 Power Consumption DC(W)	电源、电压 Rated Voltage	绝缘等级 Coil Insulation
2V-ZQ010	经过滤的 压缩空气 the constringent after filtered	Φ1	0~0.8	-10~+55	3.5	DC:30V	F级/ClassF

3V106 二位三通集装式电磁阀


3V2 Way Solenoid Valve



型号 Model	工作介质 Fluids	公称通径 Nominal Orifice (mm)	工作压力 Operating Pressure (MPa)	环境温度 Operating Temp (℃)	功率消耗 Power Consumption DC(W)	电源、电压 Rated Voltage	绝缘等级 Coil Insulation
3V106	经过滤的 压缩空气 the constringent after filtered	Φ1.2	0~0.8	-5~+60	3	AC:220V	F级/ClassF

3A 系列二位三通气控阀

3A Series 3/2 Way Air Control Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
3A210 - 06	进气/ Supply=排气/ Export= 排气/ Exhaust=G1/8"	- 5~60℃	14mm ²	0.15~0.8(MPa)	1.2(MPa)
3A220 - 06					
3A210 - 08	进气/ Supply=排气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
3A220 - 08					
3A310 - 08	进气/ Supply=排气/ Export= 排气/ Exhaust= G1/4"		25mm ²		
3A320 - 08					
3A310 - 10	进气/ Supply=排气/ Export=G3/8" 排气/ Exhaust=G1/4"		30mm ²		
3A320 - 10					

4A 系列二位五通/三位五通气控阀

4A Series 5/2 Way & 5/3 Way Air Control Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
4A110- M5	进气/ Supply=出口/ Export= 排气/ Exhaust=M5	- 5~60℃	5.5mm ²	0.15~0.8(MPa)	1.2(MPa)
4A120- M5			5mm ²		
4A130- M5					
4A110- 06	进气/ Supply=出口/ Export= 排气/ Exhaust=G1/8"		12mm ²		
4A120- 06			9mm ²		
4A130- 06					
4A210- 06	进气/ Supply=出口/ Export= 排气/ Exhaust=G1/8"		14mm ²		
4A220- 06			12mm ²		
4A230- 06					
4A210- 08	进气/ Supply=出口/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
4A220- 08			12mm ²		
4A230- 08					
4A310- 08	进气/ Supply=出口/ Export= 排气/ Exhaust=G1/4"		25mm ²		
4A320- 08			18mm ²		
4A330- 08					
4A310- 10	进气/ Supply=出口/ Export=G3/8" 排气/ Exhaust=G1/4"		30mm ²		
4A320- 10			18mm ²		
4A330- 10					

注：其中三位五通气控阀有三种型式/Three type for 5/3way Air control valve。例/example: 4A230C (中间封闭式/middle Closed Type) 4A230E (中间泄压式/middle Decompression Type) 4A230P (中间加压式middle addingPressure Type)

电磁阀/气控阀集装板


Mainfold Bases



集装板型号 Manifold Product Code System	密封盖板型号 Seal Plate Product Code System
100M:100 系列Series	100M:100系列用 100M:For 100 Series Valve
200M:200 系列Series	200M:200 系列用 200M:For 200 Series Valve
300M:300 系列Series	300M:300 系列用 300M:For 300 Series Valve
400M:400 系列Series	400M:400 系列用 400M:For 400 Series Valve


3J2系列二位三通控制阀

3J2 Series 3/2 Way Control Valve

	3J210RB		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"	-40~120℃	14mm ²		
	3J210R-06		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	3J210R	机控阀 Machinery valve	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
	3J210PP		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	3J210PP-08		进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
	3J210PB		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	3J210PB-08		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		16mm ²		
	3J210EB	手控阀 Hand control valve	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	3J210EB-08		进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
	3J210TB		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	3J210TB-08		进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		


4J2系列二位五通控制阀

4J2 Series 5/2 Way Control Valve

	4J210R		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	4J210R-08	机控阀 Machinery valve	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
	4J210PP		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	4J210PP-08		进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
	4J210PB		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	4J210PB-08		进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
	4J210EB	手控阀 Hand control valve	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	4J210EB-08		进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
	4J210TB		进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"		14mm ²		
	4J210TB-08		进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		

手滑阀 (二位三通)

hand slide valve (3/2way)



型号Model	*接管螺纹 Port Thread	工作介质 Fluid	最高使用压力 Operating Pressure MPa	有效截面积 Efficient Sectional Area	安装型式 Installation
EHSV06	R1/8	空气/Air	1.0	A _{eff} 3mm ²	标准型 Standard, 双外牙型(SS) Double male thread(SS) 双内牙型(FF) Double female thread(FF) 外内牙型(SF) Male and female thread(SF)
EHSV08	R1/4			40	
EHSV10	R3/8			62	
EHSV15	R1/2			140	
EHSV20	R3/4			250	

3R2 系列二位三通手拉阀

3R2 Series 3/2 Way Push-Pull Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
3R210-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"	-5~60℃	14mm ²	0~0.8(MPa)	1.2(MPa)
3R210-08	进气/ Supply=出气/ Export=排气/ Exhaust=G1/4"		16mm ²		

4R2 系列二位五通手拉阀

4R2 Series 5/2 Way Push-Pull Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
4R210-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"	-5~60℃	14mm ²	0~0.8(MPa)	1.2(MPa)
4R210-08	进气/ Supply=出气/ Export=G1/4 排气/ Exhaust=G1/8"		16mm ²		

3H 系列二位三通手扳阀

3H Series 3/2 Way Hand Control Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
3H210-06	进气/ Supply=出气/ Export=排气/ Exhaust=G1/8"	-5~60℃	14mm ²	0~0.8(MPa)	1.2(MPa)
3H210-08	进气/ Supply=出气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
3H310-08	进气/ Supply=出气/ Export=排气/ Exhaust=G1/4"		25mm ²		
3H310-10	进气/ Supply=出气/ Export=G3/8" 排气/ Exhaust=G1/4"		30mm ²		

4H 系列二位五通手扳阀

4H Series 5/2 Way Hand Control Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
4H210-06	进气/ Supply=排气/ Export=排气/ Exhaust=G1/8"	-5~60℃	14mm ²	0~0.8(MPa)	1.2(MPa)
4H210-08	进气/ Supply=排气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
4H310-08	进气/ Supply=排气/ Export=排气/ Exhaust=G1/4"		25mm ²		
4H310-10	进气/ Supply=排气/ Export=G3/8" 排气/ Exhaust=G1/4"		30mm ²		

4H 系列三位五通手扳阀

4H Series 5/3 Way Hand Control Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
4H230C-06	进气/ Supply=排气/ Export=排气/ Exhaust=G1/8"	-5~60℃	14mm ²	0~0.8(MPa)	1.2(MPa)
4H230C-08	进气/ Supply=排气/ Export=G1/4" 排气/ Exhaust=G1/8"		16mm ²		
4H330C-08	进气/ Supply=排气/ Export=排气/ Exhaust=G1/4"		25mm ²		
4H330C-10	进气/ Supply=排气/ Export=G3/8" 排气/ Exhaust=G1/4"		30mm ²		

HV手转阀

Rotary Valve




HV系列/ HV series

型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure
HV400-02	G1/4	-5~60℃	30mm ²	0~0.8MPa
HV400-03	G3/8			
HV400-04	G1/2			

脚踏阀

Foot Pedal Valve



4F210-08

FV420

型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	动作型式 Operation	使用压力 Operating Pressure
4F210-08	进气/ Supply=排气/ Export=排气/ Exhaust=G1/4"	0~60℃	直动式 Direct Acting	0~0.8MPa
FV420	进气/ Supply=排气/ Export=G1/4" 排气/ Exhaust=1/8"			

ASC 单向节流阀

Unidirectional Flow Control Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	开启压力 Opens the pressure	使用压力 Operating Pressure	最大耐压力 Max Pressure
ASC-06	G 1/8"	-5~60℃	0.03MPa	0~0.9 MPa	1.35 MPa
ASC-08	G1/4"				
ASC-10	G3/8"				
ASC-15	G1/2"				

QE快速排气阀

Quick Exhaust Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure
QE-01	G1/8	-5~60℃	16mm ²	0.12~0.8MPa
QE-02	G1/4		27.5mm ²	
QE-03	G3/8		28mm ²	
QE-04	G1/2		71mm ²	
QE-06	G3/4		72.5mm ²	

ST梭阀

Shuttle Valve



型号Model	接管螺纹 Port Thread	工作温度 Operating Temperature	有效截面积 Efficient Sectional Area	使用压力 Operating Pressure	最大耐压力 Max Pressure
ST-01	G1/8	-5~60℃	7.5mm ²	0.05~0.8MPa	1.2MPa
ST-02	G1/4		21mm ²		
ST-03	G3/8		40mm ²		
ST-04	G1/2		60mm ²		
ST-06	G3/4		110mm ²		
ST-10	G1		190mm ²		

EH系列线圈

Series Coil



EH603



EH603L



EH602

型号Model	EH603 EH603L	EH602
功率/ Power Consumption	AC:2.5~3.5VA DC:1~3W	AC:4.5VA DC:3~5W
工作制式 / Duty Cycle	100%ED	
工作电压 / Operation Voltages	AC24,110,220,50/60Hz -15%~+10% DC12,24,48V -15%~+10%	
耐电压/ Withstand Voltage	1500V	
环境温度范围 / Ambient Temp.Range	-30℃ ~ 70℃	
线圈保护等级/ Degree of Protection	DIN40050,IP65(IEC144) 带插座/ With Connector	
线圈绝缘等级 / Coil Insulation	H级/Class H	
封装材料/ Potting Material	热固性 Thermosetting	
电气材料 / Electric Connection	DIN43650B 型插座 Din 43650B Connector	
电气连接 / Electric Conjunction	DIN 43650C	43650B

线圈通过UL、CE认证/UL、CE Approved

注：型号中带L表示导线引出式，长度定制，特殊电压可以定制。

Note:L is means the type of derivative lead line,We can produce special for you lenth & voltage made to order.

气缸 / Air Cylinder





EMAL 铝合金迷你气缸 Aluminium Alloy Mini Cylinder

	EMAL	型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	固定型式 Fixed Type
	EMSAL	EMAL	16	双作用型 Double Acting	0.05~0.9(MPa)	固定 Fixed	M5×0.8	1.35(Mpa)	基本型 Basic LB:前后固定式 Front and rear Fixed FA:前法兰式 Front Flange SDB:后摆式 Rear Swing
			20						
			25						
			32						
	EMALD	EMSAL	40	单作用型 Single Acting	0.1~0.9(MPa)		G1/4		
			16				M5×0.8		
			20				G1/8		
			25						
	EMAJ		32				G1/4		
			40						
	EMALE	EMALD 双伸杆型 Double Rod	16	双作用型 Double Acting	0.05~0.9(MPa)		M5×0.8		
			20				G1/8		
	EMALC	EMAJ 伸出可调型 Exerted adjusting	25						
			EMALT						EMALE 返回可调型 Return Adjusting
EMALP	EMALC 串联型 Series-Wound	40							
			EMALP 多行程型 Numerous Stroke						

EMA 不锈钢迷你气缸 Mini Stainless Steel Cylinder

	EMA	型号 Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	固定型式 Fixing Type				
	EMA	EMA	16	双作用型 Double Acting	0.05~0.9(MPa)	固定 Fixed	M5 x 0.8	1.35(Mpa)	基本型 Basic LB:前后固定式 Front and rear Fixed FA:前法兰式 Front Flange SDB:后摆式 Rear Swing				
			20				G1/8						
			25										
			32				G1/4						
	EMSA	EMSA	40				M5 x 0.8						
	EMAD		16	单作用型 Single Acting	0.1~0.9(MPa)		G1/8						
			20										
			25										
			32				G1/4						
	EMAJ	EMAD 双伸杆型 Double Rod	40				M5 x 0.8						
	EMAJ		16	双作用型 Double Acting	0.05~0.9(MPa)		G1/8		基本型 Basic LB:前后固定式 Front and rear Fixed FA:前法兰式 Front Flange				
			20										
	EMCMI		25										
			32										
	EMCMI ISO 6432标准 ISO 6432 Standard		40										
	EMAJ 伸出可调型 Exerted adjusting												
	EMCMI ISO 6432标准 ISO 6432 Standard												

ESC 标准气缸 Standard Cylinder

	ESC	型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	固定型式 Fixing Type			
	ESCD	ESC	32	双作用型 Double Acting	0.05~0.9 (MPa)	可调缓冲 Regulable Cushion	G1/8	1.35(Mpa)	基本型 Basic FA FB CA CB LB TC TC-M			
	ESCJ		40				G1/4					
	ESCE		50				G3/8					
	ESCC		63				G1/2					
	ESCT		80				基本型 Basic FA FB LB TC TC-M					
	ESCP		100									
	ESCV	125										

ESU 米型气缸 Mickey Mouse Standard Cylinder

		型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	固定型式 Fixing Type
	ESU	ESU	32	双作用型 Double Acting	0.05~0.9(MPa)	可调缓冲 Regulable Cushion	G1/8	1.35(Mpa)	基本型 Basic FA FB CA CB LB
			40				G1/4		
			50				G3/8		
			63						
			80						
			100				G1/2		
125	G1/8	基本型 Basic FA LB							
ESUD 双伸杆型 Double Rod	32		G1/4						
	40		G3/8						
	50								
	63								
ESUJ 伸出可调型 Exerted adjusting	80		G1/2						
	100								
	125								

ESUY 系列气缸

Series Cylinder



ESUY

型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	固定型式 Fixing Type
ESUY	32	双作用型 Double Acting	0.05~0.9 (MPa)	可调缓冲 Regulable Cushion	G1/8	1.35 (MPa)	基本型 Basic FA FB CA CB LB TC TC-M
	40				G1/4		
	50						
	63				G3/8		
	80						
	100						
	125				G1/2		

ESF 标准气缸

Standard Cylinder



ESF

ESFD

ESFJ

型 号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	固定型式 Fixing Type
ESF	32	双作用型 Double Acting	0.05~0.9(MPa)	可调缓冲 Regulable Cushion	G1/8	1.35 (MPa)	基本型 Basic FB CA CB LB
	40				G1/4		
	50				G3/8		
	63						
	80						
	100				G1/2		
	125				G3/4		
160							
ESFD 双伸杆型 Double rod	200	双作用型 Double Acting	0.05~0.9(MPa)	可调缓冲 Regulable Cushion	G3/4	1.35 (MPa)	基本型 Basic FA LB
	32				G3/4		
40	G1/8						
50	G1/4						
63	G3/8						
80	G1/2						
100							
125							
ESFJ 伸出可调型 Extended adjusting	160				G3/4		
	200				G3/4		

ESE ISO 标准气缸

ISO Standard Cylinder




ESE ISO

ESED ISO

型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	固定型式 Fixing Type
ESE ISO	32	双作用型 Double Acting	0.05~0.9(MPa)	可调缓冲 Regulable Cushion	G1/8	1.35 (MPa)	基本型 Basic FA FB CA CB LB
	40				G1/4		
	50				G3/8		
	63				G1/2		
	80				G3/4		
	100				G1/8		
	125				G1/4		
ESED ISO 双伸杆型 Double rod	160	双作用型 Double Acting	0.05~0.9(MPa)	可调缓冲 Regulable Cushion	G3/8	1.35 (MPa)	基本型 Basic FA LB
	200				G1/2		
	32				G3/4		
	40				G1/8		
	50				G1/4		
	63				G3/8		
	80				G1/2		
ESED ISO 双伸杆型 Double rod	100	双作用型 Double Acting	0.05~0.9(MPa)	可调缓冲 Regulable Cushion	G1/8	1.35 (MPa)	基本型 Basic FA LB
	125				G1/4		
	160				G3/8		
	200				G1/2		


ESDA 薄型气缸

Compact Cylinder



ESDA

ESSA/ESTA



ESDAD

ESDAJ

型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	速度范围 Speed range
ESDA	12	双作用型 Double Acting	0.05~0.9(MPa)	固定缓冲 Fixed Cushion	M5×0.8	1.35(MPa)	30~500mm/s
	16						
	20						
	25						
	32				G1/8		30~350mm/s
	40						
	50						
	63						
80	G3/8	30~250mm/s					
100							
ESSA 预缩型 Pre-retracted Out	12	单作用型 Pre-Extended Single acting	0.2~0.9(MPa)	固定缓冲 Fixed Cushion	M5×0.8	1.35(MPa)	100~50mm/s
	16						
	20						
	25						
ESTA 预伸型 Pre-extended	32				G1/8		
	40						
ESDAD 双伸杆型 Double rod	12				M5×0.8		
	16						
	20						
	25						
ESDAJ 伸出可调型 Extended adjusting	32				G1/8		
	40						
	50						
	63						
	80						
	100						

ECQ2 薄型气缸


Compact Cylinder



型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure	
ECQ2	12	双作用型 Double Acting	0.05 ~ 1.0 (MPa)	固定缓冲 Fixed Cushion	M5×0.8	1.5(MPa)	
	16						
	20						
	25						
	32				G1/8		
	40						
	50						
	63				G1/4		
	80						
100	G3/8						
ECQ2WB 双伸杆型 Double Rod		12	双作用型 Double Acting	0.05 ~ 1.0 (MPa)	固定缓冲 Fixed Cushion	M5×0.8	1.5(MPa)
		16					
	20						
	25						
	32	G1/8					
	40						
	50						
	63	G1/4					
	80						
	100					G3/8	

EHDS系列Y型气爪


EHDS Series Y Type Air Gripper



型号Model	缸径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	使用温度 Operating Temp	最高动作频率 Max Frequency	夹爪开闭角度 Opening/ Closing angle	接管螺纹 Port Thread
EHDS	10	双作用型 Double Acting	0.15 ~ 0.7 MPa	-5℃ ~ 70℃	180(次/分钟)	-10° ~ 30°	M3X0.5
	16						M5X0.8
	20						
	25						
	32						
	40						

EHDZ系列导轨平行气爪


EHDZ Series Parallel guide Air Gripper



型号Model	缸径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	使用温度 Operating Temp	最高动作频率 Max Frequency	夹爪开闭行程 Opening/ Closing stroke	接管螺纹 Port Thread
EHDZ	10	双作用型 Double Acting	0.2 ~ 0.7MPa	- 5℃ ~ 70℃	180(次/分钟)	4	M3X0.5
	16		0.1 ~ 0.7MPa			6	M5X0.8
	20					10	
	25					14	
	32					22	
	40					30	

ERTB回转气缸

Rotary table cylinder



型号Model	扭力 Torque	动作型式 Action	使用压力 Operating Pressure	调整角度 Adjust angle	接管螺纹 Port Thread	最大耐压力 Max Pressure
ERTB-10	1.5Nm	双活塞齿 轮齿条式 双作用型 Double piston gear and rack type and double acting	0.15~0.7MPa	0°~190°	M5X0.8	1.35MPa
ERTB-20	2.2 Nm				G1/8	
ERTB-30	3.2 Nm					
ERTB-50	5.5 Nm					
ERTB-70	7.5Nm					
ERTB-100	9.8Nm					

ECXS 平行双杆气缸


Parallel Double Rod Cylinder



型号Model	缸 径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure
ECXS	10	双作用型 Double Acting	0.05~0.9MPa	固定缓冲 Fixed Cushion	M5×0.8	1.5 MPa
	15					
	20					
	25					
	32					
					G1/8	

EMD多位置固定气缸

Multi-mount cylinder - EMD Series



型号Model	缸径 Inner Diameter	动作型式 Action	使用压力 Operating Pressure	缓冲型式 Cushion	接管螺纹 Port Thread	最大耐压力 Max Pressure
EMD	10	双作用型 Double Acting	0.1 ~ 1MPa	固定缓冲 Fixed Cushion	M5X0.8	1.5MPa
	16				G1/8	
	20					
	25					
	32					

S系列气动球型振动器

S Series Pneumatic Spherical Vibrator

浮动接头

Float Joint



型号 Model	工作温度 Working temperature	工作压力 Working pressure	接管螺纹 Port Thread
S8	0 ~ 200℃	≤0.6MPa	G1/4
S10			
S13			
S16			
S20			
S25			
S30			G3/8
S36			



型号Model
FJ-M05080
FJ-M06100
FJ-M08125
FJ-M10125
FJ-M10150
FJ-M12125
FJ-M14150
FJ-M16150
FJ-M18150

磁性开关ES-05系列

Reed switch ES-05 series

磁性开关ES-06系列

Reed switch ES-06 series

磁性开关 ES-07系列

Reed switch ES-07 series



型号MODEL
ES-05R
ES-05D
ES-05N
ES-05P



型号MODEL
ES-06R
ES-062R
ES-06D
ES-06N
ES-06P



型号MODEL
ES-07R
ES-072R
ES-07D
ES-07N
ES-07P

磁性开关 ES-08系列

Reed switch ES-08 series

磁性开关ES-09系列

Reed switch ES-09 series

磁性开关ES-11系列

Reed switch ES-11 series



型号MODEL
ES-08R
ES-08N
ES-08P



型号MODEL
ES-09R
ES-09N
ES-09P



型号MODEL
ES-11R
ES-11D
ES-11N
ES-11P

磁性开关 ES-15系列

Reed switch ES-15 series

磁性开关ES-16系列

Reed switch ES-16 series

磁性开关ES-20系列

Reed switch ES-20 series



型号MODEL
ES-15R
ES-15N
ES-15P



型号MODEL
ES-16R
ES-16N
ES-16P



型号MODEL
ES-20R
ES-20N
ES-20P

磁性开关ES-21系列

Reed switch ES-21 series

磁性开关ES-30系列

Reed switch ES-30 series

磁性开关 ES-31系列

Reed switch ES-31 series



型号MODEL
ES-21R
ES-21N
ES-21P



型号MODEL
ES-30R
ES-30N
ES-30P



型号MODEL
ES-31R

磁性开关 ES-32系列



型号MODEL
ES-32R
ES-32N
ES-32P
ES-32RP

磁性开关ES-33系列



型号MODEL
ES-33R
ES-33D
ES-33N
ES-33P

磁性开关ES-36系列



型号MODEL
ES-36D
ES-36N
ES-36P

磁性开关 ES-37系列



型号MODEL
ES-37D
ES-37N
ES-37P

磁性开关ES-40系列



型号MODEL
ES-40R
ES-40N
ES-40P
ES-40RP

磁性开关ES-45系列




型号MODEL
ES-45R
ES-45N
ES-45P

磁性开关 ES-47系列



型号MODEL
ES-47R
ES-47N
ES-47P

磁性开关ES-48系列



型号MODEL
ES-48R
ES-48N
ES-48P

磁性开关ES-50系列



型号MODEL
ES-50R
ES-50D
ES-50N
ES-50P
ES-50RP

磁性开关 ES-51系列



型号MODEL
ES-51R
ES-51D
ES-51N
ES-51P
ES-51RP

磁性开关ES-53系列



型号MODEL
ES-53R
ES-53N
ES-53P
ES-53RP

磁性开关ES-58系列







型号MODEL
ES-58R
ES-58N
ES-58P
ES-58RP


磁性开关 ES-62系列



型号MODEL
ES-62R
ES-62N
ES-62P
ES-62RP


ESC、ESU、ESUY、ESF、ESE气缸散件及安装附件/MOUNTING ACCESSORIES FOR ESC、ESU、ESUY、ESF、ESE


 ESC32~100配套散件
ESC32~100
Supporting parts

 ESE32~100配套散件
ESE32~100
Supporting parts

 CA型附件
CA type
accessories

 CB型附件
CB type
accessories

 TC型附件
TC type
accessories

 TC-M型附件
TC-M type
accessories

 FA/FB 型附件
FA/FB type
accessories

 销轴、挡圈
Pin

 I型附件
I type
accessories

 LB型附件
LB type
accessories


 S型附件
S type
accessories

 Y型附件
Y type
accessories

 ESC系列固定座
Bracket of
Reed Switch

 磁性开关固定座
Bracket of
Reed Switch

 ESU系列固定座
Bracket of
Reed Switch

 磁性开关固定座
Bracket of
Reed Switch

 ESC、ESU系列磁性开关
Reed Switch

 磁性开关和接线图
Reed Switch And
Wiring Diagram

迷你气缸安装附件 Mounting Accessories For Mini Standard Cylinders




ISO 标准气缸安装附件 Mounting Accessories For ISO Standard Cylinders



真空发生器、真空吸盘 Vacuum Ejector Vacuum Sucker

EZH系列真空发生器

Vacuum ejector EZH series



型号Model		工作介质Fluid	使用压力范围 Range of Working Pressure(MPa)	使用温度范围 Operating Temp℃
EZH05BS-06-06	EZH05DS-06-06-06	经过滤的 压缩空气 The filtered compressed air	0.25~0.6	5~60
EZH07BS-06-06	EZH07DS-06-06-06			
EZH10BS-06-06	EZH10DS-06-06-08			
EZH13BS-08-10	EZH13DS-08-10-10			
EZH05BS-01-01	EZH05DS-01-01-01			
EZH07BS-01-01	EZH07DS-01-01-01			
EZH10BS-01-01	EZH10DS-01-01-01			
EZH13BS-01-02	EZH13DS-01-02-02			

EZU系列直管型真空发生器

Straight type vacuum ejector EZU series



型号Model	类型Type	工作介质Fluid	最高使用压力 Maximum working pressure (MPa)	使用温度范围 Operating Temp℃
EZU05S	高真空型 High vacuum type	经过滤的 压缩空气 The filtered compressed air	0.6	5~60
EZU07S				
EZU05L	大流量型 High flow type			
EZU07L				

EZP系列真空吸盘

Vacuum Sucker



型号Model		
EZP02U	EZP10C	EZP06B
EZP04U	EZP13C	EZP08B
EZP06U	EZP16C	EZP10B
EZP08U	EZP20C	EZP13B
EZP10U	EZP25C	EZP16B
EZP13U	EZP32C	EZP20B
EZP16U		EZP32B
EZP20U		
EZP25U		
EZP32U		

EZPT系列垂直真空接管型

Vertical Vacuum Connect Type

不带缓冲without cushion



型号/Model
EZPT02
EZPT04
EZPT06
EZPT08
EZPT10
EZPT13
EZPT16
EZPT20
EZPT25
EZPT32

带缓冲with cushion



型号/Model
EZPT02-J6
EZPT04-J6
EZPT06-J6
EZPT08-J6
EZPT10-J10
EZPT13-J10
EZPT16-J10
EZPT20-J10
EZPT25-J10
EZPT32-J10

EZPR系列水平真空接管型

Level vacuum connect type

不带缓冲without cushion



型号/Model
EZPR02
EZPR04
EZPR06
EZPR08
EZPR10
EZPR13
EZPR16
EZPR20
EZPR25
EZPR32

带缓冲with cushion



型号/Model
EZPR02-J6
EZPR04-J6
EZPR06-J6
EZPR08-J6
EZPR10-J10
EZPR13-J10
EZPR16-J10
EZPR20-J10
EZPR25-J10
EZPR32-J10

管接头/Tube Fitting

管接头/Tube Fitting

快插接头/Push-in Connectors

型号命名/ Product Code System

E P C 8 - 0 1
 ① ② ③ ④

- ① 系列号/ Series : E为黑色系列,A为灰色系列,Z为锌合金系列
 E indicates black series, A grey series, Z zinc alloy series.
 ② 型号/ Type
 ③ 气管外径/ Tube outer diameter

	公制管/ Metric Size						英制管/ Inch Size					
代号/Code	4	6	8	10	12	16	5/32	3/16	1/4	5/16	3/8	1/2
气 管 外 径 Tube outer diameter mm	Φ4	Φ6	Φ8	Φ10	Φ12	Φ16	Φ5/32	Φ3/16	Φ1/4	Φ5/16	Φ3/8	Φ1/2

④ 螺纹型式及尺寸/Thread Type and size

	公制/ Metric Size								
代号/Code	M5	M6	M8	M10	M12	M12A	M14	M16	M20
螺纹/Thread	M5×0.8	M6×1	M8×1	M10×1	M12×1.25	M12×1.5	M14×1.5	M16×1.5	M20×1.5

	55° 锥管螺纹/ 55° Taper Pipe Thread						55° G螺纹/ 55° G - Thread				
代号/Code	01	02	03	04	06	Code	G01	G02	G03	G04	G06
螺纹/Thread	R1/8	R1/4	R3/8	R1/2	R3/4	Size	G1/8	G1/4	G3/8	G1/2	G3/4

	统一细牙螺纹/ UNF	美制60° 锥管螺纹/American Standand taper pipe thread(NPT)				
代号/Code	U10	N01	N02	N03	N04	N06
螺纹/Thread	10-32UNF	NPT1/8	NPT1/4	NPT3/8	NPT1/2	NPT3/4

※注：本公司可供各种气管外径与螺纹型式的任意组合，如客户另有特殊要求，可与本公司各地亿日销售公司或代理机构联系。
 ※Note:Our company may provide any combination form of various outside diameter of air pipe and thread type.For special requirements,clients may contact Easun sales companies or agents in all areas.

螺纹直通

 EPC-R (NPT)	公制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管 - NPT螺纹接头 Inch Size - NPT Thread Fitting		 EPC - G	公制接管 - G螺纹接头 Metric Size - G Thread Fitting	
	型号/MODEL		型号/MODEL		型号/MODEL			型号/MODEL	
 APC-R (NPT)	PC4-M5	PC10-02	PC5/32-01	PC3/8-04	PC5/32-N01	PC3/8-N04	 APC - G	PC4-G01	PC10-G04
	PC4-01	PC10-03	PC5/32-02	PC1/2-01	PC5/32-N02	PC1/2-N01		PC4-G02	PC12-G01
	PC4-02	PC10-04	PC1/4-01	PC1/2-02	PC1/4-N01	PC1/2-N02		PC6-G01	PC12-G02
	PC6-M5	PC12-01	PC1/4-02	PC1/2-03	PC1/4-N02	PC1/2-N03		PC6-G02	PC12-G03
	PC6-01	PC12-02	PC1/4-03	PC1/2-04	PC1/4-N03	PC1/2-N04		PC6-G03	PC12-G04
	PC6-02	PC12-03	PC1/4-04		PC1/4-N04			PC6-G04	PC14-G02
	PC6-03	PC12-04	PC5/16-01		PC5/16-N01			PC8-G01	PC14-G03
	PC6-04	PC14-02	PC5/16-02		PC5/16-N02			PC8-G02	PC14-G04
	PC8-01	PC14-03	PC5/16-03		PC5/16-N03			PC8-G03	PC16-G03
	PC8-02	PC14-04	PC5/16-04		PC5/16-N04			PC8-G04	PC16-G04
PC8-03	PC16-03	PC3/8-01		PC3/8-N01		PC10-G01			
PC8-04	PC16-04	PC3/8-02		PC3/8-N02		PC10-G02			
PC10-01		PC3/8-03		PC3/8-N03		PC10-G03			

圆螺纹直通


	公制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting			公制接管-G螺纹接头 Metric Size - G Thread Fitting	
	型号/MODEL		型号/MODEL		型号/MODEL			型号/MODEL	
EPOC-R (NPT)	POC4-M5	POC10-01	POC5/32-01	POC3/8-03	POC5/32-N01	POC3/8-N03	EPOC - G	POC4-G01	POC10-G04
	POC4-01	POC10-02	POC5/32-02	POC3/8-04	POC5/32-N02	POC3/8-N04		POC4-G02	POC12-G01
	POC4-02	POC10-03	POC1/4-01	POC1/2-01	POC1/4-N01	POC1/2-N01		POC6-G01	POC12-G02
	POC6-M5	POC10-04	POC1/4-02	POC1/2-02	POC1/4-N02	POC1/2-N02		POC6-G02	POC12-G03
	POC6-01	POC12-03	POC1/4-03	POC1/2-03	POC1/4-N03	POC1/2-N03		POC6-G03	POC12-G04
	POC6-02	POC12-04	POC1/4-04	POC1/2-04	POC1/4-N04	POC1/2-N04		POC8-G01	POC14-G02
	POC6-03	POC14-02	POC5/16-01		POC5/16-N01			POC8-G02	POC14-G03
	POC6-04	POC14-03	POC5/16-02		POC5/16-N02			POC8-G03	POC14-G04
	POC8-01	POC14-04	POC5/16-03		POC5/16-N03			POC8-G04	POC16-G03
	POC8-02	POC16-03	POC5/16-04		POC5/16-N04			POC10-G01	POC16-G04
	POC8-03	POC16-04	POC3/8-01		POC3/8-N01			POC10-G02	
	POC8-04		POC3/8-02		POC3/8-N02			POC10-G03	

内螺纹隔板直通

Bulkhead Female Straight

隔板直通

Bulkhead Union

	型号/ MODEL			型号/ MODEL	
	PMF04-01	PMF10-02		PM4	
	PMF04-02	PMF10-03		PM6	
	PMF04-03	PMF10-04		PM8	
	PMF06-01	PMF12-01		PM10	
	PMF06-02	PMF12-02		PM12	
	PMF06-03	PMF12-03		PM14	
	PMF08-01	PMF12-04		PM16	
	PMF08-02	PMF14-02			
	PMF08-03	PMF14-03			
	PMF08-04	PMF14-04			
	PMF10-01				

内螺纹直通



APCF-R (NPT)

公制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL	
PCF4-01	PCF10-02	PCF5/32-01	PCF3/8-02	PCF5/32-N01	PCF3/8-N02
PCF4-02	PCF10-03	PCF5/32-02	PCF3/8-03	PCF5/32-N02	PCF3/8-N03
PCF6-01	PCF10-04	PCF1/4-01	PCF3/8-04	PCF1/4-N01	PCF3/8-N04
PCF6-02	PCF12-02	PCF1/4-02	PCF1/2-01	PCF1/4-N02	PCF1/2-N01
PCF6-03	PCF12-03	PCF1/4-03	PCF1/2-02	PCF1/4-N03	PCF1/2-N02
PCF6-04	PCF12-04	PCF1/4-04	PCF1/2-03	PCF1/4-N04	PCF1/2-N03
PCF8-01	PCF14-02	PCF5/16-01	PCF1/2-04	PCF5/16-N01	PCF1/2-N04
PCF8-02	PCF14-03	PCF5/16-02		PCF5/16-N02	
PCF8-03	PCF14-04	PCF5/16-03		PCF5/16-N03	
PCF8-04	PCF16-03	PCF5/16-04		PCF5/16-N04	
PCF10-01	PCF16-04	PCF3/8-01		PCF3/8-N01	

Female Straight



APCF-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	
PCF4-G01	PCF10-G02
PCF4-G02	PCF10-G03
PCF6-G01	PCF10-G04
PCF6-G02	PCF12-G02
PCF6-G03	PCF12-G03
PCF6-G04	PCF12-G04
PCF8-G01	PCF14-G02
PCF8-G02	PCF14-G03
PCF8-G03	PCF14-G04
PCF8-G04	PCF16-G03
PCF10-G01	PCF16-G04

L型螺纹二通



APL-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	
PL4-M5	PL8-04
PL4-01	PL10-01
PL4-02	PL10-02
PL6-M5	PL10-03
PL6-01	PL10-04
PL6-02	PL12-02
PL6-03	PL12-03
PL6-04	PL12-04
PL8-01	PL16-03
PL8-02	PL16-04
PL8-03	



APL-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	
PL4-G01	PL10-G02
PL4-G02	PL10-G03
PL6-G01	PL10-G04
PL6-G02	PL12-G01
PL6-G03	PL12-G02
PL6-G04	PL12-G03
PL8-G01	PL12-G04
PL8-G02	PL16-G03
PL8-G03	PL16-G04
PL8-G04	
PL10-G01	



APL-R (NPT)

Male Elbow L

英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting	
型号/MODEL		型号/MODEL	
PL5/32-01	PL3/8-02	PL5/32-N01	PL3/8-N02
PL5/32-02	PL3/8-03	PL5/32-N02	PL3/8-N03
PL1/4-01	PL3/8-04	PL1/4-N01	PL3/8-N04
PL1/4-02	PL1/2-01	PL1/4-N02	PL1/2-N01
PL1/4-03	PL1/2-02	PL1/4-N03	PL1/2-N02
PL1/4-04	PL1/2-03	PL1/4-N04	PL1/2-N03
PL5/16-01	PL1/2-04	PL5/16-N01	PL1/2-N04
PL5/16-02		PL5/16-N02	
PL5/16-03		PL5/16-N03	
PL5/16-04		PL5/16-N04	
PL3/8-01		PL3/8-N01	

L型加长螺纹二通



APLL-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	
PLL4-M5	PLL8-04
PLL4-01	PLL10-01
PLL4-02	PLL10-02
PLL6-M5	PLL10-03
PLL6-01	PLL10-04
PLL6-02	PLL12-01
PLL6-03	PLL12-02
PLL6-04	PLL12-03
PLL8-01	PLL12-04
PLL8-02	PLL16-03
PLL8-03	PLL16-04



APLL-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	
PLL4-G01	PLL10-G02
PLL4-G02	PLL10-G03
PLL6-G01	PLL10-G04
PLL6-G02	PLL12-G01
PLL6-G03	PLL12-G02
PLL6-G04	PLL12-G03
PLL8-G01	PLL12-G04
PLL8-G02	PLL16-G03
PLL8-G03	PLL16-G04
PLL8-G04	
PLL10-G01	



APLL-R (NPT)

Male Long Elbow

英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting	
型号/MODEL		型号/MODEL	
PLL5/32-01	PLL3/8-02	PLL5/32-N01	PLL3/8-N02
PLL5/32-02	PLL3/8-03	PLL5/32-N02	PLL3/8-N03
PLL1/4-01	PLL3/8-04	PLL1/4-N01	PLL3/8-N04
PLL1/4-02	PLL1/2-01	PLL1/4-N02	PLL1/2-N01
PLL1/4-03	PLL1/2-02	PLL1/4-N03	PLL1/2-N02
PLL1/4-04	PLL1/2-03	PLL1/4-N04	PLL1/2-N03
PLL5/16-01	PLL1/2-04	PLL5/16-N01	PLL1/2-N04
PLL5/16-02		PLL5/16-N02	
PLL5/16-03		PLL5/16-N03	
PLL5/16-04		PLL5/16-N04	
PLL3/8-01		PLL3/8-N01	

L型螺纹二通



AGPL-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	
GPL4-M5	GPL10-02
GPL4-01	GPL10-03
GPL4-02	GPL10-04
GPL6-M5	GPL12-01
GPL6-01	GPL12-02
GPL6-02	GPL12-03
GPL6-03	GPL12-04
GPL8-01	GPL14-02
GPL8-02	GPL14-03
GPL8-03	GPL14-04
GPL8-04	GPL16-03
GPL10-01	GPL16-04



AGPL-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	
GPL4-G01	GPL10-G03
GPL4-G02	GPL10-G04
GPL6-G01	GPL12-G01
GPL6-G02	GPL12-G02
GPL6-G03	GPL12-G03
GPL8-G01	GPL12-G04
GPL8-G02	GPL14-G02
GPL8-G03	GPL14-G03
GPL8-G04	GPL14-G04
GPL10-G01	GPL16-G03
GPL10-G02	GPL16-G04

L型螺纹二通



AGPLL-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	
GPLL4-M5	GPL10-02
GPLL4-01	GPL10-03
GPLL4-02	GPL10-04
GPLL6-M5	GPL12-01
GPLL6-01	GPL12-02
GPLL6-02	GPL12-03
GPLL6-03	GPL12-04
GPLL8-01	GPL14-02
GPLL8-02	GPL14-03
GPLL8-03	GPL14-04
GPLL8-04	GPL16-03
GPLL10-01	GPL16-04



AGPLL-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	
GPLL4-G01	GPLL10-G03
GPLL4-G02	GPLL10-G04
GPLL6-G01	GPLL12-G01
GPLL6-G02	GPLL12-G02
GPLL6-G03	GPLL12-G03
GPLL8-G01	GPLL12-G04
GPLL8-G02	GPLL14-G02
GPLL8-G03	GPLL14-G03
GPLL8-G04	GPLL14-G04
GPLL10-G01	GPLL16-G03
GPLL10-G02	GPLL16-G04

45° 型螺纹二通



APLH-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	
PLH4-M5	PLH8-03
PLH4-01	PLH8-04
PLH4-02	PLH10-01
PLH6-M5	PLH10-02
PLH6-01	PLH10-03
PLH6-02	PLH10-04
PLH6-03	PLH12-01
PLH6-04	PLH12-02
PLH8-01	PLH12-03
PLH8-02	PLH12-04



APLH-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	
PLH4-G01	PLH10-G01
PLH4-G02	PLH10-G02
PLH6-G01	PLH10-G03
PLH6-G02	PLH10-G04
PLH6-G03	PLH12-G01
PLH6-G04	PLH12-G02
PLH8-G01	PLH12-G03
PLH8-G02	PLH12-G04
PLH8-G03	
PLH8-G04	

L型内螺纹二通



APLF-R (NPT)

公制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL	
PLF4-M5	PLF8-04	PLF5/32-01	PLF3/8-02	PLF5/32-N01	PLF3/8-N03
PLF4-01	PLF10-01	PLF5/32-02	PLF3/8-03	PLF5/32-N02	PLF3/8-N04
PLF4-02	PLF10-02	PLF1/4-01	PLF3/8-04	PLF1/4-N01	PLF1/2-N01
PLF6-M5	PLF10-03	PLF1/4-02	PLF1/2-01	PLF1/4-N02	PLF1/2-N02
PLF6-01	PLF10-04	PLF1/4-03	PLF1/2-02	PLF1/4-N03	PLF1/2-N03
PLF6-02	PLF12-02	PLF1/4-04	PLF1/2-03	PLF1/4-N04	PLF1/2-N04
PLF6-03	PLF12-03	PLF5/16-01	PLF1/2-04	PLF5/16-N01	
PLF6-04	PLF12-04	PLF5/16-02		PLF5/16-N02	
PLF8-01	PLF16-03	PLF5/16-03		PLF5/16-N03	
PLF8-02	PLF16-04	PLF5/16-04		PLF3/8-N01	
PLF8-03		PLF3/8-01		PLF3/8-N02	



APLF-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	
PLF4-G01	PLF10-G02
PLF4-G02	PLF10-G03
PLF6-G01	PLF10-G04
PLF6-G02	PLF12-G02
PLF6-G03	PLF12-G03
PLF6-G04	PLF12-G04
PLF8-G01	
PLF8-G02	
PLF8-G03	
PLF8-G04	
PLF10-G01	

插杆直角



EPLJ



APLJ

Socket Elbow
型号/MODEL
PLJ4
PLJ6
PLJ8
PLJ10
PLJ12
PLJ16

45° 型插杆



EPLHJ



APLHJ

45° Socket Elbow
型号/MODEL
PLHJ4
PLHJ6
PLHJ8
PLHJ10
PLHJ12

L型隔板二通



EPLM

Bulkhead Union P

型号/MODEL
PLM 04
PLM 06
PLM 08
PLM 10
PLM 12
PLM 16

Y型插杆三通



EPYJ

Socket Union Y

型号/MODEL
PYJ04
PYJ06
PYJ08
PYJ10
PYJ12

Y型插杆异径三通



EPWJ

T型分支螺纹三通

公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL		型号/MODEL	
PD4-M5	PD8-04	PD4-G01	PD10-G02	PD5/32-01	PD3/8-02	PD5/32-N01	PD3/8-N02
PD4-01	PD10-01	PD4-G02	PD10-G03	PD5/32-02	PD3/8-03	PD5/32-N02	PD3/8-N03
PD4-02	PD10-02	PD6-G01	PD10-G04	PD1/4-01	PD3/8-04	PD1/4-N01	PD3/8-N04
PD6-M5	PD10-03	PD6-G02	PD12-G01	PD1/4-02	PD1/2-01	PD1/4-N02	PD1/2-N01
PD6-01	PD10-04	PD6-G03	PD12-G02	PD1/4-03	PD1/2-02	PD1/4-N03	PD1/2-N02
PD6-02	PD12-02	PD6-G04	PD12-G03	PD1/4-04	PD1/2-03	PD1/4-N04	PD1/2-N03
PD6-03	PD12-03	PD8-G01	PD12-G04	PD5/16-01	PD1/2-04	PD5/16-N01	PD1/2-N04
PD6-04	PD12-04	PD8-G02	PD16-G03	PD5/16-02		PD5/16-N02	
PD8-01	PD16-03	PD8-G03	PD16-G04	PD5/16-03		PD5/16-N03	
PD8-02	PD16-04	PD8-G04		PD5/16-04		PD5/16-N04	
PD8-03		PD10-G01		PD3/8-01		PD3/8-N01	

Branch Tee

Y型螺纹三通

公制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL	
PX4-M5	PX8-04	PX5/32-01	PX3/8-02	PX4-G01	PX10-G02
PX4-01	PX10-01	PX5/32-02	PX3/8-03	PX4-G02	PX10-G03
PX4-02	PX10-02	PX1/4-01	PX3/8-04	PX6-G01	PX10-G04
PX6-M5	PX10-03	PX1/4-02	PX1/2-01	PX6-G02	PX12-G01
PX6-01	PX10-04	PX1/4-03	PX1/2-02	PX6-G03	PX12-G02
PX6-02	PX12-01	PX1/4-04	PX1/2-03	PX6-G04	PX12-G03
PX6-03	PX12-02	PX5/16-01	PX1/2-04	PX8-G01	PX12-G04
PX6-04	PX12-03	PX5/16-02		PX8-G02	PX12-G03
PX8-01	PX12-04	PX5/16-03		PX8-G03	PX16-G04
PX8-02	PX16-03	PX5/16-04		PX8-G04	
PX8-03	PX16-04	PX3/8-01		PX10-G01	

Branch Tee

T型螺纹三通

公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL		型号/MODEL	
PB4-M5	PB8-04	PB4-G01	PB10-G02	PB5/32-01	PB3/8-02	PB5/32-N01	PB3/8-N02
PB4-01	PB10-01	PB4-G02	PB10-G03	PB5/32-02	PB3/8-03	PB5/32-N02	PB3/8-N03
PB4-02	PB10-02	PB6-G01	PB10-G04	PB1/4-01	PB3/8-04	PB1/4-N01	PB3/8-N04
PB6-M5	PB10-03	PB6-G02	PB12-G01	PB1/4-02	PB1/2-01	PB1/4-N02	PB1/2-N01
PB6-01	PB10-04	PB6-G03	PB12-G02	PB1/4-03	PB1/2-02	PB1/4-N03	PB1/2-N02
PB6-02	PB12-02	PB6-G04	PB12-G03	PB1/4-04	PB1/2-03	PB1/4-N04	PB1/2-N03
PB6-03	PB12-03	PB8-G01	PB12-G04	PB5/16-01	PB1/2-04	PB5/16-N01	PB1/2-N04
PB6-04	PB12-04	PB8-G02	PB16-G03	PB5/16-02		PB5/16-N02	
PB8-01	PB16-03	PB8-G03	PB16-G04	PB5/16-03		PB5/16-N03	
PB8-02	PB16-04	PB8-G04		PB5/16-04		PB5/16-N04	
PB8-03		PB10-G01		PB3/8-01		PB3/8-N01	

Branch Tee

外六角接头

公制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL		型号/MODEL	
PH4-M5	PH8-04	PH5/32-01	PH5/16-04	PH5/32-N01	PH5/16-N04	PH4-G01	PH8-G04
PH4-01	PH10-02	PH5/32-02	PH3/8-01	PH5/32-N02	PH3/8-N01	PH4-G02	PH10-G01
PH6-M5	PH10-03	PH1/4-01	PH3/8-02	PH1/4-N01	PH3/8-N02	PH6-G01	PH10-G02
PH6-01	PH10-04	PH1/4-02	PH3/8-03	PH1/4-N02	PH3/8-N03	PH6-G02	PH10-G03
PH6-02	PH12-03	PH1/4-03	PH3/8-04	PH1/4-N03	PH3/8-N04	PH6-G03	PH10-G04
PH6-03	PH12-04	PH1/4-04	PH1/2-01	PH1/4-N04	PH1/2-N01	PH6-G04	PH12-G01
PH8-01		PH5/16-01	PH1/2-02	PH5/16-N01	PH1/2-N02	PH8-G01	PH12-G02
PH8-02		PH5/16-02	PH1/2-03	PH5/16-N02	PH1/2-N03	PH8-G02	PH12-G03
PH8-03		PH5/16-03	PH1/2-04	PH5/16-N03	PH1/2-N04	PH8-G03	PH12-G04

Universal Elbow

T型分支螺纹三通

公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL		型号/MODEL	
GPD4-M5	GPD10-01	GPD4-G01	GPD10-G03
GPD4-01	GPD10-02	GPD4-G02	GPD10-G04
GPD4-02	GPD10-03	GPD6-G01	GPD12-G01
GPD6-M5	GPD10-04	GPD6-G02	GPD12-G02
GPD6-01	GPD12-02	GPD6-G03	GPD12-G03
GPD6-02	GPD12-03	GPD6-G04	GPD12-G04
GPD6-03	GPD12-04	GPD8-G01	GPD14-G02
GPD6-04	GPD14-02	GPD8-G02	GPD14-G03
GPD8-01	GPD14-03	GPD8-G03	GPD14-G04
GPD8-02	GPD14-04	GPD8-G04	GPD16-G03
GPD8-03	GPD16-03	GPD10-G01	GPD16-G04
GPD8-04	GPD16-04	GPD10-G02	

Branch Tee

串联接头

公制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管-R螺纹接头 Inch Size - R Thread Fitting		英制接管-NPT螺纹接头 Inch Size - NPT Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL		型号/MODEL	
PHF4-M5	PHF8-03	PHF5/32-01	PHF3/8-01	PHF5/32-N01	PHF3/8-N01	PHF4-G01	PHF10-G01
PHF4-01	PHF8-04	PHF5/32-02	PHF3/8-02	PHF5/32-N02	PHF3/8-N02	PHF4-G02	PHF10-G02
PHF4-02	PHF10-01	PHF1/4-01	PHF3/8-03	PHF1/4-N01	PHF3/8-N03	PHF6-G01	PHF10-G03
PHF6-M5	PHF10-02	PHF1/4-02	PHF3/8-04	PHF1/4-N02	PHF3/8-N04	PHF6-G02	PHF10-G04
PHF6-01	PHF10-03	PHF1/4-03	PHF1/2-01	PHF1/4-N03	PHF1/2-N01	PHF6-G03	PHF12-G01
PHF6-02	PHF10-04	PHF1/4-04	PHF1/2-02	PHF1/4-N04	PHF1/2-N02	PHF6-G04	PHF12-G02
PHF6-03	PHF12-02	PHF5/16-01	PHF1/2-03	PHF5/16-N01	PHF1/2-N03	PHF8-G01	PHF12-G03
PHF6-04	PHF12-03	PHF5/16-02	PHF1/2-04	PHF5/16-N02	PHF1/2-N04	PHF8-G02	PHF12-G04
PHF8-01	PHF12-04	PHF5/16-03		PHF5/16-N03		PHF8-G03	
PHF8-02		PHF5/16-04		PHF5/16-N04		PHF8-G04	

Female Universal Elbow

T型螺纹三通

公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL		型号/MODEL	
GPB4-M5	GPB10-01	GPB4-G01	GPB10-G03
GPB4-01	GPB10-02	GPB4-G02	GPB10-G04
GPB4-02	GPB10-03	GPB6-G01	GPB12-G01
GPB6-M5	GPB10-04	GPB6-G02	GPB12-G02
GPB6-01	GPB12-02	GPB6-G03	GPB12-G03
GPB6-02	GPB12-03	GPB6-G04	GPB12-G04
GPB6-03	GPB12-04	GPB8-G01	GPB14-G02
GPB6-04	GPB14-02	GPB8-G02	GPB14-G03
GPB8-01	GPB14-03	GPB8-G03	GPB14-G04
GPB8-02	GPB14-04	GPB8-G04	GPB16-G03
GPB8-03	GPB16-03	GPB10-G01	GPB16-G04
GPB8-04	GPB16-04	GPB10-G02	

Branch Tee

螺纹五通

公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting		公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL		型号/MODEL		型号/MODEL		型号/MODEL	
PKB4-01	PKB4-02	PKB4-G01	PKB4-G02	PKD6-4-01	PKD8-4-02	PKD6-4-G01	PKD8-4-G02
PKB6-01	PKB6-02	PKB6-G01	PKB6-G02	PKD8-6-02	PKD10-8-03	PKD8-6-G02	PKD10-8-G03
PKB6-03	PKB8-01	PKB6-G03	PKB8-G01				
PKB8-01	PKB8-02	PKB8-G02	PKB8-G03				
PKB8-03							

Branch Triple

减径螺纹五通

Reduced Branch Triple

串联直角



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PGL04-01(1)	PGL08-03(1)
PGL04-02(1)	PGL08-04(1)
PGL04-03(1)	PGL10-02(1)
PGL06-01(1)	PGL10-03(1)
PGL06-02(1)	PGL10-04(1)
PGL06-03(1)	PGL12-02(1)
PGL08-01(1)	PGL12-03(1)
PGL08-02(1)	PGL12-04(1)



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PGL04-G01(1)	PGL08-G03(1)
PGL04-G02(1)	PGL08-G04(1)
PGL04-G03(1)	PGL10-G02(1)
PGL06-G01(1)	PGL10-G03(1)
PGL06-G02(1)	PGL10-G04(1)
PGL06-G03(1)	PGL12-G02(1)
PGL08-G01(1)	PGL12-G03(1)
PGL08-G02(1)	PGL12-G04(1)

Double Universal Elbow

串联直角



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PGL04-01(2)	PGL08-03(2)
PGL04-02(2)	PGL08-04(2)
PGL04-03(2)	PGL10-02(2)
PGL06-01(2)	PGL10-03(2)
PGL06-02(2)	PGL10-04(2)
PGL06-03(2)	PGL12-02(2)
PGL08-01(2)	PGL12-03(2)
PGL08-02(2)	PGL12-04(2)



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PGL04-G01(2)	PGL08-G03(2)
PGL04-G02(2)	PGL08-G04(2)
PGL04-G03(2)	PGL10-G02(2)
PGL06-G01(2)	PGL10-G03(2)
PGL06-G02(2)	PGL10-G04(2)
PGL06-G03(2)	PGL12-G02(2)
PGL08-G01(2)	PGL12-G03(2)
PGL08-G02(2)	PGL12-G04(2)

Double Universal Elbow

串联直通



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PGL04-01(3)	PGL08-03(3)
PGL04-02(3)	PGL08-04(3)
PGL04-03(3)	PGL10-02(3)
PGL06-01(3)	PGL10-03(3)
PGL06-02(3)	PGL10-04(3)
PGL06-03(3)	PGL12-02(3)
PGL08-01(3)	PGL12-03(3)
PGL08-02(3)	PGL12-04(3)



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PGL04-G01(3)	PGL08-G03(3)
PGL04-G02(3)	PGL08-G04(3)
PGL04-G03(3)	PGL10-G02(3)
PGL06-G01(3)	PGL10-G03(3)
PGL06-G02(3)	PGL10-G04(3)
PGL06-G03(3)	PGL12-G02(3)
PGL08-G01(3)	PGL12-G03(3)
PGL08-G02(3)	PGL12-G04(3)

Triple Universal Elbow

串联直通



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PGT04-01(1)	PGT08-03(1)
PGT04-02(1)	PGT10-02(1)
PGT06-01(1)	PGT10-03(1)
PGT06-02(1)	PGT12-02(1)
PGT08-01(1)	PGT12-03(1)
PGT08-02(1)	PGT12-04(1)



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PGT04-G01(1)	PGT08-G03(1)
PGT04-G02(1)	PGT10-G02(1)
PGT06-G01(1)	PGT10-G03(1)
PGT06-G02(1)	PGT12-G02(1)
PGT08-G01(1)	PGT12-G03(1)
PGT08-G02(1)	PGT12-G04(1)

Single Universal Tee

串联直通



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PGT04-01(2)	PGT08-03(2)
PGT04-02(2)	PGT10-02(2)
PGT06-01(2)	PGT10-03(2)
PGT06-02(2)	PGT12-02(2)
PGT08-01(2)	PGT12-03(2)
PGT08-02(2)	PGT12-04(2)



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PGT04-G01(2)	PGT08-G03(2)
PGT04-G02(2)	PGT10-G02(2)
PGT06-G01(2)	PGT10-G03(2)
PGT06-G02(2)	PGT12-G02(2)
PGT08-G01(2)	PGT12-G03(2)
PGT08-G02(2)	PGT12-G04(2)

Double Universal Tee

串联直角



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PGT04-01(3)	PGT12-02(3)
PGT04-02(3)	PGT12-03(3)
PGT06-01(3)	PGT12-04(3)
PGT06-02(3)	
PGT08-01(3)	
PGT08-02(3)	
PGT08-03(3)	
PGT10-02(3)	
PGT10-03(3)	



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PGT04-G01(3)	PGT12-G02(3)
PGT04-G02(3)	PGT12-G03(3)
PGT06-G01(3)	PGT12-G04(3)
PGT06-G02(3)	
PGT08-G01(3)	
PGT08-G02(3)	
PGT08-G03(3)	
PGT10-G02(3)	
PGT10-G03(3)	

Triple Universal Tee

双头分支外六角接头



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PA04-M5	
PA06-01	
PA08-02	
PA10-03	
PA12-04	



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PA06-G01	
PA08-G02	
PA10-G03	
PA12-G04	

Twin Banjo

双头分支外六角接头



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PAF04-M5	
PAF06-01	
PAF08-02	
PAF10-03	
PAF12-04	



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PAF06-G01	
PAF08-G02	
PAF10-G03	
PAF12-G04	

Female Twin Banjo

双Y型螺纹五通



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PRX04-M5	
PRX04-01	
PRX06-M5	
PRX06-01	
PRX06-02	



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PRX04-G01	
PRX06-G01	
PRX06-G02	

Branch Double Y

Y型直角螺纹三通



公制接管-R螺纹接头 Metric Size - R Thread Fitting	
型号/MODEL	型号/MODEL
PAX04-M5	PAX08-04
PAX04-01	PAX10-01
PAX06-M5	PAX10-02
PAX06-01	PAX10-03
PAX06-02	PAX10-04
PAX06-03	PAX12-02
PAX08-01	PAX12-03
PAX08-02	PAX12-04
PAX08-03	



公制接管-G螺纹接头 Metric Size - G Thread Fitting	
型号/MODEL	型号/MODEL
PAX04-G01	PAX10-G02
PAX06-G01	PAX10-G03
PAX06-G02	PAX10-G04
PAX06-G03	PAX12-G02
PAX08-G01	PAX12-G03
PAX08-G02	PAX12-G04
PAX08-G03	
PAX08-G04	
PAX10-G01	

Branch Elbow

锌套组件 Cartridge 保护环 Insert Tube 管塞 Plug



型号/ MODEL
CAS04
CAS06
CAS08
CAS10
CAS12
CAS16



型号/ MODEL
CASI04
CASI06
CASI08
CASI10
CASI12
CASI16



型号/ MODEL
PP4
PP6
PP8
PP10
PP12

管帽 Tube Spacer 异径接管 Reducer Tube Spicer 减径直通插头 Reducer



型号/ MODEL
PPF04
PPF06
PPF08
PPF10
PPF12



型号/ MODEL
PIG06-04
PIG08-04
PIG08-06
PIG10-06
PIG10-08
PIG12-08
PIG12-10
PIG16-12



型号/ MODEL
PGJ6-4
PGJ8-4
PGJ8-6
PGJ10-6
PGJ10-8
PGJ12-6
PGJ12-8
PGJ12-10

L型二通 Union Elbow T型三通 Union Tee



公制接管 Metric Size	英制接管 Inch Size
型号/ MODEL	型号/ MODEL
PV4	PV 5/32
PV6	PV 1/4
PV8	PV 5/16
PV10	PV 3/8
PV12	PV1/2
PV14	
PV16	



公制接管 Metric Size	英制接管 Inch Size
型号/ MODEL	型号/ MODEL
PE4	PE 5/32
PE6	PE 1/4
PE8	PE 5/16
PE10	PE 3/8
PE12	PE1/2
PE14	
PE16	

直通 Union Straight 减径直通 Diff.Diam.Union Straight



公制接管 Metric Size	英制接管 Inch Size
型号/ MODEL	型号/ MODEL
PU4	PU 5/32
PU6	PU 1/4
PU8	PU 5/16
PU10	PU 3/8
PU12	PU1/2
PU14	
PU16	



公制接管 Metric Size	英制接管 Inch Size
型号/ MODEL	型号/ MODEL
PG6-4	PG1/4-5/32
PG8-6	PG5/16-1/4
PG10-8	PG3/8-5/16
PG12-10	PG1/2-3/8
PG14-12	
PG16-12	

T型减径三通A Diff.Diam Union Tee A T型减径三通B Diff.Diam Union Tee B



公制接管 Metric Size	英制接管 Inch Size
型号/ MODEL	型号/ MODEL
PEG6-4	PEG1/4-5/32
PEG8-6	PEG5/16-1/4
PEG10-8	PEG3/8-5/16
PEG12-10	PEG1/2-3/8
PEG14-12	
PEG16-12	
PEG16-14	



公制接管 Metric Size
型号/ MODEL
PEW6-4
PEW8-6
PEW10-8
PEW12-10
PEW14-12
PEW16-12
PEW16-14

Y型三通 Union Y Y型减径三通 Diff.Diam Union Y



公制接管 Metric Size	英制接管 Inch Size
型号/ MODEL	型号/ MODEL
PY4	PY 5/32
PY6	PY 1/4
PY8	PY 5/16
PY10	PY 3/8
PY12	PY1/2
PY14	
PY16	



公制接管 Metric Size	英制接管 Inch Size
型号/ MODEL	型号/ MODEL
PW6-4	PW1/4-5/32
PW8-6	PW5/16-1/4
PW10-8	PW3/8-5/16
PW12-10	PW1/2-3/8
PW14-12	
PW16-12	

Y型直角三通 Branch Union Elbow 角形三通 Tripod Union



公制接管 Metric Size
型号/ MODEL
PAU4
PAU6
PAU8
PAU10
PAU12



公制接管 Metric Size
型号/ MODEL
PVU4
PVU6
PVU8
PVU10
PVU12

十字四通 Cross 双Y型异径中间五通 Unequal Double Y



型号/ MODEL
PZA4
PZA6
PZA8
PZA10
PZA12



型号/ MODEL
PRG6-4
PRG8-6

五通 Union Triple 减径五通 Diff.Diam.Union Triple



型号/ MODEL
PK4
PK6
PK8



型号/ MODEL
PKG6-4
PKG8-4
PKG8-6
PKG10-6
PKG10-8

集装五通 Assemble Triple



型号/ MODEL
JK06J-1

调速式管接头 /Speed Controllers

直接安装L型

Elbow

公制接管-R螺纹接头 Metric Size - R Thread Fitting				公制接管- G 螺纹接头 Metric Size - G Thread Fitting			
限出型/Control Out		限入型/Control In		限出型/Control Out		限入型/Control In	
SL4-M5	SL8-03	SL4-M5B	SL8-03B	SL4-G01	SL10-G03	SL4-G01B	SL10-G03B
SL4-01	SL8-04	SL4-01B	SL8-04B	SL4-G02	SL10-G04	SL4-G02B	SL10-G04B
SL4-02	SL10-01	SL4-02B	SL10-01B	SL6-G01	SL12-G02	SL6-G01B	SL12-G02B
SL6-M5	SL10-02	SL6-M5B	SL10-02B	SL6-G02	SL12-G03	SL6-G02B	SL12-G03B
SL6-01	SL10-03	SL6-01B	SL10-03B	SL8-G01	SL12-G04	SL8-G01B	SL12-G04B
SL6-02	SL10-04	SL6-02B	SL10-04B	SL8-G02		SL8-G02B	
SL6-03	SL12-02	SL6-03B	SL12-02B	SL8-G03		SL8-G03B	
SL6-04	SL12-03	SL6-04B	SL12-03B	SL8-G04		SL8-G04B	
SL8-01	SL12-04	SL8-01B	SL12-04B	SL10-G01		SL10-G01B	
SL8-02		SL8-02B		SL10-G02		SL10-G02B	

英制系列直接安装L型

Inch Elbow

英制接管-R螺纹接头 Metric Size - R Thread Fitting				英制接管- NPT螺纹接头 Metric Size - NPT Thread Fitting			
限出型/Control Out		限入型/Control In		限出型/Control Out		限入型/Control In	
SL/5-32-01	SL5/16-03	SL5/32-01B	SL5/16-03B	SL/5-32-N01	SL5/16-N03	SL5/32-N01B	SL5/16-N03B
SL/5/32-02	SL5/16-04	SL5/32-02B	SL5/16-04B	SL/5/32-N02	SL5/16-N04	SL5/32-N02B	SL5/16-N04B
SL/14-01	SL3/8-02	SL1/4-01B	SL3/8-02B	SL/14-N01	SL3/8-N02	SL1/4-N01B	SL3/8-N02B
SL1/4-02	SL3/8-03	SL1/4-02B	SL3/8-03B	SL1/4-N02	SL3/8-N03	SL1/4-N02B	SL3/8-N03B
SL1/4-03	SL3/8-04	SL1/4-03B	SL3/8-04B	SL1/4-N03	SL3/8-N04	SL1/4-N03B	SL3/8-N04B
SL1/4-04	SL1/2-02	SL1/4-04B	SL1/2-02B	SL1/4-N04	SL1/2-N02	SL1/4-N04B	SL1/2-N02B
SL5/16-01	SL1/2-03	SL5/16-01B	SL1/2-03B	SL5/16-N01	SL1/2-N03	SL5/16-N01B	SL1/2-N03B
SL5/16-02	SL1/2-04	SL5/16-02B	SL1/2-04B	SL5/16-N02	SL1/2-N04	SL5/16-N02B	SL1/2-N04B

直接安装L型大流量

Elbow

公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管- G 螺纹接头 Metric Size - G Thread Fitting	
限出型/Control Out	限入型/Control In	限出型/Control Out	限入型/Control In
SLH8-01	SLH8-01B	SLH8-G01	SLH8-G01B
SLH8-02	SLH8-02B	SLH8-G02	SLH8-G02B

螺丝刀调节节流阀

Screwdriver controllers

迷你直接安装L型节流阀

Mini Female Elbow

型号/ MODEL		型号/ MODEL	
SL4-G01-DC	SL8-G02-DC	SL3-M3C	SL3-M3BC
SL4-G02-DC	SL10-G01-DC	SL3-M5C	SL3-M5BC
SL6-G01-DC	SL10-G02-DC	SL4-M3C	SL4-M3BC
SL6-G02-DC	SL12-G02-DC	SL4-M5C	SL4-M5BC
SL8-G01-DC		SL6-M5C	SL6-M5BC

管道型节流阀

Speed control

公制接管 Metric Size	英制接管 Metric Size
型号/ MODEL	型号/ MODEL
Sa4	SA5/32
SA6	SA1/4
SA8	SA5/16
SA10	SA3/8
SA12	SA1/2

公制接管管道型节流阀

Union

公制接管-R螺纹接头 Metric Size - R Thread Fitting		公制接管- G 螺纹接头 Metric Size - G Thread Fitting	
型号/ MODEL		型号/ MODEL	
SASF01-04	SAFS04-01	SASF G01-04	SAFS04-G01
SASF01-06	SAFS06-01	SASF G01-06	SAFS06-G01
SASF02-06	SAFS06-02	SASF G02-06	SAFS06-G02
SASF01-08	SAFS08-01	SASF G01-08	SAFS08-G01
SASF02-08	SAFS08-02	SASF G02-08	SAFS08-G02
SASF03-08	SAFS08-03	SASF G03-08	SAFS08-G03
SASF02-10	SAFS10-02	SASF G02-10	SAFS10-G02
SASF03-10	SAFS10-03	SASF G03-10	SAFS10-G03
SASF04-10	SAFS10-04	SASF G04-10	SAFS10-G04
SASF02-12	SAFS12-02	SASF G02-12	SAFS12-G02
SASF03-12	SAFS12-03	SASF G03-12	SAFS12-G03
SASF04-12	SAFS12-04	SASF G04-12	SAFS12-G04

英制接管管道型节流阀

Union

英制接管-R螺纹接头 Metric Size - R Thread Fitting		英制接管- NPT螺纹接头 Metric Size - NPT Thread Fitting	
型号/ MODEL		型号/ MODEL	
SASF01-5/32	SAFS5/32-01	SASF N01-5/32	SAFS5/32-N01
SASF01-1/4	SAFS1/4-01	SASF N01-1/4	SAFS1/4-N01
SASF02-1/4	SAFS1/4-02	SASF N02-1/4	SAFS1/4-N02
SASF01-5/16	SAFS5/16-01	SASF N01-5/16	SAFS5/16-N01
SASF02-5/16	SAFS5/16-02	SASF N02-5/16	SAFS5/16-N02
SASF03-5/16	SAFS5/16-03	SASF N03-5/16	SAFS5/16-N03
SASF02-3/8	SAFS3/8-02	SASF N02-3/8	SAFS3/8-N02
SASF03-3/8	SAFS3/8-03	SASF N03-3/8	SAFS3/8-N03
SASF04-3/8	SAFS3/8-04	SASF N04-3/8	SAFS3/8-N04
SASF02-1/2	SAFS1/2-02	SASF N02-1/2	SAFS1/2-N02
SASF03-1/2	SAFS1/2-03	SASF N03-1/2	SAFS1/2-N03
SASF04-1/2	SAFS1/2-04	SASF N04-1/2	SAFS1/2-N04

泄气阀


Exhaust Valve

型号/ MODEL
RV6-01

手 阀、球阀/Hand Valve、Ball Valve

两端插管型

Union Straight



EHVFF

AHVFF

型号/MODEL			
二通Two-way		三通Three-way	
HVFF06-06B		HVFF06-06	
HVFF08-06B		HVFF08-06	
HVFF08-08B		HVFF08-08	
HVFF10-10B		HVFF10-10	
HVFF12-10B		HVFF12-10	
HVFF12-12B		HVFF12-12	


两端螺纹型

Thread - Thread Straight



EHVSS-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting			
二通Two-way		三通Three-way	
HVSS01-01B		HVSS01-01	
HVSS02-01B		HVSS02-01	
HVSS02-02B		HVSS02-02	
HVSS03-02B		HVSS03-02	
HVSS03-03B		HVSS03-03	
HVSS04-03B		HVSS04-03	
HVSS04-04B		HVSS04-04	




EHVSS-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting			
二通Two-way		三通Three-way	
HVSS G01-G01B		HVSS G01-G01	
HVSS G02-G01B		HVSS G02-G01	
HVSS G02-G02B		HVSS G02-G02	
HVSS G03-G02B		HVSS G03-G02	
HVSS G03-G03B		HVSS G03-G03	
HVSS G04-G03B		HVSS G04-G03	
HVSS G04-G04B		HVSS G04-G04	



AHVSS-R



AHVSS-G

空气由插管端流向螺纹端

Thread-Fitting Straight



EHVSF-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting			
二通Two-way		三通Three-way	
HVSF01-06B	HVSF03-10B	HVSF01-06	HVSF03-10
HVSF02-06B	HVSF04-10B	HVSF02-06	HVSF04-10
HVSF03-06B	HVSF02-12B	HVSF03-06	HVSF02-12
HVSF01-08B	HVSF03-12B	HVSF01-08	HVSF03-12
HVSF02-08B	HVSF04-12B	HVSF02-08	HVSF04-12
HVSF03-08B		HVSF03-08	
HVSF02-10B		HVSF02-10	




EHVSF-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting			
二通Two-way		三通Three-way	
HVSF G01-06B	HVSF G03-10B	HVSF G01-06	HVSF G03-10
HVSF G02-06B	HVSF G04-10B	HVSF G02-06	HVSF G04-10
HVSF G03-06B	HVSF G02-12B	HVSF G03-06	HVSF G02-12
HVSF G01-08B	HVSF G03-12B	HVSF G01-08	HVSF G03-12
HVSF G02-08B	HVSF G04-12B	HVSF G02-08	HVSF G04-12
HVSF G03-08B		HVSF G03-08	
HVSF G02-10B		HVSF G02-10	



AHVSF-R



AHVSF-G


空气由螺纹端流向插管端

Fitting-Thread Straight



EHVFS-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting			
二通Two-way		三通Three-way	
HVFS06-01B	HVFS10-03B	HVFS06-01	HVFS10-03
HVFS06-02B	HVFS10-04B	HVFS06-02	HVFS10-04
HVFS06-03B	HVFS12-02B	HVFS06-03	HVFS12-02
HVFS08-01B	HVFS12-03B	HVFS08-01	HVFS12-03
HVFS08-02B	HVFS12-04B	HVFS08-02	HVFS12-04
HVFS08-03B			
HVFS10-02B			




EHVFS-G

公制接管-G螺纹接头 Metric Size - G Thread Fitting			
二通Two-way		三通Three-way	
HVFS06-G01B	HVFS10-G03B	HVFS06-G01	HVFS10-G03
HVFS06-G02B	HVFS10-G04B	HVFS06-G02	HVFS10-G04
HVFS06-G03B	HVFS12-G02B	HVFS06-G03	HVFS12-G02
HVFS08-G01B	HVFS12-G03B	HVFS08-G01	HVFS12-G03
HVFS08-G02B	HVFS12-G04B	HVFS08-G02	HVFS12-G04
HVFS08-G03B			
HVFS10-G02B			



AHVFS-R



AHVFS-G

单向阀/Check Valve

螺纹直通型单向阀

Straight



EPCVC-R



APCVC-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	公制接管-G螺纹接头 Metric Size - G Thread Fitting
型号/MODEL	型号/MODEL
PCVC4-M5	PCVC4-G01
PCVC4-M6	PCVC6-G01
PCVC4-01	PCVC6-G02
PCVC6-01	PCVC8-G01
PCVC6-02	PCVC8-G02
PCVC8-01	PCVC10-G03
PCVC8-02	PCVC10-G04
PCVC10-03	PCVC12-G03
PCVC10-04	PCVC12-G04
PCVC12-03	
PCVC12-04	

L型单向阀

Elbow



EPCVL-R



APCVL-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	公制接管-G螺纹接头 Metric Size - G Thread Fitting
型号/MODEL	型号/MODEL
EPCVL4-M5	EPCVL4-G01
EPCVL4-M6	EPCVL6-G01
EPCVL4-01	EPCVL6-G02
EPCVL6-01	EPCVL8-G01
EPCVL6-02	EPCVL8-G02
EPCVL8-01	EPCVL10-G03
EPCVL8-02	EPCVL10-G04
EPCVL10-03	EPCVL12-G03
EPCVL10-04	EPCVL12-G04
EPCVL12-03	
EPCVL12-04	

内外螺纹直通型单向阀

Straight



EPCVF-R

公制接管-R螺纹接头 Metric Size - R Thread Fitting	公制接管-G螺纹接头 Metric Size - G Thread Fitting
型号/MODEL	型号/MODEL
EPCVF01-01	EPCVF01-G01
EPCVF02-02	EPCVF02-G02
EPCVF03-03	EPCVF03-G03
EPCVF04-04	EPCVF04-G04

直通型单向阀

Straight



EPCVU



APCVU

型号/MODEL
EPCVU04
EPCVU06
EPCVU08
EPCVU10
EPCVU12

迷你管接头/Mini Tube Fitting

螺纹直通	Male Straight	直通	Union Straight																				
	<table><tr><th>型号/ MODEL</th></tr><tr><td>EPC3- M3C</td></tr><tr><td>EPC3- M5C</td></tr><tr><td>EPC3- M6C</td></tr><tr><td>EPC4- M3C</td></tr><tr><td>EPC4- M5C</td></tr><tr><td>EPC4- M6C</td></tr><tr><td>EPC6- M5C</td></tr><tr><td>EPC6- M6C</td></tr><tr><td>EPC6- 01C</td></tr></table>	型号/ MODEL	EPC3- M3C	EPC3- M5C	EPC3- M6C	EPC4- M3C	EPC4- M5C	EPC4- M6C	EPC6- M5C	EPC6- M6C	EPC6- 01C		<table><tr><th>型号/ MODEL</th></tr><tr><td>EPU3C</td></tr><tr><td>EPU4C</td></tr><tr><td>EPU6C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPU3C	EPU4C	EPU6C						
型号/ MODEL																							
EPC3- M3C																							
EPC3- M5C																							
EPC3- M6C																							
EPC4- M3C																							
EPC4- M5C																							
EPC4- M6C																							
EPC6- M5C																							
EPC6- M6C																							
EPC6- 01C																							
型号/ MODEL																							
EPU3C																							
EPU4C																							
EPU6C																							
减径直通	Female Elbow	隔板直通	Bulkhead Union																				
	<table><tr><th>型号/ MODEL</th></tr><tr><td>EPG4- 3C</td></tr><tr><td>EPG6- 4C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPG4- 3C	EPG6- 4C								<table><tr><th>型号/ MODEL</th></tr><tr><td>EPM3C</td></tr><tr><td>EPM4C</td></tr><tr><td>EPM6C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPM3C	EPM4C	EPM6C							
型号/ MODEL																							
EPG4- 3C																							
EPG6- 4C																							
型号/ MODEL																							
EPM3C																							
EPM4C																							
EPM6C																							
L型二通	Union Elbow	L型螺纹二通	Male Elbow																				
	<table><tr><th>型号/ MODEL</th></tr><tr><td>EPV3C</td></tr><tr><td>EPV4C</td></tr><tr><td>EPV6C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPV3C	EPV4C	EPV6C							<table><tr><th>型号/ MODEL</th></tr><tr><td>EPL3- M3C</td></tr><tr><td>EPL3- M5C</td></tr><tr><td>EPL3- M6C</td></tr><tr><td>EPL4- M3C</td></tr><tr><td>EPL4- M5C</td></tr><tr><td>EPL4- M6C</td></tr><tr><td>EPL6- M5C</td></tr><tr><td>EPL6- M6C</td></tr><tr><td>EPL6- 01C</td></tr></table>	型号/ MODEL	EPL3- M3C	EPL3- M5C	EPL3- M6C	EPL4- M3C	EPL4- M5C	EPL4- M6C	EPL6- M5C	EPL6- M6C	EPL6- 01C	
型号/ MODEL																							
EPV3C																							
EPV4C																							
EPV6C																							
型号/ MODEL																							
EPL3- M3C																							
EPL3- M5C																							
EPL3- M6C																							
EPL4- M3C																							
EPL4- M5C																							
EPL4- M6C																							
EPL6- M5C																							
EPL6- M6C																							
EPL6- 01C																							
L型加长螺纹二通	Male Long Elbow	T型三通/变径三通	Union Tee																				
	<table><tr><th>型号/ MODEL</th></tr><tr><td>EPLL3- M3C</td></tr><tr><td>EPLL3- M5C</td></tr><tr><td>EPLL3- M6C</td></tr><tr><td>EPLL4- M3C</td></tr><tr><td>EPLL4- M5C</td></tr><tr><td>EPLL4- M6C</td></tr><tr><td>EPLL6- M5C</td></tr><tr><td>EPLL6- M6C</td></tr><tr><td>EPLL6- 01C</td></tr></table>	型号/ MODEL	EPLL3- M3C	EPLL3- M5C	EPLL3- M6C	EPLL4- M3C	EPLL4- M5C	EPLL4- M6C	EPLL6- M5C	EPLL6- M6C	EPLL6- 01C		<table><tr><th>型号/ MODEL</th></tr><tr><td>EPE3C</td></tr><tr><td>EPE4C</td></tr><tr><td>EPE6C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPE3C	EPE4C	EPE6C						
型号/ MODEL																							
EPLL3- M3C																							
EPLL3- M5C																							
EPLL3- M6C																							
EPLL4- M3C																							
EPLL4- M5C																							
EPLL4- M6C																							
EPLL6- M5C																							
EPLL6- M6C																							
EPLL6- 01C																							
型号/ MODEL																							
EPE3C																							
EPE4C																							
EPE6C																							

EPEGC 减径三通	Female Elbow	EPYC Y型三通	Union Y																		
	<table><tr><th>型号/ MODEL</th></tr><tr><td>EPEG4-3C</td></tr><tr><td>EPEG6-4C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPEG4-3C	EPEG6-4C								<table><tr><th>型号/ MODEL</th></tr><tr><td>EPY3C</td></tr><tr><td>EPY4C</td></tr><tr><td>EPY6C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPY3C	EPY4C	EPY6C					
型号/ MODEL																					
EPEG4-3C																					
EPEG6-4C																					
型号/ MODEL																					
EPY3C																					
EPY4C																					
EPY6C																					
EPW Y型三通	Union Y	EPD T型分支螺纹三通	branch tee																		
	<table><tr><th>型号/ MODEL</th></tr><tr><td>EPW04-03C</td></tr><tr><td>EPW06-04C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPW04-03C	EPW06-04C								<table><tr><th>型号/ MODEL</th></tr><tr><td>EPD3C</td></tr><tr><td>EPD4C</td></tr><tr><td>EPD6C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	EPD3C	EPD4C	EPD6C					
型号/ MODEL																					
EPW04-03C																					
EPW06-04C																					
型号/ MODEL																					
EPD3C																					
EPD4C																					
EPD6C																					
EPB T型螺纹三通	male tee																				
	<table><tr><th>型号/ MODEL</th></tr><tr><td>EPB3C</td></tr><tr><td>EPB4C</td></tr><tr><td>EPB6C</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>			型号/ MODEL	EPB3C	EPB4C	EPB6C														
型号/ MODEL																					
EPB3C																					
EPB4C																					
EPB6C																					

金属接头/Metal Tube Fitting

L型二通



MPV

Union Elbow

型号/ MODEL
MPV4
MPV6
MPV8
MPV10
MPV12
MPV16

L型螺纹二通



MPL - G

Male Elbow

型号/ MODEL
MPL4 - G01
MPL4 - G02
MPL6 - G01
MPL6 - G02
MPL6 - G03
MPL6 - G04
MPL8 - G01
MPL8 - G02
MPL8 - G03
MPL8 - G04
MPL10 - G01

T型三通



MPE

Union Tee

型号/ MODEL
MPE4
MPE6
MPE8
MPE10
MPE12
MPE16

T型分支螺纹三通



MPD - G

Branch Tee

型号/ MODEL
MPD4 - G01
MPD4 - G02
MPD6 - G01
MPD6 - G02
MPD6 - G03
MPD6 - G04
MPD8 - G01
MPD8 - G02
MPD8 - G03
MPD8 - G04
MPD10 - G01

T型螺纹三通



MPB - G

Male Tee

型号/ MODEL
MPB4 - G01
MPB4 - G02
MPB6 - G01
MPB6 - G02
MPB6 - G03
MPB6 - G04
MPB8 - G01
MPB8 - G02
MPB8 - G03
MPB8 - G04
MPB10 - G01

阀套



MPGL

Single Banjo

型号/ MODEL
MPGL4 - 01P
MPGL4 - 02P
MPGL6 - 01P
MPGL6 - 02P
MPGL6 - 03P
MPGL6 - 04P
MPGL8 - 01P
MPGL8 - 02P
MPGL8 - 03P
MPGL8 - 04P
MPGL10 - 01P

串连直角



MPGL - 1 - G

Single Universal Elbow

型号/ MODEL
MPGL4 - G01(1)
MPGL4 - G02(1)
MPGL6 - G01(1)
MPGL6 - G02(1)
MPGL6 - G03(1)
MPGL6 - G04(1)
MPGL8 - G01(1)
MPGL8 - G02(1)
MPGL8 - G03(1)
MPGL8 - G04(1)
MPGL10 - G01(1)

串连直角



MPH - G

Universal Elbow

型号/ MODEL
MPH04 - G01
MPH04 - G02
MPH06 - G01
MPH06 - G02
MPH06 - G03
MPH06 - G04
MPH08 - G01
MPH08 - G02
MPH08 - G03
MPH08 - G04
MPH10 - G01

串连直角



MPGL - 2 - G

Double Universal Elbow

型号/ MODEL
MPGL4 - G01(2)
MPGL4 - G02(2)
MPGL6 - G01(2)
MPGL6 - G02(2)
MPGL6 - G03(2)
MPGL6 - G04(2)
MPGL8 - G01(2)
MPGL8 - G02(2)
MPGL8 - G03(2)

串连直角



MPGL - 3 - G

Triple Universal Elbow

型号/ MODEL
MPGL4 - G01(3)
MPGL4 - G02(3)
MPGL6 - G01(3)
MPGL6 - G02(3)
MPGL6 - G03(3)
MPGL6 - G04(3)
MPGL8 - G01(3)
MPGL8 - G02(3)
MPGL8 - G03(3)

阀套



MPGT

Double Banjo

型号/ MODEL
MPGT4 - 01P
MPGT4 - 02P
MPGT6 - 01P
MPGT6 - 02P
MPGT6 - 03P
MPGT6 - 04P
MPGT8 - 01P
MPGT8 - 02P
MPGT8 - 03P
MPGT8 - 04P

串连直通



MPGT - 1 - G

Single Universal Tee

型号/ MODEL
MPGT04 - G01(1)
MPGT04 - G02(1)
MPGT06 - G01(1)
MPGT06 - G02(1)
MPGT06 - G03(1)
MPGT06 - G04(1)
MPGT08 - G01(1)
MPGT08 - G02(1)
MPGT08 - G03(1)
MPGT08 - G04(1)

串连直通



MPGT - 2 - G

Double Universal Tee

型号/ MODEL
MPGT04 - G01(2)
MPGT04 - G02(2)
MPGT06 - G01(2)
MPGT06 - G02(2)
MPGT06 - G03(2)
MPGT06 - G04(2)
MPGT08 - G01(2)
MPGT08 - G02(2)
MPGT08 - G03(2)
MPGT08 - G04(2)

串连直通



MPGT - 3 - G

Triple Universal Tee

型号/ MODEL
MPGT04 - G01(3)
MPGT04 - G02(3)
MPGT06 - G01(3)
MPGT06 - G02(3)
MPGT06 - G03(3)
MPGT06 - G04(3)
MPGT08 - G01(3)
MPGT08 - G02(3)
MPGT08 - G03(3)
MPGT08 - G04(3)

直接安装L型节流阀



MSL - G

Speed Controller

型号/ MODEL
MSL4 - G01
MSL4 - G02
MSL6 - G01
MSL6 - G02
MSL6 - G03
MSL6 - G04
MSL8 - G01
MSL8 - G02
MSL8 - G03

变径丝套



MBMM

Bush

型号/ MODEL
MBMM1208
MBMM1412
MBMM1814

变径丝套



MBMR

Bush

型号/ MODEL
MBMR0801
MBMR1201
MBMR1202
MBMR1203
MBMR1402
MBMR1403
MBMR1404
MBMR1803
MBMR1804

变径丝套



MBRM



Bush

型号/ MODEL
MBRM08M5
MBRM12M6
MBRM1401
MBRM1802

消声器/Silencer

微型消声器	Flat Silencer	通用型铜消声器	Standard Silencer																								
	<table><tr><th>型号/ MODEL</th></tr><tr><td>BSLM-01</td></tr><tr><td>BSLM-02</td></tr><tr><td>BSLM-03</td></tr><tr><td>BSLM-04</td></tr><tr><td>BSLM-06</td></tr><tr><td>BSLM-10</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	BSLM-01	BSLM-02	BSLM-03	BSLM-04	BSLM-06	BSLM-10						<table><tr><th>型号/ MODEL</th></tr><tr><td>BSL-M5</td></tr><tr><td>BSL-01</td></tr><tr><td>BSL-02</td></tr><tr><td>BSL-03</td></tr><tr><td>BSL-04</td></tr><tr><td>BSL-06</td></tr><tr><td>BSL-10</td></tr><tr><td>BSL-12</td></tr><tr><td>BSL-14</td></tr><tr><td>BSL-20</td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	BSL-M5	BSL-01	BSL-02	BSL-03	BSL-04	BSL-06	BSL-10	BSL-12	BSL-14	BSL-20		
型号/ MODEL																											
BSLM-01																											
BSLM-02																											
BSLM-03																											
BSLM-04																											
BSLM-06																											
BSLM-10																											
型号/ MODEL																											
BSL-M5																											
BSL-01																											
BSL-02																											
BSL-03																											
BSL-04																											
BSL-06																											
BSL-10																											
BSL-12																											
BSL-14																											
BSL-20																											
E型消声器	E Type Series Silencer	D型消声器	D Type Series Silencer																								
	<table><tr><th>型号/ MODEL</th></tr><tr><td>BSLE-01</td></tr><tr><td>BSLE-02</td></tr><tr><td>BSLE-03</td></tr><tr><td>BSLE-04</td></tr><tr><td>BSLE-06</td></tr><tr><td>BSLE-08</td></tr><tr><td>BSLE-10</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	BSLE-01	BSLE-02	BSLE-03	BSLE-04	BSLE-06	BSLE-08	BSLE-10					<table><tr><th>型号/ MODEL</th></tr><tr><td>BSLD-01</td></tr><tr><td>BSLD-02</td></tr><tr><td>BSLD-03</td></tr><tr><td>BSLD-04</td></tr><tr><td>BSLD-06</td></tr><tr><td>BSLD-10</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	BSLD-01	BSLD-02	BSLD-03	BSLD-04	BSLD-06	BSLD-10						
型号/ MODEL																											
BSLE-01																											
BSLE-02																											
BSLE-03																											
BSLE-04																											
BSLE-06																											
BSLE-08																											
BSLE-10																											
型号/ MODEL																											
BSLD-01																											
BSLD-02																											
BSLD-03																											
BSLD-04																											
BSLD-06																											
BSLD-10																											
塑料消声器	Plastic Silencer	调速消声器	Exhaust Regulator Silencer																								
	<table><tr><th>型号/ MODEL</th></tr><tr><td>PSL-01</td></tr><tr><td>PSL-02</td></tr><tr><td>PSL-03</td></tr><tr><td>PSL-04</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	PSL-01	PSL-02	PSL-03	PSL-04							<table><tr><th>型号/ MODEL</th></tr><tr><td>BESLD-01</td></tr><tr><td>BESLD-02</td></tr><tr><td>BESLD-03</td></tr><tr><td>BESLD-04</td></tr><tr><td>BESLD-06</td></tr><tr><td>BESLD-08</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	BESLD-01	BESLD-02	BESLD-03	BESLD-04	BESLD-06	BESLD-08							
型号/ MODEL																											
PSL-01																											
PSL-02																											
PSL-03																											
PSL-04																											
型号/ MODEL																											
BESLD-01																											
BESLD-02																											
BESLD-03																											
BESLD-04																											
BESLD-06																											
BESLD-08																											
C型消声排气节流阀	C Type Exhaust SilencerThrottle Valve	B型消声排气节流阀	B Type Exhaust Silencer Throttle Valve																								
	<table><tr><th>型号/ MODEL</th></tr><tr><td>BESLC-01</td></tr><tr><td>BESLC-02</td></tr><tr><td>BESLC-03</td></tr><tr><td>BESLC-04</td></tr><tr><td>BESLC-06</td></tr><tr><td>BESLC-08</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	BESLC-01	BESLC-02	BESLC-03	BESLC-04	BESLC-06	BESLC-08					<table><tr><th>型号/ MODEL</th></tr><tr><td>BESL-01</td></tr><tr><td>BESL-02</td></tr><tr><td>BESL-03</td></tr><tr><td>BESL-04</td></tr><tr><td>BESL-06</td></tr><tr><td>BESL-10</td></tr><tr><td> </td></tr><tr><td> </td></tr><tr><td> </td></tr></table>	型号/ MODEL	BESL-01	BESL-02	BESL-03	BESL-04	BESL-06	BESL-10							
型号/ MODEL																											
BESLC-01																											
BESLC-02																											
BESLC-03																											
BESLC-04																											
BESLC-06																											
BESLC-08																											
型号/ MODEL																											
BESL-01																											
BESL-02																											
BESL-03																											
BESL-04																											
BESL-06																											
BESL-10																											

气枪 /Air Gun



销售网络/ Sales Network

佛山市亿日气动器材有限公司
地址：佛山市禅城区汾江北路华南五金电器城E区1路19号
电话：0757-82823200 传真：0757-82800893

亿日东莞事务所
地址：东莞市东城区东宝路金成大厦翠榕苑乐榕阁1501室
电话：0769-23162539 传真：0769-22681296

亿日深圳事务所
地址：深圳市观兰马坳新村14号501室
电话：0755-27991231 传真：0755-27991231

济南亿日科技有限公司
地址：济南市历山路2-2号
电话：0531-86554377 传真：0531-86554577

上海亿日工贸有限公司
地址：上海闵行区沁春路355弄15号1101
电话：021-66298976 传真：021-61457560

杭州亿日科技有限公司
地址：杭州市古翠路76号浙江怡泰大厦1206室
电话：0571-88480422 传真：0571-88480422

无锡亿日气动有限公司
地址：湖滨路655号时代杰都1单元104室
电话：0510-85882275 传真：0757-85884759

南京亿日气动工程有限公司
地址：南京市莫愁路344号6楼
电话：025-52214865 传真：025-52214867

天津亿日气动机械有限公司
地址：天津市南开区黄河道与密云路交叉口北方城20-117号
电话：022-27269776 传真：022-27269618

陕西亿日气动科技有限公司
地址：西安市玉祥门蔚蓝国际B座608座
电话：029-88070478 传真：029-84264561

长沙亿日液压设备有限公司
地址：长沙雨花机电市场A区6栋118号
电话：0731-85017960 传真：0731-85017970

郑州新华能气动液压设备有限公司
地址：郑州市二七区中原路78号
电话：0371-66229996 传真：0371-66297123

沈阳金太世达科技有限公司
地址：沈阳市沈河区万柳塘路41号
电话：024-24209818 传真：024-24209818

北京科恒天怡科技有限公司
地址：北京市海淀区知春路108号豪景大厦C座1302室
电话：13901171597 传真：010-67678399

温州新阳气动科技有限公司
地址：温州市横河南新村31幢106号
电话：0577-88844453 传真：0577-88839106

武汉新洋机电有限公司
地址：武汉市江汉区友谊路28号
电话：027-85860747 传真：027-85417603

常州亿帆机电有限公司
地址：常州市博爱路72号（博爱花苑4幢甲单元101室）
电话：0519-8160315 传真：0519-8170351

苏州平江佳盛五金机电总汇
地址：苏州市东中市27-3号
电话：0512-67206375 传真：0512-67270752

合肥市嘉和液压气动设备有限公司
地址：合肥市明光路241号机械批发市场21号
电话：0551-62111510 传真：0551-62111133

成都鑫华龙工业自动化装备有限公司
地址：成都市蜀汉中路490号
电话：028-87694622 传真：028-66157326

兰州沅泰实业有限公司
地址：兰州市七里河区西津西路239号
电话：0931-4282776 传真：0931-4282775

江西新越液压气动器材有限公司
地址：江西省南昌市阳明东路757号奥斯卡大楼A座512室
电话：0791-88152855 传真：0791-8815822

福建泉州顺达液压气动元件有限公司
地址：泉州市义全街230号
电话：0595-22365429 传真：0595-22208008

昆山贝斯特机电有限公司
地址：昆山市玉龙西村24栋10号
电话：0512-57357521 传真：0512-57331910