

Nature Plus+

RECTANGO

Looselay Acoustic



RK024-LA

TEXTURE : Deep



RK031-LA

TEXTURE : Deep



RK022-LA

TEXTURE : Deep



RK029-LA

TEXTURE : Deep




RK007-LA

TEXTURE : Deep




RK002-LA

TEXTURE : Deep



KT005-LA




KT008-LA




KT004-LA



TZ001-LA




AB002-LA



AB003-LA



LOOSELAY ACOUSETIC PRODUCT STRUCTURE



Type & Composition		PVC Floor covering
Application		Commercial, Residential
Surface Treatment		PU Coating
Tile Size	ASTM F 2055	Wood 9" x 48"
		Stone 18.5" x 18.5"
Total thickness	EN428	5.0 mm
Wear layer	EN429	0.5 mm
Classification	EN ISO 10582	23 : Domestic Heavy
		32 : Commercial General
		41 : Light Industrial Moderate
Reaction to Fire	EN 13501-1	Bfi - S1
	EN ISO 11925-2	Pass
	EN ISO 9239-1	Pass
Resistance to Light	EN ISO 105-B02	≥ 6
Dimensional Stability	EN 434	≤ 0.25%
	ASTM F 2199	Pass
Acoustic Impact Noise Reduction	ASTM E 492-09	Impact Insulation Class 55
	ASTM E 90-09	Sound Trasmission Class 53
	ISO 717-2	17 dB
Static Eletrical Propensity	EN 1815	Voltage : 0.5 kV
Anti-Slip Property	DIN 51130	R 10
Residual Indentation	EN 433	≤ 0.1 mm
	ASTM F 1914	< 8%
Castor chair continuous use	ISO 4918	Pass
Resistance to Chemicals	EN 423	Class 0
	ASTM F 925	Pass
Wear Resistance	EN660-2	Wear Group T
VOC Emission	ISO 16000	A+
Phthalates	EN 14372	N.D
	CPSC-CH-C 1001-09.3	Pass



Made in korae



Waterproof



Easy To Clean



Easy Installation



Anti slipping



Fire retardant



Soft, warm and
quiet underfoot

DISTRIBUTED BY :

UNICOM
UNICOM IMPORT-EXPORT CO.,LTD.
บริษัท ยูนิคอม อิมพอร์ต-เอ็กซ์พอร์ต จำกัด

UNICOM IMPORT-EXPORT CO., LTD.

888 Moo 13, Bangna-Trad Rd., Soi 45, Bangkaew, Bangplee, Samutprakarn 10540 THAILAND

TEL : (66-2) 316 3199 FAX : (66-2) 316 3199 # 8199

www.unicom.co.th