




Nature Plus + RECTANGO

Wood Tile * Glue Down





RK031

TEXTURE : Deep



RK022

TEXTURE : Deep



RK035

TEXTURE : Deep



RK023

TEXTURE : Deep



RK029

TEXTURE : Deep



RK010

TEXTURE : Deep



RK006

TEXTURE : Deep



RK004

TEXTURE : Deep



RK002

TEXTURE : Deep



RK021

TEXTURE : Deep



RK024 TEXTURE : Deep



RK034 TEXTURE : Deep



RK040 TEXTURE : Laminate



RK013 TEXTURE : Laminate



RK039 TEXTURE : Laminate



RK033 TEXTURE : Laminate



RK012 TEXTURE : Laminate



RK016 TEXTURE : Laminate



RK007 TEXTURE : Laminate




RK027 TEXTURE : Laminate

GLUE DOWN




Type & Composition		PVC Laminated Floor Covering
Application		Commercial, Residential
Surface Treatment		PU & UV with Anti-Bacterial
Profile		Non-Beveled
Tile Size	EN427	Wood Pattern : 184 x 950 mm (7.2" x 37.4")
Total Thickness	EN428	3.0 mm
Wear Layer Thickness	EN429	0.3 mm
Classification	EN685	23 / 31
Wear resistance	EN660 - 2	Group T
Fire Rating	EN13501-1	Bfi - S1
	ASTME648	Class 1
	ASTME84	75 or Less
	Mekel Burner Test	Pass
Heat Stability	KSM3802	0.3mm/0.01" (80°C+2°C, 6hr/hr)
Abrasion Resistance	ASTMD3884	0.1% Loss
Slip Resistance	DIN 51130	R10
Static Coefficient of Friction	ASTMC1028	Dry:0.72(°√0.50) Wet:0.67(°√0.50)
Color Fastness	ISO 105-B02	≥ 6
Dimensional Stability	EN434	Pass
Flexibility	EN435	Pass


PATTERN




Straight Planking



Random Planking



Diagonal Planking



Herringbone

Stain&Chemical Resistance(KSM3802.,24hr-Exposure)

MATERIAL	RATING	MATERIAL	RATING
95% Ethyl Alcohol	0	Nitric Acid 70%	1
Cement Paste	0	Sulfuric Acid 96%	1
10% Ammonium Hydroxide	0	Methylene Chloride	2
Milk	0	Soy Sauce	0
5% Acetic Acid	0	Soy Bean Oil	0
5% Hydrochloric Acid	0	Lubricant	0
Kerosene	0	Coffee	0
Sesame Oil	0	Tea	0
Acetone	2	Ketchup	0
Nail Polish Remover	2		

DISTRIBUTED BY :



UNICOM IMPORT-EXPORT CO., LTD.

888 Moo 13, Bangna-Trad Rd., Soi 45, Bangkaew, Bangplee, Samutprakarn 10540 THAILAND

TEL : (66-2) 316 3199

FAX : (66-2) 316 3199 # 8199

www.unicom.co.th