



RECTANGO **VCT**

RECTANGO
VCT

OCEAN

Product Size 45 x 45 cm / THK 3.0 mm
Product Size 30 x 30 cm / THK 2.0 mm



CE 101



CE 102



CE 103



CE 104



CE 105



CE 106



CE 107



CE 108



CE 109



CE 110



CE 111



CE 112



CE 113



CE 114



CE 115



CE 116

Product Size 45 x 45 cm / THK 3.0 mm

BEACH



BH 201



BH 202




BH 203



BH 204



BH 205



BH 206

Product Size 30 x 30 cm / THK 2.0 mm
45 x 45 cm / THK 3.0 mm

EARTH



EA 301



EA 302



EA 303



EA 304



PRODUCT SPECIFICATION

Technical data		Thickness 2.0 mm	Thickness 3.0 mm
Type of floor covering	ASTM F 1066	Standard through-pattern Vinyl composition tile	
		Class 2 through pattern	
Tile Size		300 x 300 mm	450 x 450 mm
Slip resistance	ADA requirement	>0.6	
Critical Radiant Flux	ASTM E 648	Class 1, >0.45 W/cm ²	
Smoke Density	ASTM E 662	<450	
Flame Spread	ASTM E 84	<25, NFPA Class A, UBC Class 1	
Static load limit	ASTM F 970	150 PSI	250 PSI
Recycled content		Min 10% post and pre-consumer	
Eco Green Building Material	KS Eco Product	Reduced indoor air pollutants	
Packing		4.95 m ² / box	3.24m ² / box

DISTRIBUTED BY :



Unicom import and export Co., Ltd.

888 Moo13, Bangna-Trad Road, Soi 45, Bangkaew, Bangplee, Samutprakarn 10540

Tel: (66-2) 316-3199

Email: marketing@unicom.co.th

www.unicom.co.th