

PROFILE CYLINDER



(pin cylinder key)

MLCY01-C6000-70







(pin cylinder key)

MLCY01-C6001-70

MLCY01-C6000-60

MLCY01-C6001-60



Specification

- 6 pin single cylinder
- W/3 standard
- 70MM (35MM X 35MM)
- Oval shaped thumbturn
- Brass material

Specification

- 5 pin single cylinder
- W/3 standard
- 60MM (30MM X 30MM)
- Oval shaped thumbturn
- Brass material

Specification

- 6 pin single cylinder
- W/3 standard
- 70MM (35MM X 35MM)
- Round shaped thumbturn
- Brass material

Specification

- 5 pin single cylinder
- W/3 standard
- 60MM (30MM X 30MM)
- Round shaped thumbturn
- Brass material

Product Name

- MLCY01-C6000-SS-70
- MLCY01-C6000-PB-70
- MLCY01-C6000-AB-70
- MLCY01-C6000-BLK-70
- MLCY01-C6000-ORB-70
- MLCY01-C6000-PS-70
- MLCY01-C6000-AC-70
- MLCY01-C6000-SB-70

Product Name

- MLCY01-C6000-SS-60
- MLCY01-C6000-PB-60
- MLCY01-C6000-AB-60
- MLCY01-C6000-BLK-60
- MLCY01-C6000-ORB-60
- MLCY01-C6000-PS-60
- MLCY01-C6000-AC-60
- MLCY01-C6000-SB-60

Product Name

- MLCY01-C6001-SS-70
- MLCY01-C6001-PB-70
- MLCY01-C6001-AB-70
- MLCY01-C6001-BLK-70
- MLCY01-C6001-ORB-70
- MLCY01-C6001-PS-70
- MLCY01-C6001-AC-70
- MLCY01-C6001-SB-70

Product Name

- MLCY01-C6001-SS-60
- MLCY01-C6001-PB-60
- MLCY01-C6001-AB-60
- MLCY01-C6001-BLK-60
- MLCY01-C6001-ORB-60
- MLCY01-C6001-PS-60
- MLCY01-C6001-AC-60
- MLCY01-C6001-SB-60

Finish




PROFILE CYLINDER



MLCY03-C6000-70




MLCY03-C6000-60



Specification

- 6 pin double cylinder
- W/3 standard
- 70MM (35MM X 35MM)
- Brass material



Specification

- 5 pin double cylinder
- W/3 standard
- 60MM (30MM X 30MM)
- Brass material


Product Name

- MLCY03-C6000-SS-70
- MLCY03-C6000-PB-70
- MLCY03-C6000-AB-70
- MLCY03-C6000-BLK-70
- MLCY03-C6000-ORB-70
- MLCY03-C6000-PS-70
- MLCY03-C6000-AC-70
- MLCY03-C6000-SB-70

Product Name

- MLCY03-C6000-SS-60
- MLCY03-C6000-PB-60
- MLCY03-C6000-AB-60
- MLCY03-C6000-BLK-60
- MLCY03-C6000-ORB-60
- MLCY03-C6000-PS-60
- MLCY03-C6000-AC-60
- MLCY03-C6000-SB-60

Finish



PROFILE CYLINDER



MLCY05-C6000-70







MLCY05-C6001-70



MLCY05-C6002-70



MLCY05-C6003-70



Specification

- Single cylinder
- Single line key
- W/5 computer keys
- 70MM (35MM X 35MM)
- Oval shaped thumbturn
- Brass material

Specification

- Single cylinder
- Single line key
- W/5 computer keys
- 70MM (35MM X 35MM)
- Round shaped thumbturn
- Brass material

Specification

- Single cylinder
- Double line key
- W/5 computer keys
- 70MM (35MM X 35MM)
- Oval shaped thumbturn
- Brass material

Specification

- Single cylinder
- Double line key
- W/5 computer keys
- 70MM (35MM X 35MM)
- Round shaped thumbturn
- Brass material

Product Name

- MLCY05-C6000-SS-70
- MLCY05-C6000-PB-70
- MLCY05-C6000-AB-70
- MLCY05-C6000-BLK-70
- MLCY05-C6000-ORB-70
- MLCY05-C6000-PS-70
- MLCY05-C6000-AC-70
- MLCY05-C6000-SB-70

Product Name

- MLCY05-C6001-SS-70
- MLCY05-C6001-PB-70
- MLCY05-C6001-AB-70
- MLCY05-C6001-BLK-70
- MLCY05-C6001-ORB-70
- MLCY05-C6001-PS-70
- MLCY05-C6001-AC-70
- MLCY05-C6001-SB-70

Product Name

- MLCY05-C6002-SS-70
- MLCY05-C6002-PB-70
- MLCY05-C6002-AB-70
- MLCY05-C6002-BLK-70
- MLCY05-C6002-ORB-70
- MLCY05-C6002-PS-70
- MLCY05-C6002-AC-70
- MLCY05-C6002-SB-70

Product Name

- MLCY05-C6003-SS-70
- MLCY05-C6003-PB-70
- MLCY05-C6003-AB-70
- MLCY05-C6003-BLK-70
- MLCY05-C6003-ORB-70
- MLCY05-C6003-PS-70
- MLCY05-C6003-AC-70
- MLCY05-C6003-SB-70


Finish



PROFILE CYLINDER



MLCY07-C6000-70



Specification

- Double cylinder
- Single line key
- W/5 computer keys
- 70MM (35MM X 35MM)
- Brass material

Product Name

- MLCY07-C6000-SS-70
- MLCY07-C6000-PB-70
- MLCY07-C6000-AB-70
- MLCY07-C6000-BLK-70
- MLCY07-C6000-ORB-70
- MLCY07-C6000-PS-70
- MLCY07-C6000-AC-70
- MLCY07-C6000-SB-70

Finish



PROFILE CYLINDER



(privacy)




(privacy)

MLCY09-C6000-70

MLCY09-C6000-60

MLCY09-C6001-70

MLCY09-C6001-60



Specification

- Privacy type
- 70MM (35MM X 35MM)
- Oval shaped thumbturn
- Brass material

Specification

- Privacy type
- 60MM (30MM X 30MM)
- Oval shaped thumbturn
- Brass material

Specification

- Privacy type
- 70MM (35MM X 35MM)
- Round shaped thumbturn
- Brass material

Specification

- Privacy type
- 60MM (30MM X 30MM)
- Round shaped thumbturn
- Brass material

Product Name

- MLCY09-C6000-SS-70
- MLCY09-C6000-PB-70
- MLCY09-C6000-AB-70
- MLCY09-C6000-BLK-70
- MLCY09-C6000-ORB-70
- MLCY09-C6000-PS-70
- MLCY09-C6000-AC-70
- MLCY09-C6000-SB-70

Product Name

- MLCY09-C6000-SS-60
- MLCY09-C6000-PB-60
- MLCY09-C6000-AB-60
- MLCY09-C6000-BLK-60
- MLCY09-C6000-ORB-60
- MLCY09-C6000-PS-60
- MLCY09-C6000-AC-60
- MLCY09-C6000-SB-60

Product Name

- MLCY09-C6001-SS-70
- MLCY09-C6001-PB-70
- MLCY09-C6001-AB-70
- MLCY09-C6001-BLK-70
- MLCY09-C6001-ORB-70
- MLCY09-C6001-PS-70
- MLCY09-C6001-AC-70
- MLCY09-C6001-SB-70


Product Name

- MLCY09-C6001-SS-60
- MLCY09-C6001-PB-60
- MLCY09-C6001-AB-60
- MLCY09-C6001-BLK-60
- MLCY09-C6001-ORB-60
- MLCY09-C6001-PS-60
- MLCY09-C6001-AC-60
- MLCY09-C6001-SB-60

Finish



MLCASE-50-72




Specification

- Backset : 50 mm.
- Spacing : 72 mm.
- SUS304 latch and dead bolt

Product Name


- MLCASE-50-72-SS
- MLCASE-50-72-PB
- MLCASE-50-72-AB
- MLCASE-50-72-BLK
- MLCASE-50-72-ORB
- MLCASE-50-72-PS
- MLCASE-50-72-AC
- MLCASE-50-72-SB

Figure 1 shows eight different types of test specimens, labeled SS, PB, AB, BLK, ORB, PS, AC, and SB. Each specimen is a rectangular block with a central vertical slot and a smaller horizontal slot. The specimens are color-coded: SS (silver), PB (purple), AB (blue), BLK (black), ORB (orange), PS (pink), AC (red), and SB (brown). The internal structure of each specimen is indicated by a small diagram to its right.



- Backset : 60 mm.
- Spacing : 85 mm.
- SUS304 latch and dead bolt

- MLCASE-60-85-SS
- MLCASE-60-85-PB
- MLCASE-60-85-AB
- MLCASE-60-85-BLK
- MLCASE-60-85-ORB
- MLCASE-60-85-PS
- MLCASE-60-85-AC
- MLCASE-60-85-SB



- Single cylinder W/3 standard
- Backset : 45mm
- Door Thickness : 35-50mm
- 1.5mm thickness of plate
- SUS304 plate and hollow handle
- SUS304 latch and dead bolt

- ML211-L1000-SS-45
- ML211-L1000-PB-45
- ML211-L1000-AB-45
- ML211-L1000-BLK-45
- ML211-L1000-ORB-45
- ML211-L1000-PS-45
- ML211-L1000-AC-45
- ML211-L1000-SB-45

SS PB AB BLK ORB PS AC SB


SLIDING LOCK



SL221-H0000-35



SL221-H0001-35




Specification

- Entry sliding lock system
- Round handle with ZINC ALLOY
- Single cylinder W/2 standard
- Hook dead bolt
- Door Thickness : 35-45mm
- Backset : 35mm

Product Name

- SL221-H0000-SN-35
- SL221-H0000-BSN-35
- SL221-H0000-BLK-35
- SL221-H0000-PB-35
- SL221-H0000-AB-35
- SL221-H0000-AC-35
- SL221-H0000-SB-35
- SL221-H0000-ORB-35



Specification

- Entry sliding lock system
- Square handle with ZINC ALLOY
- Single cylinder W/2 standard
- Hook dead bolt
- Door Thickness : 35-45mm
- Backset : 35mm

Product Name

- SL221-H0001-SN-35
- SL221-H0001-BSN-35
- SL221-H0001-BLK-35
- SL221-H0001-PB-35
- SL221-H0001-AB-35
- SL221-H0001-AC-35
- SL221-H0001-SB-35
- SL221-H0001-ORB-35

Finish

