
# **EUOV**

## SG 5 (€ Solar Flat Light 2.0



A : Solar Street Light ( need to add the arm )



### Product advantage

- All night lighting. The light never be off no matter how many rainy or cloudy days.
- The light can be installed from Equator area to Polar regions. The working temperature is -47—70°C.
- Integrated design, modular production and one screw installation.
- 3.2V, low voltage design, safe and reliable.
- Integrated package, convenient transportation.
- With LiFePO4 battery, high safety, long lifespan.
- With high efficiency LED, with 50000 hrs life span
- With PC outdoor optical lens. High light transmittance, high temperature resistance and aging resistance.

#### Applicable place:

It is widely used in street and roads, residential areas, scenic spots, parks, squares, private gardens and other public places.

### **Product Parameters**

| Solar Panel           | Solar Panel   | 5V/40W                    |
|-----------------------|---|---------------------------|
|                       | Life Span   | 25 years                  |
| Battery               | Voltage/Capacity  | 3.2V/35Ah LiFePO4 Battery |
|                       | Life Span   | 8-12 years                |
| Light Source          | Power   | 1100Lm Common 15W LED     |
|                       | Life Span   | 50000 hrs                 |
| Lighting Time         | All night lighting, the frist 4 hrs full power lighting,<br>the rest night lighting is intelligent power control. |                           |
| Lens                  | With PC outdoor optical lens,<br>high light transmittance.  |                           |
| Installation Height   | 4-5m  |                           |
| Installation Distance | 15-20m  |                           |
| Warranty              | 1 year  |                           |
| Qty of Package        | 2 sets  |                           |
| Package Size          | 795×165×410mm   |                           |

## Applicable Place













