



CNC K3



- Choose a shape, round, square, cross shape.
- Position locking accuracy Use same location Can be controlled to a range of 0.1 mm
- Low light, low position locking, low bright space, can work.






Can be used for both CNC flowers and blades.

with air suction system



VACUUM SYSTEM

Compatible with materials such as PP board, futurenor, foam board, paper, corrugated board, leather, canvas, rubber and others. Controlling the operation of the go vacuum system equation has 6 points.




Electric Motor and drive



VACUUM SYSTEM

Applicable to materials such as PP board, future board, foam board, paper, corrugated board, leather, rubber, etc. The system can separate I can control the work of the vacuum system at all 6 points.

Control screen



Email: Itindustrialgroup@gmail.com | Fax:02-120-4845

Hotline:093-7262495,099-1283030 / Web : www.Itindustrialgroup.com

parameter	
Axis Application Area X Y	1300*2500*mm
axis Z	Lifting height 300 mm.
Table surface T-slot	+ Reinforced Cam Lock Workpiece
Core Motor X Y Z	SERVO MOTER
Spindle	6.0 kw. Air cooling system (Motor 1 (CHINA'
Motor speed	0-18000 RPM
Thick material can be cut.	30 mm.
Control	COMPUTER Industry software : Mach3
VACCUM	6.0 KW. Wind System
Applicable voltage	380V/3HP/50Hz

Blades used on the machine

Email: ltindustrialgroup@gmail.com | Fax:02-120-4845

Hotline:093-7262495,099-1283030 / Web : www.ltindustrialgroup.com



Contacts



LT INDUSTRIAL GROUP CO.,LTD.

จำหน่ายโดย : บริษัท แอลที อินดัสเทรียล กรุ๊ป จำกัด

Call: (+66) 093-7262495 (HOTLINE)

Call: (+66) 099-1283030 (HOTLINE)

Web: WWW.LTINDUSTRIALGROUP.COM

E-mail : LTINDUSTRIALGROUP.COM



Line ID : [@LTINDUSTRIALGROUP](https://www.line.me/@LTINDUSTRIALGROUP)