

Glassco Graduated Pipettes now comes in Type 1 (Mohr) and Type 3 (Serological).

- Type 1 : These pipettes are for partial delivery having 0 point at top.
- Type 3 : These pipettes are for complete delivery having 0 Point at top.

All are manufactured to meet ISO 835 Standards. These pipettes are calibrated to deliver (TD, EX) + 20° C. All graduated pipettes are calibrated by automatic machines and then the final quality check is done on the quality control centre. The graduated pipettes come in AS class with conformity batch certificate and individual work certificate which is printed in amber colour which fuses into the glass. Each pipette is accompanied with a batch or individual certificate in the pack. You can also download the certificate at [www.glasscolabs.com](http://www.glasscolabs.com). All A Class pipettes have a waiting time of 5 seconds.

## Graduated Pipettes Type 3 (Serological), Class AS

- Compliance with ISO 835 Standard
- Comes with individual work certificate

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of
125.223.00	0.1	0.01	0.006	WHITE	5
125.223.00A	0.2	0.01	0.006	BLACK	5
125.223.01	1	0.01	0.007	YELLOW	5
125.223.01A	1	0.10	0.007	RED	5
125.223.02	2	0.02	0.010	BLACK	5
125.223.02A	2	0.10	0.010	GREEN	5
125.223.03	5	0.05	0.030	RED	5
125.223.03A	5	0.10	0.030	BLUE	5
125.223.04	10	0.10	0.050	ORANGE	5
125.223.06	25	0.10	0.100	WHITE	5



BuyNow!



## Graduated Pipettes Type 3 (Serological), Class AS

- Compliance with ISO 835 Standard
- With batch certificate

Item Code	Capacity (ml)	Sub Division	Tolerance (± ml)	Colour Code	Pack of
125.202.00	0.1	0.01	0.006	WHITE	5
125.202.00A	0.2	0.01	0.006	BLACK	5
125.202.01	1	0.01	0.007	YELLOW	5
125.202.01A	1	0.10	0.007	RED	5
125.202.02	2	0.02	0.010	BLACK	5
125.202.02A	2	0.10	0.010	GREEN	5
125.202.03	5	0.05	0.030	RED	5
125.202.03A	5	0.10	0.030	BLUE	5
125.202.04	10	0.10	0.050	ORANGE	5
125.202.06	25	0.10	0.100	WHITE	5



BuyNow!



# Pipettes



BuyNow!

## Graduated Pipette Type 3 (Serological), CLASS-AS

- Calibrated to deliver in compliance with USP Standard
- Printed in amber colour enamel
- With Individual work certificate

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
125.220.00	0.1	0.01	0.010	WHITE	5
125.220.00A	0.2	0.01	0.010	BLACK	5
125.220.01	1	0.01	0.010	YELLOW	5
125.220.02	2	0.02	0.010	BLACK	5
125.220.03	5	0.05	0.020	RED	5
125.220.04	10	0.10	0.030	ORANGE	5
125.220.06	25	0.10	0.050	WHITE	5



BuyNow!

## Graduated Pipettes Type 3 (Serological), Class AS

- Compliance with USP Standard
- With batch certificate

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
125.461.00	0.1	0.01	0.010	WHITE	5
125.461.00A	0.2	0.01	0.010	BLACK	5
125.461.01	1	0.01	0.010	YELLOW	5
125.461.02	2	0.02	0.010	BLACK	5
125.461.03	5	0.05	0.020	RED	5
125.461.04	10	0.10	0.030	ORANGE	5
125.461.06	25	0.10	0.050	WHITE	5

## Graduated Pipettes Type 1 (Mohr), Class AS

- As per DIN ISO 835 Standard
- With Individual work Certificate
- Printed in amber colour

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Code	Pack of
125.416.00	0.1	0.01	0.006	WHITE	5
125.416.00A	0.2	0.01	0.006	BLACK	5
125.416.00B	1	0.01	0.007	YELLOW	5
125.416.00C	1	0.10	0.007	RED	5
125.416.01A	2	0.02	0.010	BLACK	5
125.416.01	2	0.10	0.010	GREEN	5
125.416.02A	5	0.05	0.030	RED	5
125.416.02	5	0.10	0.030	BLUE	5
125.416.04	10	0.10	0.050	ORANGE	5
125.416.06B	25	0.10	0.100	WHITE	5



BuyNow!



## Graduated Pipettes Type 1 (Mohr), Class AS

- As per DIN ISO 835 Standard
- With batch certificate

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Code	Pack of
125.453.00	0.1	0.01	0.006	WHITE	5
125.453.00A	0.2	0.01	0.006	BLACK	5
125.453.00B	1	0.01	0.007	YELLOW	5
125.453.00C	1	0.10	0.007	RED	5
125.453.01A	2	0.02	0.010	BLACK	5
125.453.01	2	0.10	0.010	GREEN	5
125.453.02A	5	0.05	0.030	RED	5
125.453.02	5	0.10	0.030	BLUE	5
125.453.04	10	0.10	0.050	ORANGE	5
125.453.06	25	0.10	0.100	WHITE	5



BuyNow!



## ASTM Pipettes

### Graduated Pipettes (Mohr), CLASS-A, SERIALIZED

- These Pipettes are manufactured which are calibrated to deliver as per ASTM E 1293
- Printed in amber colour enamel
- Comes with Individual work Certificate



BuyNow!

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
125.452.01	1	0.1	0.01	RED	6
125.452.01A	1	0.01	0.01	YELLOW	6
125.452.02	2	0.1	0.01	GREEN	6
125.452.03	5	0.1	0.02	BLUE	6
125.452.04	10	0.1	0.03	ORANGE	6
125.452.05	25	0.1	0.05	WHITE	2

### Graduated Pipettes (Mohr), CLASS A UNSERIALIZED

- These Pipettes are manufactured which are calibrated to deliver as per ASTM E 1293
- Printed in amber colour enamel
- Comes with batch certificate



BuyNow!

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
125.455.01	1	0.1	0.01	RED	6
125.455.01A	1	0.01	0.01	YELLOW	6
125.455.02	2	0.1	0.01	GREEN	6
125.455.03	5	0.1	0.02	BLUE	6
125.455.04	10	0.1	0.03	ORANGE	6
125.455.05	25	0.1	0.05	WHITE	2

## Graduated Pipette (Serological), CLASS-A, SERIALIZED

- Calibrated to deliver as per ASTM E-1044
- Printed in amber colour enamel
- Comes with individual work certificate

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
125.423.01	1	0.1	0.01	RED	6
125.423.01A	1	0.01	0.01	YELLOW	6
125.423.02	2	0.1	0.01	GREEN	6
125.423.03	5	0.1	0.02	BLUE	6
125.423.04	10	0.1	0.03	ORANGE	6
125.423.06	25	0.1	0.05	WHITE	2



BuyNow!



## Graduated Pipette (Serological), CLASS-A, UNSERIALIZED

- Calibrated to deliver as per ASTM E-1044
- Printed in amber colour enamel
- With batch certificate

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
125.402.01	1	0.1	0.01	RED	6
125.402.01A	1	0.01	0.01	YELLOW	6
125.402.02	2	0.1	0.01	GREEN	6
125.402.03	5	0.1	0.02	BLUE	6
125.402.04	10	0.1	0.03	ORANGE	6
125.402.06	25	0.1	0.05	WHITE	2



BuyNow!





BuyNow!



## Graduated Pipettes (Mohr), CLASS-B

These Pipettes are manufactured which are calibrated to deliver as per ASTM E 1293 and is printed in amber colour enamel.

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
124.125.00	0.1	0.01	0.005	WHITE	6
124.125.00A	0.2	0.01	0.008	BLACK	6
124.125.01	1	0.1	0.02	RED	6
124.125.01A	1	0.01	0.02	YELLOW	6
124.125.02	2	0.1	0.02	GREEN	6
124.125.03	5	0.1	0.04	BLUE	6
124.125.04	10	0.1	0.06	ORANGE	6
124.125.05	25	0.1	0.1	WHITE	2



BuyNow!



## Graduated Pipette (Serological), CLASS-B

- These Pipettes are manufactured which are calibrated to deliver as per ASTM E-1044
- Printed in amber colour enamel

Item Code	Capacity (ml)	Sub Division	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
124.418.00	0.1	0.01	0.005	WHITE	6
124.418.00A	0.2	0.01	0.008	BLACK	6
124.418.01	1	0.1	0.02	RED	6
124.418.01A	1	0.01	0.02	YELLOW	6
124.418.02	2	0.1	0.02	GREEN	6
124.418.03	5	0.1	0.04	BLUE	6
124.418.04	10	0.1	0.06	ORANGE	6
124.418.06B	25	0.1	0.1	WHITE	2

## Pipettes, Bacteriological, Graduated *New*

- Used for the bacteriological examination of milk
- 1.1 ml is graduated at 0.5 and 1.1 ml
- 2.2 ml is graduated at 1.0, 2.0, 2.1 and 2.2 ml

Item Code	Capacity (ml)	Tolerance ( $\pm$ ml)	Pack of
125.207.01	1.1	0.025	10
125.207.02	2.2	0.04	10



BuyNow!



## Pipettes, Gerber, Milk *New*

- Used for testing milk by the Gerber method.
- Are one-mark transfer Pipettes for measuring 10.75 ml
- Also be used in rural Milk Collection Centres

Item Code	Capacity (ml)	Tolerance ( $\pm$ ml)	Pack of
123.207.04	10.75	0.03	10



BuyNow!



GLASS  
BORO  
3.3

Chemical  
Resistant

WHITE  
PRINTING

# Pipettes



Glassco volumetric pipettes are manufactured in compliance with DIN ISO 648 standards. These pipettes are calibrated to deliver (TD, EX) + 20° C . All volumetric pipettes are calibrated by automatic machine and then the final quality check is done on the quality control centre. The volumetric pipettes come in AS Class with conformity batch certificate and Class A in individual work certificate which is printed in amber colour which fuses into the glass . Each pipette is accompanied with a batch or individual certificate in the pack you can also download the certificate from our website : [www.glasscolabs.com](http://www.glasscolabs.com) and by scanning the QR Code from the label of the box. Below is the overview of the one mark pipette explaining in detail the content printed on it.

## Volumetric Pipettes, 1 mark, Class AS


- With Individual Certificate
- Compliance with ISO 648 Standard
- Comes in amber colour enamel printing



BuyNow!

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of
123.223.00	0.5	0.005	2 BLACK	5
123.223.01	1	0.008	BLUE	5
123.223.02	2	0.010	ORANGE	5
123.223.02A*	3	0.01	BLACK	5
123.223.02B*	4	0.01	2 RED	5
123.223.03	5	0.015	WHITE	5
123.223.03A*	6	0.01	2 ORANGE	5
123.223.03B*	7	0.01	2 GREEN	5
123.223.03C*	8	0.02	BLUE	5
123.223.03D*	9	0.02	BLACK	5
123.223.04	10	0.020	RED	5
123.223.04A*	15	0.03	GREEN	5
123.223.05	20	0.030	YELLOW	5
123.223.06	25	0.030	BLUE	5
123.223.06E*	30	0.03	BLACK	5
123.223.06O*	40	0.05	WHITE	5
123.223.07	50	0.050	RED	5
123.223.08	100	0.080	YELLOW	5

\* Non DIN





## Volumetric Pipettes, 1 mark, Class AS

- With Batch Certificate
- Compliance with DIN ISO 648 Standard
- Comes in amber colour enamel printing

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of
123.202.00	0.5	0.005	2 BLACK	5
123.202.01	1	0.008	BLUE	5
123.202.02	2	0.010	ORANGE	5
123.202.02A*	3	0.01	BLACK	5
123.202.02B*	4	0.01	2 RED	5
123.202.03	5	0.015	WHITE	5
123.202.03A*	6	0.01	2 ORANGE	5
123.202.03B*	7	0.01	2 GREEN	5
123.202.03C*	8	0.02	BLUE	5
123.202.03D*	9	0.02	BLACK	5
123.202.04	10	0.020	RED	5
123.202.04A*	15	0.03	GREEN	5
123.202.05	20	0.030	YELLOW	5
123.202.06	25	0.030	BLUE	5
123.202.06E*	30	0.03	BLACK	5
123.202.06O*	40	0.05	WHITE	5
123.202.07	50	0.050	RED	5
123.202.08	100	0.080	YELLOW	5

\* Non DIN



## Volumetric Pipette 1 mark Class B

- Compliance with DIN ISO 648 Standard
- Comes in amber colour enamel printing

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of
122.222.01	1	0.015	BLUE	5
122.222.02	2	0.020	ORANGE	5
122.222.03	5	0.030	WHITE	5
122.222.04	10	0.040	RED	5
122.222.05	20	0.060	YELLOW	5
122.222.06	25	0.060	BLUE	5
122.222.07	50	0.100	RED	5
122.222.08	100	0.150	YELLOW	5



# Pipettes



BuyNow!



## Volumetric Pipettes, 2 mark, Class AS

- Compliance with DIN ISO 648 Standard
- Printed in Amber Colour
- With Batch Certificate

Item Code	Capacity (ml)	Tolerance (± ml)	Colour Coding Band	Pack of
123.252.00*	0.5	0.005	2 BLACK	5
123.252.01	1	0.008	BLUE	5
123.252.02	2	0.010	ORANGE	5
123.252.02A*	3	0.01	BLACK	5
123.252.02B*	4	0.01	2 RED	5
123.252.03	5	0.015	WHITE	5
123.252.03A*	6	0.01	2 ORANGE	5
123.252.03B*	7	0.01	2 GREEN	5
123.252.03C*	8	0.02	BLUE	5
123.252.03D*	9	0.02	BLACK	5
123.252.04	10	0.020	RED	5
123.252.04A*	15	0.03	GREEN	5
123.252.05	20	0.030	YELLOW	5
123.252.06	25	0.030	BLUE	5
123.252.06E*	30	0.03	BLACK	5
123.252.06O*	40	0.05	WHITE	5
123.252.07	50	0.050	RED	5
123.252.08	100	0.080	YELLOW	5

\* Non DIN



BuyNow!



## Volumetric Pipettes 1 mark, Class AS

- Compliance with USP standard
- With Individual Certificate

Item Code	Capacity (ml)	Colour Code	Tolerance (± ml)	Pack of
123.220.00	0.5	2 BLACK	0.006	5
123.220.01	1	BLUE	0.006	5
123.220.02	2	ORANGE	0.006	5
123.220.02A	3	BLACK	0.010	5
123.220.02B	4	2 RED	0.010	5
123.220.03	5	WHITE	0.010	5
123.220.03A	6	2 ORANGE	0.010	5
123.220.03B	7	2 GREEN	0.010	5
123.220.03C	8	BLUE	0.020	5
123.220.03D	9	BLACK	0.020	5
123.220.04	10	RED	0.020	5
123.220.04E	15	GREEN	0.030	5
123.220.05	20	YELLOW	0.030	5
123.220.06	25	BLUE	0.030	5
123.220.06E	30	BLACK	0.030	5
123.220.06O	40	WHITE	0.050	5
123.220.07	50	RED	0.050	5
123.220.08	100	YELLOW	0.080	5

## Volumetric Pipettes 1 mark, Class AS

- Compliance with USP standard
- With Batch Certificate

Item Code	Capacity (ml)	Colour Code	Tolerance ( $\pm$ ml)	Pack of
123.461.00	0.5	2 BLACK	0.006	5
123.461.01	1	BLUE	0.006	5
123.461.02	2	ORANGE	0.006	5
123.461.02A	3	BLACK	0.010	5
123.461.02B	4	2 RED	0.010	5
123.461.03	5	WHITE	0.010	5
123.461.03A	6	2 ORANGE	0.010	5
123.461.03B	7	2 GREEN	0.010	5
123.461.03C	8	BLUE	0.020	5
123.461.03D	9	BLACK	0.020	5
123.461.04	10	RED	0.020	5
123.461.04E	15	GREEN	0.030	5
123.461.05	20	YELLOW	0.030	5
123.461.06	25	BLUE	0.030	5
123.461.06E	30	BLACK	0.030	5
123.461.06O	40	WHITE	0.050	5
123.461.07	50	RED	0.050	5
123.461.08	100	YELLOW	0.080	5



BuyNow!



## ASTM Pipettes

### Pipette Volumetric, Class-A, Serialized

- These Pipettes are manufactured from ASTM E-438, TYPE-1, BORO 3.3 GLASS
- Compliance to ASTM E-969, Standard
- Comes in amber colour enamel printing
- With individual work certificate

Item Code	Capacity (ml)	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
123.454.00D	0.5	0.006	2 BLACK	6
123.454.01	1	0.006	BLUE	6
123.454.02	2	0.006	ORANGE	6
123.454.02A	3	0.01	BLACK	6
123.454.02B	4	0.01	2 RED	6
123.454.03	5	0.01	WHITE	6
123.454.03A	6	0.01	2 ORANGE	6
123.454.03B	7	0.01	2 GREEN	6
123.454.03C	8	0.02	BLUE	6
123.454.03D	9	0.02	BLACK	6
123.454.04	10	0.02	RED	6
123.454.04E	15	0.03	GREEN	6
123.454.05	20	0.03	YELLOW	6
123.454.06	25	0.03	BLUE	6
123.454.06E	30	0.03	BLACK	6
123.454.06O	40	0.05	WHITE	6
123.454.07	50	0.05	RED	6
123.454.08	100	0.08	YELLOW	2



BuyNow!



# Pipettes



BuyNow!

## Pipette Volumetric, Class-A, Unserialized

- These Pipettes are manufactured from ASTM E-438, TYPE-1, BORO 3.3 GLASS
- Compliance to ASTM E-969, Standard
- Comes in amber colour enamel printing
- With Batch certificate

Item Code	Capacity (ml)	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
123.450.00D	0.5	0.006	2 BLACK	6
123.450.01	1	0.006	BLUE	6
123.450.02	2	0.006	ORANGE	6
123.450.02A	3	0.01	BLACK	6
123.450.02B	4	0.01	2 RED	6
123.450.03	5	0.01	WHITE	6
123.450.03A	6	0.01	2 ORANGE	6
123.450.03B	7	0.01	2 GREEN	6
123.450.03C	8	0.02	BLUE	6
123.450.03D	9	0.02	BLACK	6
123.450.04	10	0.02	RED	6
123.450.04E	15	0.03	GREEN	6
123.450.05	20	0.03	YELLOW	6
123.450.06	25	0.03	BLUE	6
123.450.06E	30	0.03	BLACK	6
123.450.06O	40	0.05	WHITE	6
123.450.07	50	0.05	RED	6
123.450.08	100	0.08	YELLOW	2



BuyNow!

## Pipette Volumetric, Class-B

- These Pipettes are manufactured from ASTM E-438, TYPE-1, CLASS-A, BORO 3.3 GLASS
- Compliance to ASTM E-969, Standard
- Comes in amber colour enamel printing

Item Code	Capacity (ml)	Tolerance ( $\pm$ ml)	Colour Coding Band	Pack of
122.422.00D	0.5	0.012	2 BLACK	6
122.422.01	1	0.012	BLUE	6
122.422.02	2	0.012	ORANGE	6
122.422.02A	3	0.02	BLACK	6
122.422.02B	4	0.02	2 RED	6
122.422.03	5	0.02	WHITE	6
122.422.03A	6	0.03	2 ORANGE	6
122.422.03B	7	0.03	2 GREEN	6
122.422.03C	8	0.04	BLUE	6
122.422.03D	9	0.04	BLACK	6
122.422.04	10	0.04	RED	6
122.422.04E	15	0.06	GREEN	6
122.422.05	20	0.06	YELLOW	6
122.422.06	25	0.06	BLUE	6
122.422.06E	30	0.06	BLACK	6
122.422.06O	40	0.10	WHITE	6
122.422.07	50	0.10	RED	6
122.422.08	100	0.16	YELLOW	2

## Pipette Box

- Made of Polypropylene
- This Pipette Box is designed in such a way that it can hold Pipettes of different lengths
- The top of the box screws on the bottom and the height can be adjusted by screwing the top.

Item Code	Type	Pack of
171.303.01	Pipette Box	4



BuyNow!



## Pipettes Bulb

- A normal pressure on the bulb permits the intake of the required quantity
- Used for repeated sampling

Item Code	Size	Capacity (ml)	Pack of
411.303.01	Small	5	10
411.303.02	Medium	10	10
411.303.03	Large	15	10
411.303.04	Oval	25	10
411.303.05	Super Large	50	10



BuyNow!



Si

280°C  
SSSS

## Silicon Rubber :

Item Code	Size	Capacity (ml)	Pack of
411.303.07	Small	5	10
411.303.08	Medium	10	10
411.303.09	Large	15	10
411.303.10	Extra Large	20	10
411.303.11	Oval	25	10
411.303.12	Super Large	50	10
411.303.13	Extra Super Large	100	10



BuyNow!

# Pipettes

## Pipette Controller

- Can fill 25 ml pipette under 4 seconds
- Safety valve and hydrophobic filters provide double protection against fluid penetration
- Two different speed modes - High & Low along with Gravity drain
- The pump speed can also be fine-tuned by varying finger pressure on operating knobs for better control of speed
- Cadmium free environment friendly NiMH batteries
- Batteries can be changed very easily by the user
- The intelligent charger prevents over charging / heating of batteries
- Low battery indicator
- The specially designed Desktop Stand enables the Pipette Controller to be charged while resting on it.
- The Pipette Controller can hold the serological pipette while resting on Desktop Stand.



### Technical Data

Power	2 x 1.2 V / 1000 mAh NiMH batteries
Battery Service Life	Eight hours continuous use
Battery Charging Time	2 - 3 hours to charge fully
Volumetric Range	Plastic or Glass pipette from 0.1 ml up to 200 ml
Safety System	Replaceable hydrophobic 0.45 µm PTFE filter Safety check valve
Standard Accessory	Battery charger (UK plug) Desktop Stand Hydrophobic PTFE membrane filter 0.45 µm 1Pc Hydrophobic PTFE membrane filter 0.20 µm 1Pc Wall mounting stand with screw

### Ordering Information



BuyNow!

Item Code	Description	Pack of
501.404.01	Pipette Controller - Blue	1



## Pipette Filler

50 ml, with a release valve to allow adjustment of liquid



BuyNow!

Item Code	Description	Pack of
415.303.01	Red colour, made of natural rubber	4
415.303.02	Blue colour, made of silicon rubber	4

## Pipette Pump

- Presenting a fast release pipetting device for precise pipetting & zip quick emptying
- The Knurled thumbwheel can be rotated to draw up or dispense liquids while the releaser may be pushed in for zip- quick emptying
- The moulded chuck has a silicon rubber collet inside to hold various pipettes of standard sizes
- It resists acids & alkalies and can be easily disassembled for thorough cleaning.

Material : Acrylonitrile Butadiene Styrene

Item Code	Capacity (ml)	Pack of
104.303.01	2	12
104.303.02	10	12
104.303.03	25	12



BuyNow!



## Pipette Stand (Horizontal)

- This detachable stand can hold 12 pipettes, 6 on each side, in a horizontal position
- This autoclavable stand has two sides which are attached to each other with three metallic rods coated with Polypropylene
- This stand can be easily disassembled for space saving storage.

Material : Polypropylene

Item Code	Type	Pack of
168.303.01	For 12 Pipettes	6



BuyNow!



## Pipette Stand (94 Pipettes- Rotary)

- This unique Stand holds a maximum of 94 pipettes and rotates on a central vertical axis for convenient selection of any particular pipette
- The lower rotating disc has four concentric troughs with tapered sides and open bottom which cradle the pipette tips protectively and permit water drops to run off
- The upper disc has a grid pattern concentric with the bottom disc and keeps the pipettes vertical
- Liquids draining off the pipettes are retained on the top of the stationary base by the outer ring
- This stand can be easily disassembled & reassembled.

Material : Polypropylene



BuyNow!

Item Code	Capacity	Pack of
170.303.01	For 94 Pipettes	1



## Pipette Stand (Vertical)

- This is a stable, non-corrosive, detachable stand which can hold 28 pipettes with maximum dia 14 mm
- The heavy base measures 225 mm in diameter and a Polypropylene coated square rod measuring 375 mm in length is screwed into the base
- The top disc that can be fixed on the rod has holes for holding pipettes while the lower one has pilot holes where the pipettes tips rest and liquids drain down to the base
- These discs can be adjusted on the rod according to the length of the pipette
- The arrows provided on the discs should be kept parallel to ensure that corresponding holes are being centered.

Material : Polypropylene



BuyNow!

Item Code	Capacity	Pack of
169.303.01	For 28 Pipettes	1

