

Tube, Safety Burner

- Use with Bunsen Burners
- Available in Natural and Neoprene Rubber
- Tube has reinforced ends for better grip

Natural Rubber :

Item Code	Length (mm)	ID x OD (mm)	Pack of
406.BB.01	450	8 x 14	1
406.BB.02	600	8 x 14	1
406.BB.03	900	8 x 14	1
406.BB.04	1000	8 x 14	1



BuyNow!



Neoprene Rubber :

Item Code	Length (mm)	ID x OD (mm)	Pack of
426.BB.01	450	5 x 8	1
426.BB.02	600	5 x 8	1
426.BB.03	900	5 x 8	1
426.BB.04	1000	5 x 8	1



BuyNow!



Cork, Rubber Neoprene

- Easy distinguishable blue color for lab use
- Flame resistant & Autoclavable
- Tolerates weathering & ozone
- Working temp. are 50 to 120°C
- Has excellent low gas permissibility



BuyNow!

Item Code	Cork No.	Top (±2 mm)	Bottom (±2 mm)	Height (±2 mm)	Pack of
420.303.01	5		5.0		10
420.303.02	6	9.0	6.0	16.0	10
420.303.03	8	10.5	8.0	20.0	10
420.303.04	9	11.5	9.0	20.0	10
420.303.05	10	12.5	10.0	20.0	10
420.303.06	11	14.0	11.0	24.0	10
420.303.07	13	16.0	13.0	24.0	10
420.303.08	15	18.0	15.0	24.0	10
420.303.09	17	20.5	17.0	26.0	10
420.303.10	18	21.0	18.0	26.0	10
420.303.11	19	22.5	19.0	28.0	10
420.303.12	21	24.5	21.0	28.0	10
420.303.13	23	26.5	23.0	28.0	10
420.303.14	25	28.5	25.0	28.0	10
420.303.15	27	31.0	27.0	32.0	10
420.303.16	29	31.0	29.0	32.0	10
420.303.17	31	36.0	31.0	35.0	10
420.303.18	33	38.5	33.0	38.5	10
420.303.19	35	45.5	35.0	36.5	10
420.303.20	38	42.5	38.0	40.5	10
420.303.21	40	49.5	40.0	40.5	10

Cork, Rubber

- Made of RSS-S grade rubber
- More pure rubber than regular stopper and has clear incineration & biodegradable property
- Permissible temp. upto 80°C & Shore Hardness 45

Item Code	Cork No.	Top (±2 mm)	Bottom (±2 mm)	Height (±2 mm)	Pack of
410.303.01	000	9	6	16	10
410.303.02	0	13	9	15.5	10
410.303.03	1	14	11	18.5	10
410.303.04	2	16.5	13	20	10
410.303.05	3	19	14	21	10
410.303.06	4	21	15	22	10
410.303.07	5	22.5	17.5	23	10
410.303.08	6	24.5	20	24	10
410.303.09	7	26	20	27.5	10
410.303.10	8	26.5	21	27.5	10
410.303.11	9	28	21.5	31	10
410.303.12	10	30	26	33	10
410.303.13	11	33	29	32	10
410.303.14	12	34.5	30	34.5	10
410.303.15	13	38.5	31	37	10
410.303.16	14	41.5	32	42.5	10
410.303.17	15	42	38	40.5	10
410.303.18	16	45	35	36.5	10
410.303.19	17	49.5	40	40.5	10
410.303.20	18	53.5	48	33.5	10
410.303.21	19	58	44	45	10
410.303.22	20	60	51	56.5	10



BuyNow!



Cork, Rubber (Euro Design) DIN 12871

Item Code	Top (±2 mm)	Bottom (±2 mm)	Height (±2 mm)	Pack of
410.303.23	6.5	3.5	15	10
410.303.24	9	5	20	10
410.303.25	12	8	20	10
410.303.26	14.5	10.5	20	10
410.303.27	16.5	12.5	20	10
410.303.28	18	14	20	10
410.303.29	22	17	25	10
410.303.30	24	18	30	10
410.303.31	27	21	30	10
410.303.32	29	23	30	10
410.303.33	32	26	30	10
410.303.34	35	29	30	10
410.303.35	38	31	35	10
410.303.36	44	36	40	10
410.303.37	49	41	40	10
410.303.38	55	47	40	10
410.303.39	59.5	50.5	45	10
410.303.40	65	56	45	10
410.303.41	70	60	50	10
410.303.42	75.5	64.5	55	10
410.303.43	83	71	60	10
410.303.44	92	79	65	10
410.303.45	100	87	65	10
410.303.46	107	94	65	10



BuyNow!





BuyNow!

Cork, Silicon

- Made of high quality food grade FDA approved silicone, translucent
- Non reactive & very useful for organic chemistry use
- Resistant to high pressure, vacuum, Steam sterilization & UV sterilization
- Working temp. are 50 to 250°C
- Shore Hardness 45A

Item Code	Cork No.	Top (±2 mm)	Bottom (±2 mm)	Height (±2 mm)	Pack of
405.303.01	9	11.5	9	20	10
405.303.02	11	14	11	24	10
405.303.03	13	16	13	24	10
405.303.04	15	18	15	24	10
405.303.05	17	20	17	26	10
405.303.06	18	21	18	26	10
405.303.07	19	22.5	19	28	10
405.303.08	23	25.5	23	28	10
405.303.09	25	28.5	25	28	10
405.303.10	27	31	27	32	10
405.303.11	29	33	29	32	10
405.303.12	31	36	31	35	10
405.303.13	33	38.5	33	38.5	10



BuyNow!

Cork, Silicon, Euro design

- Complies with DIN 12871 Standards

Item Code	Top (±2 mm)	Bottom (±2 mm)	Height (±2 mm)	Pack of
405.303.14	6.5	3.5	15	10
405.303.15	9	5	20	10
405.303.16	12	8	20	10
405.303.17	14.5	10.5	20	10
405.303.18	16.5	12.5	20	10
405.303.19	18	14	20	10
405.303.20	22	17	25	10
405.303.21	24	18	30	10
405.303.22	27	21	30	10
405.303.23	29	23	30	10
405.303.25	35	29	30	10
405.303.26	38	31	35	10
405.303.27	44	36	40	10
405.303.28	49	41	40	10
405.303.29	55	47	40	10
405.303.30	59.5	50.5	45	10
405.303.31	65	56	45	10
405.303.32	70	60	50	10
405.303.33	75.5	64.5	55	10
405.303.34	83	71	60	10
405.303.35	92	79	65	10
405.303.36	100	87	65	10
405.303.37	107	94	65	10

Tubing, Natural Rubber

- Tubing is suitable for laboratory, pharmaceutical, industrial and educational purposes
- Comes in Red colour
- Tolerance $\pm 0.2\text{MM}$
- Made of RSS-3 grade rubber
- Has incineration & biodegradable property
- Permissible temp. -20°C to -70°C

Item Code	Inner Diameter (ID in MM)	Wall Thickness (WT in MM)	Outer Diameter (OD in MM)	Pack of
406.303.01	4.0	1.0	6	10 Mtr.
406.303.02	5.0	1.5	8	10 Mtr.
406.303.03	6.0	1.5	9	10 Mtr.
406.303.04	7.0	1.5	10	10 Mtr.
406.303.05	8.0	1.5	11	10 Mtr.
406.303.06	9.0	2.0	13	10 Mtr.
406.303.07	10.0	2.0	14	10 Mtr.
406.303.08	12.0	2.0	16	10 Mtr.



BuyNow!



Tubing, Pressure Rubber

- Suitable for laboratory, pharmaceutical, industrial and educational purposes
- Made of Natural Rubber
- Resistant to light acids, light alkalis
- Tolerance $\pm 0.2\text{MM}$
- Shore Hardness 50-55A
- Permissible temp. -20°C to -70°C

Item Code	Inner Diameter (ID in MM)	Wall Thickness (WT in MM)	Outer Diameter (OD in MM)	Pack of
408.303.01	3.0	3.0	9	10 Mtr.
408.303.02	5.0	3.0	11	10 Mtr.
408.303.03	6.0	3.0	12	10 Mtr.
408.303.04	8.0	3.0	14	10 Mtr.
408.303.05	9.0	3.0	15	10 Mtr.
408.303.06	10.0	4.0	18	10 Mtr.
408.303.07	12.0	4.0	20	10 Mtr.



BuyNow!





BuyNow!



Tubing, High Pressure Rubber

- Suitable for laboratory, pharmaceutical, industrial and educational purposes
- Made of Natural Rubber
- Resistant to light acids, light alkalis
- Tolerance $\pm 0.2\text{MM}$
- Shore Hardness 50-55A
- Permissible temp. -20°C to -70°C

Item Code	Inner Diameter (ID in MM)	Wall Thickness (WT in MM)	Outer Diameter (OD in MM)	Pack of
409.303.01	3.0	5.0	13	10 Mtr.
409.303.02	5.0	5.0	15	10 Mtr.
409.303.03	6.0	5.0	16	10 Mtr.
409.303.04	8.0	5.0	18	10 Mtr.
409.303.05	9.0	5.0	19	10 Mtr.
409.303.07	10.0	6.0	22	10 Mtr.
409.303.06	12.5	6.5	24	10 Mtr.



BuyNow!

Tubing Pressure Green :

Item Code	Inner Diameter (ID in MM)	Wall Thickness (WT in MM)	Outer Diameter (OD in MM)	Pack of
401.303.01	6.4	3.2	12.8	10 Mtr.



BuyNow!

Tubing, Blood Pressure Green Superior :

Item Code	Inner Diameter (ID in MM)	Wall Thickness (WT in MM)	Outer Diameter (OD in MM)	Pack of
403.303.01	3	2.5	8	10 Mtr.

Tubing, Silicon Rubber

- Complies with USPVI standards & FDC21 CFR 177 2600 Complaint
- Made of high quality food grade
- Non reactive & very useful for organic chemistry use
- Resistant to high pressure, vacuums, Steam sterilization & UV sterilization
- Working temp. are -50 to 250°C
- Shore Hardness 45A

Item Code	Inner Diameter (ID in MM)	Wall Thickness (WT in MM)	Outer Diameter (OD in MM)	Pack of
400.303.01	2	1	4	10 Mtr.
400.303.02	3	1	5	10 Mtr.
400.303.03	3	1.5	6	10 Mtr.
400.303.04	4	1	6	10 Mtr.
400.303.05	4	1.5	7	10 Mtr.
400.303.06	5	1	7	10 Mtr.
400.303.07	5	1.5	8	10 Mtr.
400.303.08	6	1	8	10 Mtr.
400.303.09	6	1.5	9	10 Mtr.
400.303.10	6	2	10	10 Mtr.
400.303.11	6	3	12	10 Mtr.
400.303.12	7	1.5	10	10 Mtr.
400.303.13	7	2	11	10 Mtr.
400.303.14	8	1.5	11	10 Mtr.
400.303.15	8	2	12	10 Mtr.
400.303.16	8	3	14	10 Mtr.
400.303.17	9	2	13	10 Mtr.
400.303.18	10	2	14	10 Mtr.
400.303.19	10	3	16	10 Mtr.
400.303.20	12	3.5	19	10 Mtr.
400.303.22	14	3	20	10 Mtr.
400.303.23	15	4	23	10 Mtr.
400.303.24	16	3	22	10 Mtr.



BuyNow!



Tubing, Silicon Platinum Cur ed

Item Code	Inner Diameter (ID in MM)	Wall Thickness (WT in MM)	Outer Diameter (OD in MM)	Pack of
400.350.03	3.0	1.5	6	1 Mtr.
400.350.05	4.0	1.5	7	1 Mtr.
400.350.07	5.0	1.5	8	1 Mtr.
400.350.09	6.0	1.5	9	1 Mtr.
400.350.10	6.0	2.0	10	1 Mtr.
400.350.12	7.0	1.5	10	1 Mtr.
400.350.13	7.0	2.0	11	1 Mtr.
400.350.14	8.0	1.5	11	1 Mtr.
400.350.15	8.0	2.0	12	1 Mtr.
400.350.17	9.0	2.0	13	1 Mtr.
400.350.18	10.0	2.0	14	1 Mtr.
400.350.20	12.0	2.0	16	1 Mtr.




BuyNow!



Tubing, Vacuum

- Made of pure natural rubber.
- Used for high pressure applications
- Available in per meter
- Walls does not collapse at high pressure applications



BuyNow!

Item Code	ID x OD (mm)	Pack of
407.303.01	6 x 19	1 Mtr.
407.303.02	8 x 22	1 Mtr.



Available in **pack of 10** only



BuyNow!

Teats

- Used in laboratory with droppers for dispensing drops or qualitative amounts of liquids or chemicals.

Item Code	Type	Rubber Type	Capacity	Pack of
414.303.01	Conical	Natural Rubber	1	100
414.303.02	Conical	Natural Rubber	2-3	100
414.303.03	Round	Natural Rubber	1	100
414.303.04	Conical	Silicon Rubber	1	100
414.303.05	Conical	Silicon Rubber	2-3	100
561.303.01	Round	Latex Rubber	Small	100
561.303.02	Round	Latex Rubber	Large	100



Sheet, Rubber Corrugated

- Used in Industrial Shelves, Hospital and Medical Buildings

Item Code	Dimension (mm)	Pack of
402.303.01	350 x 150	4



BuyNow!

Available in **Pack of 10 Meter Coil** only




Mat, Laboratory

Item Code	Dimension (mm)	Rubber Type	Pack of
402.400.01	12" x 12"	Natural Rubber	4
402.400.02	12" x 12"	Silicone Rubber	4



BuyNow!

Minimum order quantity : **5 Meter coil**



Sheet, Laboratory

- Used to avoid direct surface contact of glassware products on the solid surface.

Item Code	Dimension (mm)	Rubber Type	Pack of
402.500.01	9.5" x 9.5" x 2.7	Natural Rubber	4
402.500.02	9.5" x 9.5" x 2.7	Silicone Rubber	4



BuyNow!

