



WLC and WTC Precision Balance

[d] down to 0.001 g
[Max] up to 120 kg

WLC, WLC C/2 and WTC Precision Balance

The **internal battery** will allow you to work on the balance despite the lack of access to power.

Communication interfaces: RS 232, USB-A and USB-B will allow you to work with a computer, printer and flash drive.

Thanks to **automatic internal adjustment**, the balance will calibrate itself as soon as you press the button and automatically every 12 hours and when the temperature changes by more than 3°C.*


* Refers to the WLC C/2 balances.

The **Alibi Memory** will allow you to record all weighings on the balance with the software.

Thanks to the **real-time clock** – in the standard printout you can provide information about when the measurement took place.



WLC F1/R



WLC F1/K

Technical Specification

WLC C/2 Precision Balance (Adjustment: internal)



Product Code	Model	Max. capacity	Readability	Repeatability	Weighing pan dimensions
WL-217-0006	WLC 0.6/A1/C/2	0.6 kg	0.01 g	0.015 g	128x128 mm



Product Code	Model	Max. capacity	Readability	Repeatability	Weighing pan dimensions
WL-217-0007	WLC 1/A2/C/2	1 kg	0.01 g	0.015 g	195x195 mm
WL-217-0015	WLC 2/A2/C/2	2 kg	0.01 g	0.015 g	195x195 mm
WL-217-0014	WLC 6/A2/C/2	6 kg	0.1 g	0.15 g	195x195 mm

WLC Precision Balance (Adjustment: external)



Product Code	Model	Max. capacity	Readability	Repeatability	Weighing pan dimensions
WL-206-0041	WLC 1/A2	1 kg	0.01 g	0.01 g	195x195 mm
WL-206-0039	WLC 2/A2	2 kg	0.01 g	0.01 g	195x195 mm
WL-206-0003	WLC 6/A2	6 kg	0.1 g	0.1 g	195x195 mm
WL-206-0004	WLC 10/A2	10 kg	0.1 g	0.1 g	195x195 mm
WL-206-0022	WLC 20/A2	20 kg	0.1 g	0.1 g	195x195 mm



Product Code	Model	Max. capacity	Readability	Repeatability	Weighing pan dimensions
WL-206-0074	WLC 6/F1/R	6 kg	0.1 g	0.1 g	300x300 mm
WL-206-0073	WLC 6/F1/K	6 kg	0.1 g	0.1 g	300x300 mm
WL-206-0076	WLC 12/F1/R	12 kg	0.2 g	0.2 g	300x300 mm
WL-206-0075	WLC 12/F1/K	12 kg	0.2 g	0.2 g	300x300 mm
WL-206-0078	WLC 30/F1/R	30 kg	0.5 g	0.5 g	300x300 mm
WL-206-0077	WLC 30/F1/K	30 kg	0.5 g	0.5 g	300x300 mm



Product Code	Model	Max. capacity	Readability	Repeatability	Weighing pan dimensions
WL-206-0063	WLC 60/C2/R	60 kg	1 g	1 g	400x500 mm
WL-206-0015	WLC 60/C2/K	60 kg	1 g	1 g	400x500 mm
WL-206-0036	WLC 120/C2/R	120 kg	2 g	2 g	400x500 mm
WL-206-0021	WLC 120/C2/K	120 kg	2 g	2 g	400x500 mm

WTC Precision Balance (Adjustment: external)



Product Code	Model	Max. capacity	Readability	Repeatability	Weighing pan dimensions
WL-210-0004	WTC 200	200 g	0.001 g	0.002 g	ø100 mm



Product Code	Model	Max. capacity	Readability	Repeatability	Weighing pan dimensions
WL-210-0003	WTC 600	600 g	0.01 g	0.01 g	128x128 mm
WL-210-0001	WTC 2000	2000 g	0.01 g	0.01 g	128x128 mm
WL-210-0007	WTC 3000	3100 g	0.1 g	0.1 g	128x128 mm