

Cylinders

GLASSCO measuring cylinders are made from ASTM E – 438, TYPE-1, CLASS-A BORO 3.3 glass that meet ISO 4788 standard. The calibration is done on automatic computer controlled machines and are calibrated to contain (TC, In) according to the ISO & ASTM tolerance standards. All ISO Cylinders come with **DE-M** Mark printed on it.



BuyNow!

Measuring Cylinder with Hexagonal Base, Class-A

- Certificate as per DIN EN ISO 4788
- With individual work certificate

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.223.00A*	5	0.1	0.05	1
139.223.01A	10	0.2	0.10	1
139.223.02A	25	0.5	0.25	1
139.223.03A	50	1.0	0.50	1
139.223.04A	100	1.0	0.50	1
139.223.05A	250	2.0	1.00	1
139.223.06A	500	5.0	2.50	1
139.223.07A	1000	10.0	5.00	1
139.223.08A	2000	20.0	10.00	1

* Non DIN



BuyNow!

Measuring Cylinder with Hexagonal Base, Class-A

- Certificate as per DIN EN ISO 4788
- With conformity batch certificate

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.202.00A*	5	0.1	0.05	2
139.202.01A	10	0.2	0.10	2
139.202.02A	25	0.5	0.25	2
139.202.03A	50	1.0	0.50	2
139.202.04A	100	1.0	0.50	2
139.202.05A	250	2.0	1.00	2
139.202.06A	500	5.0	2.50	2
139.202.07A	1000	10.0	5.00	1
139.202.08A	2000	20.0	10.00	1

* Non DIN

PS : To order B class low form cylinder go to page 99

Measuring Cylinder Graduated, Hex Base, Class A, serialized

- with Double Metric Scale, TC (To Contain)
- Individual work Certificate
- Cylinders are made to meet ASTM E 1272 norms
- Printed in white enamel
- All the cylinders from 10ml to 2000ml comes with the bumper guard

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.454.00A	5	0.1	0.5	1
139.454.01A	10	0.1	0.1	1
139.454.02A	25	0.2	0.17	1
139.454.03A	50	1	0.25	1
139.454.04A	100	1	0.5	1
139.454.05A	250	2	1	1
139.454.06A	500	5	2	1
139.454.07A	1000	10	3	1
139.454.08A	2000	20	6	1



BuyNow!



Measuring Cylinder Graduated, Hex Base, Class A, Unserialized

- With Double Metric Scale, TC (To Contain)
- Cylinders are made to meet ASTM E-1272 norms
- Printed in white enamel
- All the cylinders from 10ml to 2000ml comes with the bumper guard

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.453.00A	5	0.1	0.05	2
139.453.01A	10	0.1	0.1	2
139.453.02A	25	0.2	0.17	2
139.453.03A	50	1	0.25	2
139.453.04A	100	1	0.5	2
139.453.05A	250	2	1	2
139.453.06A	500	5	2	2
139.453.07A	1000	10	3	1
139.453.08A	2000	20	6	1



BuyNow!



Cylinders



BuyNow!

Measuring Cylinder Graduated Class B, Hex Base

- With Double Metric Scale, TC (To Contain)
- Cylinders are made to meet ASTM E-1272 norms
- Printed in white enamel
- All the cylinders from 10ml to 2000ml comes with the bumper guard

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
138.289.00A	5	0.1	0.1	2
138.289.01A	10	0.1	0.2	2
138.289.02A	25	0.2	0.34	2
138.289.03A	50	1	0.5	2
138.289.04A	100	1	1.0	2
138.289.05A	250	2	2.0	2
138.289.06A	500	5	4.0	2
138.289.07A	1000	10	6.0	1
138.289.08A	2000	20	12.0	1



BuyNow!

Measuring Cylinder Graduated, Hex Base, Class A, serialized

- With Double Metric Scale, TD (To Deliver)
- Cylinders are made to meet ASTM E 1272 norms
- Printed in white enamel
- All the cylinders from 10ml to 2000ml comes with the bumper guard

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.465.00A	5	0.1	0.05	1
139.465.01A	10	0.1	0.1	1
139.465.02A	25	0.2	0.17	1
139.465.03A	50	1	0.25	1
139.465.04A	100	1	0.5	1
139.465.05A	250	2	1	1
139.465.06A	500	5	2	1
139.465.07A	1000	10	3	1
139.465.08A	2000	20	6	1

Measuring Cylinder Graduated Class A, Hex Base, Unserialized

- With Double Metric Scale, TD (To Deliver)
- Cylinders are made to meet ASTM E-1272 norms
- Printed in white enamel
- All the cylinders from 10ml to 2000ml comes with the bumper guard

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.464.00A	5	0.1	0.05	2
139.464.01A	10	0.1	0.1	2
139.464.02A	25	0.2	0.17	2
139.464.03A	50	1	0.25	2
139.464.04A	100	1	0.5	2
139.464.05A	250	2	1	2
139.464.06A	500	5	2	2
139.464.07A	1000	10	3	1
139.464.08A	2000	20	6	1



BuyNow!



Measuring Cylinder Graduated, Hex Base, Class B

- with Double Metric Scale, TD (To Deliver)
- Cylinders are made to meet ASTM E-1272 norms
- Printed in with white enamel
- All the cylinders from 10ml to 2000ml comes with the bumper guard

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
138.288.00A	5	0.1	0.1	2
138.288.01A	10	0.1	0.2	2
138.288.02A	25	0.2	0.34	2
138.288.03A	50	1	0.5	2
138.288.04A	100	1	1.0	2
138.288.05A	250	2	2.0	2
138.288.06A	500	5	4.0	2
138.288.07A	1000	10	6.0	1
138.288.08A	2000	20	12.0	1



BuyNow!



Cylinders



BuyNow!

Measuring Cylinder with detachable PE base, Class A

- Complies with DIN EN ISO 4788
- With Individual work certificate
- With protection collar
- Printed in Blue colour

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
137.223.01*	5	0.1	0.05	1
137.223.02	10	0.2	0.1	1
137.223.03	25	0.5	0.25	1
137.223.04	50	1.0	0.5	1
137.223.05	100	1.0	0.5	1
137.223.06	250	2.0	1.0	1
137.223.07	500	5.0	2.5	1
137.223.08	1000	10.0	5.0	1

* Non DIN



BuyNow!

Measuring Cylinder with detachable PE base, Class A

- Complies with DIN EN ISO 4788
- With batch certificate
- With protection collar
- Printed in Blue colour

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
137.204.01*	5	0.1	0.05	2
137.204.02	10	0.2	0.1	2
137.204.03	25	0.5	0.25	2
137.204.04	50	1.0	0.5	2
137.204.05	100	1.0	0.5	2
137.204.06	250	2.0	1.0	2
137.204.07	500	5.0	2.5	2
137.204.08	1000	10.0	5.0	1

* Non DIN

Measuring Cylinder with detachable PE base, Class B

- with protection collar
- Printed in blue colour

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
137.202.01	5	0.1	0.1	10
137.202.02	10	0.2	0.20	10
137.202.03	25	0.5	0.50	10
137.202.04	50	1.0	1.00	10
137.202.05	100	1.0	1.00	10
137.202.06	250	2.0	2.00	10
137.202.07	500	5.0	5.00	2
137.202.08	1000	10.0	10.0	1



BuyNow!



Riders/Bumpers for cylinders

Item Code	Bumper for Cylinders (ml)	Pack of
136.202.01	5	100
136.202.02	10	100
136.202.03	25	100
136.202.04	50	100
136.202.05	100	100
136.202.06	250	50
136.202.07	500	50
136.202.08	1000	25
136.202.09	2000	10



BuyNow!



Cylinders



BuyNow!

Measuring Cylinder with USP Grade, Class A, Hex Base

- With individual work certificate

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.221.00A	5	0.1	0.05	1
139.221.01A	10	0.2	0.10	1
139.221.02A	25	0.5	0.15	1
139.221.03A	50	1.0	0.25	1
139.221.04A	100	1.0	0.50	1
139.221.05A	250	2.0	1.00	1
139.221.06A	500	5.0	1.50	1
139.221.07A	1000	10.0	3.00	1
139.221.08A	2000	20.0	6.00	1



BuyNow!

Measuring Cylinder with USP Grade, Class A, Hex base

- With conformity batch certificate

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.292.00A*	5	0.1	0.05	2
139.292.01A	10	0.2	0.10	2
139.292.02A	25	0.5	0.15	2
139.292.03A	50	1.0	0.25	2
139.292.04A	100	1.0	0.50	2
139.292.05A	250	2.0	1.00	2
139.292.06A	500	5.0	1.50	2
139.292.07A	1000	10.0	3.00	1
139.292.08A	2000	20.0	6.00	1

* Non DIN

Measuring Cylinder, Low Form, Hex base, Class-B

- Complies as per DIN EN ISO 4788
- Hex Base, Class B, To Contain (TC), Single Metric
- Printed in Amber colour

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
138.429.00A*	5	1.0	0.15	2
138.429.01A	10	1.0	0.300	2
138.429.02A	25	1.0	0.500	2
138.429.03A	50	2.0	1.000	2
138.429.04A	100	2.0	1.000	2
138.429.05A	250	5.0	2.000	2
138.429.06A	500	10.0	5.000	2
138.429.07A	1000	20.0	10.000	1

* Non DIN



BuyNow!



Measuring Cylinder with Round Base, Class-A, (Economy Model)

- Complies with DIN EN ISO 4788
- With conformity batch certificate

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.202.01*	5	0.1	0.05	2
139.202.02	10	0.2	0.10	2
139.202.03	25	0.5	0.25	2
139.202.04	50	1.0	0.50	2
139.202.05	100	1.0	0.50	2
139.202.06	250	2.0	1.00	2
139.202.07	500	5.0	2.50	2
139.202.08	1000	10.0	5.00	1
139.202.09	2000	20.0	10.00	1

* Non DIN



BuyNow!



Cylinders



BuyNow!

Measuring Cylinder with Round Base, Class-B

- Complies with DIN EN ISO 4788

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
139.222.01*	5	0.1	0.10	2
139.222.02	10	0.2	0.20	2
139.222.03	25	0.5	0.50	2
139.222.04	50	1.0	1.00	2
139.222.05	100	1.0	1.00	2
139.222.06	250	2.0	2.00	2
139.222.07	500	5.0	5.00	2
139.222.08	1000	10.0	10.00	1
139.222.09	2000	20.0	20.00	1

* Non DIN



BuyNow!

Mixing Cylinder with Hexagonal base, Class-A

- Complies as per DIN EN ISO 4788 standards
- With individual work certificate
- With PE stopper

Item Code	Capacity (ml)	N/S	Sub division (ml)	Tolerance (\pm ml)	Pack of
142.223.00A*	5	10/19	0.1	0.05	1
142.223.01A	10	10/19	0.2	0.10	1
142.223.02A	25	14/23	0.5	0.25	1
142.223.03A	50	19/26	1.0	0.50	1
142.223.04A	100	24/29	1.0	0.50	1
142.223.05A	250	29/32	2.0	1.00	1
142.223.06A	500	34/35	5.0	2.50	1
142.223.07A	1000	45/40	10.0	5.00	1
142.223.08A	2000	45/40	20.0	10.00	1

* Non DIN

Mixing Cylinder with Hexagonal base, Class-A

- Complies as per DIN EN ISO 4788 standards
- With batch conformity certificate
- With PE stopper

Item Code	Capacity (ml)	N/S	Sub division (ml)	Tolerance (\pm ml)	Pack of
142.202.00A*	5	10/19	0.1	0.05	2
142.202.01A	10	10/19	0.2	0.10	2
142.202.02A	25	14/23	0.5	0.25	2
142.202.03A	50	19/26	1.0	0.50	2
142.202.04A	100	24/29	1.0	0.50	2
142.202.05A	250	29/32	2.0	1.00	2
142.202.06A	500	34/35	5.0	2.50	2
142.202.07A	1000	45/40	10.0	5.00	1
142.202.08A	2000	45/40	20.0	10.00	1

* Non DIN



BuyNow!



Mixing Cylinder with Hexagonal base, Class-B

- Complies as per DIN EN ISO 4788 standards
- With PE stopper

Item Code	Capacity (ml)	N/S	Sub division (ml)	Tolerance (\pm ml)	Pack of
142.222.00A*	5	10/19	0.1	0.1	2
142.222.01A	10	10/19	0.2	0.2	2
142.222.02A	25	14/23	0.5	0.5	2
142.222.03A	50	19/26	1.0	1.0	2
142.222.04A	100	24/29	1.0	1.0	2
142.222.05A	250	29/32	2.0	2.0	2
142.222.06A	500	34/35	5.0	5.0	2
142.222.07A	1000	45/40	10.0	10.0	1
142.222.08A	2000	45/40	20.0	20.0	1

* Non DIN



BuyNow!





BuyNow!

Mixing Cylinder with Round base, Class-B

- Complies as per DIN EN ISO 4788 standards
- With PE stopper

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
141.222.01*	5	0.1	0.1	2
141.222.02	10	0.2	0.2	2
141.222.03	25	0.5	0.5	2
141.222.04	50	1.0	1.0	2
141.222.05	100	1.0	1.0	2
141.222.06	250	2.0	2.0	2
141.222.07	500	5.0	5.0	2
141.222.08	1000	10.0	10.0	1
141.222.09	2000	20.0	20.0	1

* Non DIN



BuyNow!

Mixing Cylinder with Plastic Hexa base, Class-B

- With PE stopper

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
142.232.00A	5	0.1	0.1	2
142.232.01A	10	0.2	0.10	2
142.232.02A	25	0.5	0.25	2
142.232.03A	50	1.0	0.50	2
142.232.04A	100	1.0	0.50	2
142.232.05A	250	2.0	1.00	2
142.232.06A	500	5.0	2.50	2
142.232.07A	1000	10.0	5.00	1

Hydrometer Jar, Round base

- Without calibration markup
- Without Spout

Item Code	Capacity (ml)	Pack of
138.271.02	250	2
138.271.03	500	2
138.271.04	1000	1



BuyNow!



GLASS
BORO
3.3

BLUE
PRINTING

Chemical
Resistant

CLASS
A

Hydrometer Jar, Round base

- With circle mark on the top
- Printed with capacity & 20°C
- Without spout
- With rim

Item Code	Capacity (ml)	Pack of
138.270.01	1000	1



BuyNow!

Nessler Cylinder, for colour comparison Class-A

Item Code	Capacity (ml)	Sub division (ml)	Tolerance (\pm ml)	Pack of
143.202.01	50	25 & 50	0.4	10
143.202.02	100	50 & 100	0.8	10



BuyNow!



GLASS
BORO
3.3

BLUE
PRINTING

Chemical
Resistant

CLASS
A

Measuring Cylinders, Round Base

- Moulded in Polypropylene
- These autoclavable cylinders have raised prominent graduations
- Easy reading and have excellent contact clarity
- The broad base provides good stability



BuyNow!

Item Code	Capacity (ml)	Least Count (ml)	Pack of
175.303.01	10	0.2	24
175.303.02	25	0.5	12
175.303.03	50	1	12
175.303.04	100	1	12
175.303.05	250	2	6
175.303.06	500	5	4
175.303.07	1000	10	2
175.303.08	2000	20	2



Measuring Cylinder Hexagonal

- Made from Polypropylene
- These are now available with hexagonal base also
- The hexagonal base provides excellent stability to the cylinder where as the tapered spout works really while pouring any reagent



BuyNow!

Item Code	Capacity (ml)	Least Count (ml)	Pack of
177.303.01	10	0.2	24
177.303.02	25	0.5	12
177.303.03	50	1	12
177.303.04	100	1	12
177.303.05	250	2	6
177.303.06	500	5	4
177.303.07	1000	10	2



Brush, Cylinder

Item Code	Type	Material	Pack of
593.303.05	Cylinder Brush	Nylon	50



BuyNow!



Nylon