



CONTENTS

- Mixer Rotator
- Roller

ONiLAB

Benchmark Scientific

ELMI

 เลือกชม/สั่งซื้อสินค้า ออนไลน์ได้แล้ว

บริษัท สมาร์ท ไซเอนซ์ จำกัด

www.smartscience.co.th



MX-RD-E, Disk Rotator



Features

- Speed adjustable from 0-80rpm
- Operation mode : Continuous
- Speed controlled by Scale

(# 8051412000) MX-RD-E, Rotator (including accessory-18900327/8/9), used with disk accessories, variable speed

ราคา* 11,800 บาท

Includes



Plastic Clips for 50mL, 15mL and 1.5mL

MX-RD-Pro, Disk Rotator




Features

- Adjustable mixing angle up to 90°
- Speed adjustable from 10-70 rpm
- Operation mode : Continuous/ timer (1-1199min)
- LCD display of speed and time

(# 8051412100) MX-RD-Pro, LCD Digital Rotator (including a 50mL disk accessory - 18900162), used with disk accessories

ราคา* 34,800 บาท

Includes




Disk for 50mLx8 centrifuge tubes holder

MX-RL-E, Economic Rotator

Features

- Provides gentle but effective rolling
- Speed adjustable from 0-80rpm
- Operation mode : Continuous
- Speed controlled by Scale



Includes



Plastic Clips for 50mL, 15mL and 1.5mL

(# 8051402000) MX-RL-E, Economic Rotator

ราคา* 11,800 บาท

MX-RL-Pro, LCD Digital Rotator

Features

- LCD displays speed and time
- Speed adjustable from 10-70rpm
- Operation mode : Continuous/ timer (1-1199min)
- Provides gentle but effective rolling and mixing



(# 8051402100) MX-RL-Pro, Tube Roller & Rotator

ราคา* 40,200 บาท



Includes



Rotisserie for 50mLx16 centrifuge tubes holder

Optional Accessories

Disk Accessories Type-1 Cat. No.18900160

Used for MX-RD-Pro for 1.5mLx60 centrifuge tubes holder

ราคา* 6,000 บาท



Disk Accessories Type-2 Cat. No.18900161

Used for MX-RD-Pro for 15mLx16 centrifuge tubes holder

ราคา* 3,100 บาท



Disk Accessories Type-3 Cat. No.18900162

Used for MX-RD-Pro for 50mLx8 centrifuge tubes holder

ราคา* 2,900 บาท



Rotisserie Accessory Type-1 Cat. No.18900142

Used for MX-RL-Pro, for 1.5mLx48 centrifuge tubes held horizontally

ราคา* 6,000 บาท



Rotisserie Accessory Type-2 Cat. No.18900143

Used for MX-RL-Pro, for 15mLx24 centrifuge tubes held horizontally

ราคา* 5,400 บาท



Rotisserie Accessory Type-3 Cat. No.18900144

Used for MX-RL-Pro, for 50mLx24 centrifuge tubes held horizontally

ราคา* 5,400 บาท



Rotisserie Accessory Type-4 Cat. No.18900145

Used for MX-RL-Pro, for 1.5mLx32 centrifuge tubes held vertically

ราคา* 5,500 บาท



Rotisserie Accessory Type-5 Cat. No.18900146

Used for MX-RL-Pro, for 15mLx16 centrifuge tubes held vertically

ราคา* 5,000 บาท



Rotisserie Accessory Type-6 Cat. No.18900147

Used for MX-RL-Pro, for 50mLx16 centrifuge tubes held vertically

ราคา* 5,000 บาท



Disk support rods Cat. No.18900140

4pcs in a group use with disk accessories

ราคา* 1,400 บาท



Deck Rocking Rotator



Short Deck

Long Deck

Long Deck Double Layer

Specifications	SK-R30S-E	SK-R30L-E	SK-R30D-E
Tilt angle	30 ± 3°	30 ± 3°	40 ± 3°
Load capacity	1kg	1kg	1kg
Motor type	Brushless DC motor	Brushless DC motor	Brushless DC motor
Speed range	0~30rpm	0~30rpm	0~30rpm
Operation mode	Continuous	Continuous	Continuous
Dimension (W × D × H)	295 × 160 × 120mm	405 × 160 × 120mm	405 × 160 × 160mm
Voltage,Frequency	100~240V, 50/60Hz	100~240V, 50/60Hz	100~240V, 50/60Hz
Power	15W	15W	15W
Weight	1.8kg	2kg	2.2kg
Permissible ambient temperature and humidity	5~40℃,80%RH	5~40℃,80%RH	5~40℃,80%RH
	1 pcs accessory-18202852 Silicone mattress for 10× 5~10ml blood collection tubes	1 pcs accessory-18202835 Silicone mattress for 16× 5~10ml blood collection tubes	2 pcs accessory-18202835 Silicone mattress for 16× 5~10ml blood collection tubes
			
ราคา* (บาท)	9,500	10,700	11,800

Optional Accessories



Cat.No.18202835

ราคา* 500 บาท

Silicone mattress for 16 × 5~10mL
blood collection tubes on long
decks (SK-R30L-E&SK-R30D-E)



Cat.No.18202846

ราคา* 500 บาท

Silicone mattress for 6 × 50mL test
tubes on long decks (SK-R30L
E&SK-R30D-E)



Cat.No.18202852

ราคา* 400 บาท

Silicone mattress for 10 × 5~10mL
blood collection tubes on short
decks (SK-R30S-E)



Cat.No.18202853

ราคา* 400 บาท

Silicone mattress for 4 × 50mL test
tubes on short decks (SK-R30S-E)



Roto-Mini



(# R2020-E) Roto-Mini™ Rotator with tube holders, Fixed speed of 24 rpm
ราคา* 21,990 บาท

(# R2024-E) Roto-Mini™ Plus Variable Speed Rotator with tube holders, Adjust speed of 5 to 70rpm
ราคา* 25,950 บาท
Mixing Modes : Mix - Pause - Rock

*Includes tube holders for 11x1.5/2.0, 5x5/7ml, 5x10/15, 6x50ml and 24x0.5ml tubes

RotoBot Programmable Rotator



(# R4040-E) RotoBot Mini Programmable Rotator, includes tube holders for 12x1.5ml, 2x15ml and 2x50ml
ราคา* 34,250 บาท

(# R4045-E) RotoBot Programmable Rotator, includes tube holders for 30x1.5ml, 8x15ml and 2x50ml
ราคา* 52,590 บาท

- Features
- Mixing Modes : Mix - Pause - Rock
 - Advanced programming with a wide variety of rotational modes
 - Set for full 360° rotation, or interrupt rotations with pausing & mixing intervals
 - Slow rotating to vigorous mixing
 - Cold room and incubator safe

Rotating Mixer



- Features
- Adjustable speed from 1 to 40 rpm and tilt angle from 0 to 90° (vertical to horizontal)
 - Reversing mode, for more intense mixing
 - Cold room and incubator safe
 - Includes three rotisseries for all common tube sizes (12 x 50ml, 20 x 15ml or 48 x 2.0ml)

(# R5010-E) Rotating Mixer with rotisseries for 1.5/2.0, 15 and 50ml tubes
ราคา* 59,690 บาท

Included Rotisseries:



48 x 1.5ml
(48 x 10-140mm tubes)



20 x 15ml
(20 x 15-200mm tubes)



12 x 50ml
(12 x 25-350mm tubes)

Optional Accessories

Cat No.	Description	For Model	ราคา* (บาท)
R2020-1520	Tube holder, 11 x 1.5/2.0, 2/pk (1 pack included)	R2020-E, R2024-E	3,650
R2020-0507	Tube holder, 5 x 5-7ml, 2/pk (1 pack included)	R2020-E, R2024-E	3,650
R2020-150	Tube holder, 4 x 10-15ml, 2/pk (1 pack included)	R2020-E, R2024-E	3,650
R2020-500	Tube holder, 6 x 50ml, 1 each (1 pack included)	R2020-E, R2024-E	2,990
R2020-PCR	Tube holder, 96 x 0.2ml, 12 x PCR strips or one PCR plate	R2024-E	4,290
R2020-RP	Mini rocking platform with rubber mat, 4.5 x 3 in	R2024-E	5,550
R4040-150	1 x 15ml tube holder, pack of 2	R4040-E, R4045-E	990
R4040-500	1 x 50ml tube holder, pack of 2	R4040-E, R4045-E	990
R4040-1520	6 x 1.5/2.0ml tube holder, pack of 2 (Installed for vertical or horizontal mixing)	R4040-E, R4045-E	1,150
R4040-HZ15	6 x 15ml horizontal rotisserie, 1 ea	R4040-E, R4045-E	3,390
R4040-HZ50	6 x 50ml horizontal rotisserie, 1 ea	R4040-E, R4045-E	3,390
R4040-RP	Rocking platform for RotoBot Mini, 6 x 5.5"	R4040-E	8,150



11 x 1.5/2.0ml



5 x 5-7ml (12-13mm)



5 x 10/15ml (16-17mm)*
*4x15ml capacity in RotoTherm models



6 x 50ml & 24 x 0.5ml



96 x 0.2ml



Mini Rocking Platform



R4040-1520



R4040-150



R4040-500



R4040-HZ15



R4040-HZ50



R4040-RP



R4045-RP2



ELMI Intelli-Mixer



Features

- wide range of test tubes from 0.5 ml up to 50 ml volume
- Powered by V-Spin – the world’s most advanced, patented mixing and liquid-handling technology
- Rocker, Vortex-Mixer, and Blotter
- 34 automated intelligent mixing programs
- Rotation Speed of 1 – 99 RPM

(IMIX-01) RM-2L Intelli-mixer Large – Includes Mix Rack

(IMIX-02) RM-2M Intelli-mixer Medium – Includes Mix Rack

(IMIX-03) RM-2S Intelli-mixer Small – Includes Mix Rack

ราคา* 53,550 บาท

ราคา* 53,390 บาท

ราคา* 53,390 บาท

Optional Accessories

Cat No.	Description	ราคา*(บาท)
IMIX-04	30mm test tube rack - RM-2L	5,290
IMIX-05	16mm test tube rack - RM-2L	5,550
IMIX-06	13mm test tube rack - RM-2L	4,790
IMIX-07	11mm test tube rack - RM-2L	4,790
IMIX-08	9mm test tube rack - RM-2L	4,650
IMIX-09	Mix rack - RM-2L	6,050
IMIX-10	Blotting rack - RM-2L	6,350
IMIX-11	Rocking platform - RM-2L	7,590
IMIX-12	30mm test tube rack - RM-2M	5,150
IMIX-13	16mm test tube rack - RM-2M	5,550
IMIX-14	13mm test tube rack - RM-2M	4,490
IMIX-15	11mm test tube rack - RM-2M	4,490
IMIX-16	9mm test tube rack - RM-2M	4,490
IMIX-17	Mix rack - RM-2M	6,050
IMIX-18	Blotting rack - RM-2M	6,190
IMIX-19	Rocking platform - RM-2M	7,450
IMIX-20	30mm test tube rack - RM-2S	5,150
IMIX-21	16mm test tube rack - RM-2S	5,550
IMIX-22	13mm test tube rack - RM-2S	4,490
IMIX-23	11mm test tube rack - RM-2S	4,490
IMIX-24	9mm test tube rack - RM-2S	4,490
IMIX-25	Mix rack - RM-2S	6,050
IMIX-26	Blotting rack - RM-2S	6,190
IMIX-27	Rocking platform - RM-2S	7,450



*ราคายังไม่รวม VAT 7%



Tube Roller

LCD Display

Timer

Scale Display

ONiLAB (USA)

Specifications	MX-T6-Pro	MX-T6-S+	MX-T6-S
Amplitude	24mm	24mm	
Motor type	Brushless DC motor	Brushless DC motor	Brush DC motor
Rocking motion	Rocking and rolling	Rocking and rolling	
Max. load capacity	4kg	4kg	
Number of rollers	6	6	
Roller size[length]	280mm	280mm	
Speed range	10 -70rpm	0-70rpm	
Speed display	LCD	Scale	
Timer	Yes	-	
Timer display	LCD	-	
Time setting range	1-1199min	-	
Operation mode	Continuous/timer	Continuous	
Voltage,Frequency	100-240V,50/60Hz	100-240V,50/60Hz	
Power	30W	25W	
Dimension [D × W × H]	485 × 250 × 100mm	485 × 250 × 100mm	
Weight	5.1kg	4.5kg	
Permissible ambient temperature and humidity	5-40℃,80%RH	5-40℃,80%RH	
Protection class	IP21	IP21	
ราคา* (บาท)	28,500	13,100	11,800




MX-T6-Pro



MX-T6-S

Tube Roller

Benchmark Scientific (USA)



(# R3005-E) Tube Roller with 5 rollers ราคา* 52,450 บาท



(# R3010-E) Tube Roller with 10 rollers ราคา* 78,450 บาท

Benchmark TubeRollers are designed for the gentle, thorough mixing of a variety of containers, including Vacutainers™, bottles, test tubes, centrifuge tubes, and roller bottles. Both models feature variable speed control (2-80 rpm), suitable for the broadest range of mixing applications.

As the roller mechanism rotates through each complete revolution, the right side of each roller is gently elevated about 0.5 in (13mm) and returns to the horizontal starting position. This additional, gentle up/down motion provides a “wave” effect and guarantees that the entire sample is subjected to complete, thorough mixing, end to end. This built-in tilt feature provides a level of homogeneous mixing uniformity that cannot be matched by any stationary roller apparatus.

Features

- Gentle rolling motion
- Speed Variable from 2 to 80 rpm
- Smooth 5° tilting notion
- Accepts tubes and bottles from 8mm to 200mm

*ราคายังไม่รวม VAT 7%

