

UP TO
**50%
OFF**

Summer SALE

07 APR 22 - 30 JUN 22

Lab Equipment



Benchmark Scientific

ONiLAB

FOUR E'S[®]
SCIENTIFIC

Heathrow Scientific
design • function • innovation

Something Different.
WATSON
BIO LAB
MADE IN JAPAN SINCE 1980

MAESTRO GEN

ACCURIS
INSTRUMENTS

Promotion List

- Pipette
- Drybath
- Centrifuge
- Vortex
- Hotplate Stirrer
- Rotator
- Homogenizer
- Shaker
- Shaking incubator
- Incubator
- Transluminator
- Spectrophotometer



Mechanical Pipette



Single-channel

Smooth, Low Force,
Effortless Button

Soft Knob Adjustment
Light and smooth volume
adjustment

Ergonomic Design Holder
Comfortable & Safe

Soft Tip Ejector
Convenient and quick
tip ejection

Large Display Window
3-digital volume display

Fully Autoclavable
Without any disassembly

Universal Tipcone
Fit universal tips



Ultra-light Ergonomic Design
Light weight (80g, 2.8 ounces)
Soft range adjustment
and piston movement
offer fatigue-less
pipetting experience



พิเศษ ซื้ Pipette 5 ตัว

MicroPette ในราคา 8,500 บาท (ราคาตัวละ 1,700 บาท)

MicroPette Plus ในราคา 9,900 บาท (ราคาตัวละ 1,980 บาท)

Size	Cat no.	
	MicroPette Half Autoclavable	MicroPette Plus Fully Autoclavable
0.1-2.5ul	7050201001	7050301001
0.5-10ul	7050201004	7050301004
2-20ul	7050201005	7050301005
5-50ul	7050201006	7050301006
10-100ul	7050201008	7050301008
20-200ul	7050201009	7050301009
50-200ul	7050201011	7050301011
100-1000ul	7050201014	7050301014
200-1000ul	7050201016	7050301016
1000-5000ul	7050201017	7050301017
2-10ml	7050201033	-
ราคา	1,900	2,300
ราคาพิเศษ	1,710	2,070

Multi-channel

Eight-channel

Size	Cat no.
0.5-10ul	7050303004
5-50ul	7050303006
50-300ul	7050303012
ราคา	10,800.-
ราคาพิเศษ	9,720

Fully Autoclavable

Twelve-channel

Size	Cat no.
0.5-10ul	7050304004
5-50ul	7050304006
50-300ul	7050304012
ราคา	11,300.-
ราคาพิเศษ	10,170

Fully Autoclavable



(# 7050000084)

Pipette Stand, Round Stand, fits MicroPette Plus

ราคาพิเศษ 1,440 บาท*
(ราคาปกติ 1,600 บาท*)

(# 7050000085)

Pipette Stand, Linear Stand,
holds up to 6 pipettors

ราคาพิเศษ 900 บาท*
(ราคาปกติ 1,000 บาท*)



Single-channel



ราคาพิเศษ 5,900 บาท*

(ราคาปกติ 6,500 บาท*)

พิเศษ ซื้ Pipette 5 ตัว

ในราคา 27,500 บาท (ราคาตัวละ 5,500 บาท)

WATSON BIO LAB
MADE IN JAPAN SINCE 1988
(Japan)

Triple Speed Turbo Dial

Light, Silent, Smooth



NT-S2 (0.2 - 2 uL) NT-S10 (1 - 10 uL) NT-S20 (2 - 20 uL) NT-S100 (10 - 100 uL) NT-S200 (20 - 200 uL) NT-S1000 (100 - 1000 uL) NT-S5000 (500 - 5000 uL)



Pipette Carousel Stand

(# NT-STD) 6 holder

ราคาพิเศษ 5,900 บาท*
(ราคาปกติ 6,500 บาท*)

*ราคายังไม่รวม VAT 7%

SMART SCIENCE
Smart Science co.,Ltd.



บริษัท สมาร์ทไซเอนซ์ จำกัด สอบถามข้อมูลได้ท้

sales@smartsience.co.th

techsupport@smartsience.co.th



+662-0777593
+6698-8250970

www.smartsience.co.th

Mechanical Pipette



PEARL® Pipettes Adjustable volume

Single-channel



1
Year
Warranty

Heathrow Scientific® (USA)
design | function | innovation

120097 (0.1 – 2 uL)	120104 (100–1000uL)
120098 (0.5 – 10 uL)	120105 (500–5000uL)
120099 (2 – 20 uL)	120106 (1000–10000 uL)
120100 (5 – 50 uL)	
120101 (10 – 100 uL)	
120102 (20–200uL)	
120103 (30–300uL)	

ราคาพิเศษ 6,300 บาท*
(ราคาปกติ 6,900 บาท*)

พิเศษ ซื้อ Pipette 5 ตัว
ในราคา 29,900 บาท (ราคาตัวละ 5,980 บาท)

- Volume adjustment and low-force dispensing all in one button for convenience
- Slight downward slant to tip ejector button reduces hand fatigue, incidence of repetitive strain injury (RSI)
- Isolated volume locking ring prevents accidental volume changes

Multi-channel



Eight-channel Adjustable Volume

120215 (5–50 uL)
120216 (30–300uL)

ราคาพิเศษ 20,700 บาท*
(ราคาปกติ 23,000 บาท*)

Fully
AUTOCCLAVABLE
121° C



Twelve-channel Adjustable Volume

120217 (5–50 uL)
120218 (30–300uL)

ราคาพิเศษ 22,500 บาท*
(ราคาปกติ 25,000 บาท*)



Pipette Stand

Universal Carousel Pipette Stand



(120480) Blue/Green
(120481) Purple/Clear
(120499) Assorted

ราคาพิเศษ 4,005 บาท*
(ราคาปกติ 4,450 บาท*)

“ACRYLIC AND ABS PIPETTE STANDS”



(HS20613E) Pipette Stand ABS
Plastic, 6-Place, Blue

ราคาพิเศษ 2,115 บาท*
(ราคาปกติ 2,350 บาท*)

CLAMP-ETTE



(HS20162A) Tri-Clamp-ette® Pipette Holder

ราคาพิเศษ 1,485 บาท*
(ราคาปกติ 1,650 บาท*)

UNIVERSAL PIPETTE WALL MOUNT



(120575) Universal Pipette Wall Mount

ราคาพิเศษ 1,575 บาท*
(ราคาปกติ 1,750 บาท*)




1
Year
Warranty

121°C
Half Autoclavable



- Motor driven digitally control pipette with multi-functions
- Easy Operations and Handling
- Intuitive menu interface settings; functions and operations
- Minimal force for pipetting operation
- High performance ensuring accuracy & repeatability
- 2 buttons for all operational settings
- Adjustable speed for aspiration and dispensing
- Li-ion battery enable longer operation time



Eight-channel

Size	Cat.no.
0.5-10ul	7056201001
5-50ul	7056201002
30-300ul	7056201003
100-1000ul	7056201004
ราคา	16,000.-
ราคาพิเศษ	14,400

Size	Cat no.
0.5-10ul	7036202001
10-100ul	7036202002
30-300ul	7036202003
ราคา	39,000.-
รวมภาษี	35,100

Aspirator

- Slim, light and robust
- Wide dispensing from 0.5ml to 50ml
- Up to 48 dispensing stations
- Equipped with durable stainless steel
- With dispensing tips with 1000000 cycles

7011000000

ราคาพิเศษ
6,570 บาท*
(ราคาปกติ 7,300 บาท*)

Steps	1	2	3	4	5
0.50 ml	10 µl	20 µl	30 µl	40 µl	50 µl
1.25 ml	25 µl	50 µl	75 µl	100 µl	125 µl
2.50 ml	50 µl	100 µl	150 µl	200 µl	250 µl
5.00 ml	100 µl	200 µl	300 µl	400 µl	500 µl
12.50 ml	250 µl	500 µl	750 µl	1000 µl	1250 µl
25.00 ml	500 µl	1000 µl	1500 µl	2000 µl	2500 µl
50.00 ml	1000 µl	2000 µl	3000 µl	4000 µl	5000 µl




Safe and efficient system for labs
handling critical or biological liquid waste



(V0020-E) ราคา 48,400 บาท

* 43,560 ԴՊՐ ԿԱՐԴԱՐԱՐ




SafeVac (4L)/ EcoVac (2L)

- Bottle capacity **4 L** for SafeVac
- Bottle capacity **2 L** Standard for EcoVac
- The parts in contact with liquids are autoclavable
- Ideal tool to avoid lab air / contamination and protect personnel safety
- Vacuum range as 0-600mbar

EcoVac-2L : 7055200001 ราคา 21,500 บาท พิเศษ **19,350 บาท***

SafeVac-4L: 7055100000 43,300 ₪ **39,970 ₪***



Aspire Laboratory Aspirator

- Base with internal vacuum pump
- Antibacterial / hydrophobic filter
- Silicone tubing
- 2 Liter, polycarbonate collection bottle
- Handheld vacuum controller (A)
- Adapter for 200ul pipette tips (B)
- Adapter, fine tip stainless steel, 40mm (C)

Available optionally



V1002-1SL	V1002-8
חזקת 1.800	חזקת 11.200
חזקת 6.800	

ราคาพิเศษ 1,620 บาท 6,120 บาท 10,080 บาท

**SMART
SCIENCE**
Smart Science co.,ltd.



บริษัท สมาร์ท โซลันซ์ จำกัด สอบถามข้อมูลได้ที่

 sales@smartscience.co.th

 techsupport@smartscience.co.th

+662-0777593
+6698-8250970

*ราคายังไม่รวม VAT 7%

www.smartscience.co.th

Levo Plus



Ergonomic fast pipetting solution with accurate speed control

- Intuitive and convenient speed with 6 levels
- Includes one hydrophobic filter
- Ergonomic design for fatigue-free and effective streamlined pipetting
- LCD screen displays battery status and pipetting speed
- Quiet and powerful motor and pump fills 25 mL pipette in less than 5 seconds
- Long-lasting lithium-ion battery

Half Autoclavable (silicon adapter & nozzle)



7053110100

ราคาพิเศษ 4,500 บาท*
(ราคาปกติ 8,300 บาท*)

Pipette controller - Levo



Features

- Reduce hands-on time
- Compatible with glass/plastic serological
- Pipettes (0.1 - 100mL)
- 3µm replaceable hydrophobic filter



7053201000

ราคาพิเศษ 900 บาท*
(ราคาปกติ 1,000 บาท*)

Bottle-Top Dispenser



For safer and more efficient way to handle chemicals



DipensMate

* Excellent chemical resistance, in ert and high strength components made of PTFE, FEP, BSG, PP

* Fully autoclavable at 121°C (only liquid accessible parts)

DipensMate-Pro

* Designed Safe, Sturdy & Stable dispensing directly from the bottle in the range of volumes up to 100 mL

Electronic Bottle-Top Dispenser

* Ideal for safe, accurate and precise dispensing of bases, saline solutions, acids and some organic solvents

DipensMate



Size	Cat no.
0.5-5ml	7052100001
1-10ml	7052100002
ราคา 6,700 บาท	
ราคาพิเศษ 6,030 บาท*	
2.5-25ml	7052100003
5-50ml	7052100004
ราคา 8,300 บาท	
ราคาพิเศษ 7,470 บาท*	

DipensMate-Pro



Size	Cat no.
10-100ml	7032111005
5-50ml	7032111004
ราคา 14,500 บาท	
ราคาพิเศษ 13,050 บาท*	
2.5-25ml	7032212003
1-10ml	7032212002
0.5-5ml	7032212001
ราคา 10,800 บาท	
ราคาพิเศษ 9,720 บาท*	

Electronic Bottle-Top Dispenser



Size	Cat no.
0.1-99.9mL	7052300001
ราคา 27,900 บาท	
ราคาพิเศษ 25,110 บาท*	

dFlow Error-free, Easy to use,
Motorized solution



One Block



(# 5052101200) **HB120-S**, LED digital dry bath, with 1 pcs heating block for free

- Temperature range : **Room temp. -120°C**
- Display : **LED**
- Heating block material : **Aluminum**

ราคาพิเศษ 14,400 บาท*
(ราคาปกติ 16,000 บาท*)

Heating block for HB120-S

18900218	Heating block, used for 0.2mL tubes, 54 holes
18900219	Heating block, used for 0.5mL tubes, 40 holes
18900253	Heating block, used for 1.5mL tubes, 40 holes
18900220	Heating block, used for 2mL tubes, 40 holes
18900221	Heating block, used for 5/15mL tubes, 28 holes
18900222	Heating block, used for 50mL tubes, 8 holes
18900223	Heating block, used for 96/384 microplate

ราคาพิเศษ 4,950 บาท*
(ราคาปกติ 5,500 บาท*)

HM100-Pro, Thermal mixer



(# 5072104100) **HM100-Pro**, LCD digital Thermo Mix with heating, mixing, with 1 pcs heating block for free (select a size)

- Functions : **Heating & Mixing**
- Temperature range Heating: **room temp. - 100 °C**
- Mixing frequency : **200-1500rpm**
- Heating block material : **Aluminum**

ราคาพิเศษ 50,850 บาท*
(ราคาปกติ 56,500 บาท*)



HC110-Pro, Thermal mixer



(# 5072102100) **HC110-Pro**, LCD digital Thermo Mix with heating, cooling, with 1 pcs heating block for free

- Functions : **Heating & cooling**
- Temperature range: **Heating: room temp. - 110 °C**
Cooling: room temp. - below room temp. 25 °C
- Heating block material : **Aluminum**

ราคาพิเศษ 50,850 บาท*
(ราคาปกติ 56,500 บาท*)

Heating block

HM100-Pro, Thermal mixer



(# 5072104100) **HM100-Pro**, LCD digital Thermo Mix with heating, mixing, with 1 pcs heating block for free (select a size)

- Functions : **Heating, cooling & mixing**
- Temperature range : **Heating: room temp. - 100 °C**
Cooling: room temp. - below room temp. 15 °C
- Mixing frequency : **200-1500rpm**
- Heating block material : **Aluminum**

ราคาพิเศษ 64,800 บาท*
(ราคาปกติ 72,000 บาท*)

Cat. No.	Description	ราคา(บาท*)	ราคาพิเศษ (บาท*)
18900401	Heating block, used for 0.5mL tubes, 24 holes	7,000	6,300
18900402	Heating block, used for 1.5mL tubes, 24 holes(cone bottom)	7,000	6,300
18900403	Heating block, used for 2mL tubes, 24 holes(round bottom)	7,000	6,300
18900404	Heating block, used for 5mL tubes, 8 holes	7,900	7,110
18900405	Heating block, used for 5mL tubes, 8 holes, cone bottom	10,400	9,360
18900406	Heating block, used for 15mL tubes, 8 holes	13,900	12,510
18900407	Heating block, used for 50mL tubes, 4 holes	11,900	10,710
18900420	Heating block, used for 0.2ml/96 well PCR plate	7,000	6,300
18900423	Heating block, used for 96/384 microplate	7,000	6,300

H5000-H, MultiTherm Shaker



(# H5000-H-E) Function is **heating only**
Temperature range : **Ambient +5 to 100 °C**
Speed : **200 to 1500 rpm (or off)**
Exchangeable blocks, for tube sizes 0.2 to 50 ml

ราคาพิเศษ 100,080 บาท*
(ราคาปกติ 111,200 บาท*)



H5000-HC, MultiTherm Shaker



(# H5000-HC-E) Function is **heating and cooling**
Temperature range : **Ambient -20 to 100 °C**
Speed : **200 to 1500 rpm (or off)**
Exchangeable blocks, for tube sizes 0.2 to 50 ml

ราคาพิเศษ 131,400 บาท*
(ราคาปกติ 146,100 บาท*)

Incu-mixer™ MP Heated Microplate Vortexer



(# H6002-E) Incu-Mixer MP2™ Heated Plate Vortexer, **2 position**
Temperature range : **Ambient +5° to 70 °C**
Mixing Speed : **100 to 1200rpm**
Dimensions: (w x d x h) : **28 x 27 x 14 cm**

ราคาพิเศษ 83,070 บาท*
(ราคาปกติ 92,300 บาท*)



(# H6004-E) Incu-Mixer MP4™ Heated Plate Vortexer, **4 position**
Temperature range : **Ambient +5° to 70 °C**
Mixing Speed : **100 to 1500rpm**
Dimensions: (w x d x h) : **32 x 35 x 18.5 cm**

ราคาพิเศษ 114,120 บาท*
(ราคาปกติ 126,800 บาท*)



BSH200, MyBlock™ Mini Dry Bath



(# BSH200-E) MyBlock™ Mini Dry Bath, with block lifter (Blocks sold separately)

- Compact, fits on any crowded benchtop
- Exchangeable blocks for 0.2 to 50ml tubes
- Simple touchpad, digital control

Functions : **Heating**

Temperature range Heating: **RT +5 to 100°C**



ราคาพิเศษ 12,780 บาท*
(ราคาปกติ 14,200 บาท*)

BSH300, MyBlock™ Mini Dry Bath



(# BSH300-E) MyBlock™ Mini dry bath, with block lifter (Blocks sold separately)

- Compact, fits on any crowded benchtop
- Exchangeable blocks for 0.2 to 50ml tubes
- Simple touchpad, digital control

Functions : **Heating & cooling**

Temperature range: **RT -25 to 100°C**

ราคาพิเศษ 33,840 บาท*
(ราคาปกติ 37,600 บาท*)

MyBlock™ HL



(# BSH200-HL-E) with Heated Lid (Blocks sold separately)

- Heated lid prevents evaporation & condensation
- Compact, fits in the palm of your hand
- Independent temperature control of lid & block
- Exchangeable blocks for 0.2 to 1.5 ml tubes
- Room temperature to 37°C in just 2 minutes
- Temperature range Heating: **Ambient +5 to 100°C**



ราคาพิเศษ 20,970 บาท*
(ราคาปกติ 23,300 บาท*)

Benchmark Digital Dry Bath



- Digital accuracy and convenience
- Blocks sold separately
- Temperature range : **Ambient +5 to 150°C**



(# BSH1004-E) Four-Block

ราคาปกติ 49,600 บาท* ราคาพิเศษ 44,640 บาท*



(# BSH1001-E) One-Block

ราคาปกติ 24,600 บาท* ราคาพิเศษ 22,140 บาท*



(# BSH1002-E) Two-Block

ราคาปกติ 30,700 บาท* ราคาพิเศษ 27,630 บาท*

MyBlock™ Series Dry bath



- Digital temperature control (set and walk away)
- Hinged lid (improves uniformity & conserves energy)
- External (optional) temperature probe (measures actual sample temperature)
- Temperature range Heating: **Ambient +5° to 105°C**

(# BSH5001-E) single chamber, without blocks ราคา 24,600 บาท ราคาพิเศษ 22,140 บาท*

(# BSH5001-1B-E) with 1 Quick-Flip blocks (BSWCMB) for tubes (0.2 to 2.0ml, PCR strips and PCR plates) ราคา 31,600 บาท ราคาพิเศษ 28,440 บาท*

(# BSH5002-E) dual chamber, without blocks ราคา 30,700 บาท ราคาพิเศษ 27,630 บาท*

(# BSH5002-2B-E) with 2 Quick-Flip blocks (BSWCMB) for tubes (0.2 to 2.0ml, PCR strips and PCR plates) ราคา 44,400 บาท ราคาพิเศษ 39,960 บาท*

ISOBLOCK™ Digital Dry bath



- Two isolated chambers (independent control of time & temp.) Digital temperature control (set and walk away)
- Hinged lid (improves uniformity & conserves energy)
- Available with Quick-Flip universal blocks (supports all common tube sizes and PCR strips) Patent Pending
- Blocks sold separately
- Temperature range Heating: **Ambient +5° to 105°C**
- Timer: **Off or 1 min. to 99 hr 59 min.**
- Dimensions: 16 x 36.5 x 13 cm

(# BSH6000-E) with Heated Lid

ราคาพิเศษ 37,710 บาท*
(ราคาปกติ 41,900 บาท*)



Available with Quick-Flip™ block for microtubes (0.2 to 2.0ml) and PCR strips



Mini Centrifuge


(# CF0201001) Mini Centrifuge



- High safety by low operation voltage and door open braking system.
- Enclosed cover reduces the risk of liquid splashing into the equipment.
- Click-on design allows for very easy rotor change without tools.
- Excellent dynamic balance keeps stable running even if the rotor is unbalanced on two sides.
- Max. Speed **5400 rpm / 2000xg**
- Capacity : 0.2/0.5/1.5/2 mL x 6 and other one strip rotor for 0.2 mL



ราคาพิเศษ 3,500 บาท*
(ราคาปกติ 3,900 บาท*)



Palm Micro Centrifuges



(# 9051000012) **Ezee Mini Centrifuge**
Two rotors: 0.2/0.5/1.5/2.0mL x 8 or 2 PCR 8 strips
Max. Speed : **7000 rpm / 2680xg**

ราคาพิเศษ 5,500 บาท*
(ราคาปกติ 5,900 บาท*)

Package includes



SPROUT® PLUS MINI CENTRIFUGE



Package includes



- (# 120610) Green / (# 120611) Blue
- Mini but Mighty - Ideal for small runs
 - Speed : **6000 rpm / 2000 xg**
 - Capacity : 1.5/2.0ml*6/0.2ml*16

ราคาพิเศษ 12,790 บาท*
(ราคาปกติ 14,190 บาท*)

Fugamix™ Centrifuge-Mixers



- (CM09M)
- Max. Speed **9000 rpm / 5200xg**
 - Unique combination of a high-speed centrifuge and advanced mixer in one machine (6 levels of mixing)
 - Digital timer (0.1-30 min)
 - 2 optional rotor selections
 - Capacity : 1.5*12 / 2.0ml*12 / 0.2ml*12 or 2 PCR 8 strips

ราคาพิเศษ 55,250 บาท*
(ราคาปกติ 61,390 บาท*)

MYFUGE™ MINI CENTRIFUGE WITH 2 ROTORS



- (# C1008-B-E) blue lid / (# C1008-C-E) clear lid /
(# C1008-G-E) green lid / (# C1008-P-E) purple lid /
(# C1008-R-E) red lid
- Clik-N-Lok™ INSTANT rotor attachment
 - Speed : **6000 rpm / 2000 xg**
 - Storage compartment for PCR rotor & 0.5ml adapters
 - Four position PCR strip rotor

ราคาพิเศษ 13,410 บาท*
(ราคาปกติ 14,900 บาท*)

myFuge™ 5



- (# C1005-E) with combination rotor, 4 x 5ml & 4 x 1.5/2.0ml
- For quick spin downs of 5ml centrifuge tubes
 - Speed : **5500 rpm / 2000 xg**
 - Includes adapters for 5ml blood tubes
 - Starts and stops with closing/opening of the lid
 - Capacity : 4 x 5 ml and 4 x 1.5/2.0 ml tubes

ราคาพิเศษ 20,520 บาท* (ราคาปกติ 22,800 บาท*)

myFuge™ 12



(# C1012-E) MYFUGE™ 12 MINI CENTRIFUGE

- Speed : **5500 rpm / 2000 xg**
- Capacity : 12 x 1.5/2.0 ml and 32 x 0.2 ml and 4 x PCR Strips
- Starts / stops with closing/opening of the lid

ราคาพิเศษ 17,550 บาท* (ราคาปกติ 19,500 บาท*)

STRIPSPIN™ 12 MINI CENTRIFUGE



- (# C1248-E) FOR 12 POSITION PCR STRIPS
- Speed : **5500 rpm / 2000 xg**
 - Capacity : 4 x 12 position PCR strips
 - Starts / stops with closing/opening of the lid

ราคาพิเศษ 22,320 บาท* (ราคาปกติ 24,800 บาท*)



Unique COMBI-Rotor

PlateFuge™



- (# C2000-E) PlateFuge™ MicroPlate MicroCentrifuge with rotor and plate carriers
- Quickly spins down droplets in PCR plates
 - Speed : **2550 rpm / 600 xg**
 - Half the size of traditional centrifuges
 - Accepts all popular types of PCR plates (skirted, semi, and non) & most microtiter plates
 - Capacity: 2 pcr plates, 2 microliter plates, or 24 x 0.2 ml pcr strips

ราคาพิเศษ 33,570 บาท* (ราคาปกติ 37,300บาท*)



บริษัท สมาร์ท ไซเอนซ์ จำกัด สอบถามข้อมูลได้ที่



sales@smartscience.co.th



techsupport@smartscience.co.th



+662-0777593
+6698-8250970

*ราคายังไม่รวม VAT 7%

www.smartscience.co.th

MX-S, Vortex Mixer

Features

- Can adjustably speed from 0 to 2,500 rpm
- Touch operation or continuous mode
- Specially designed vacuum suction feet for body stability
- Robust aluminum-cast construction

(# 8051102000) MX-S, Vortex Mixer

ราคาพิเศษ 6,030 บาท*
(ราคาปกติ 6,700 บาท*)



Mini Vortex Mixer



Orbital diameter of 6mm

USB interface is available for charging mobile devices



Touch Function

Fix Speed: 5,600rpm

(# VM112B)

ราคาพิเศษ 3,500 บาท*
(ราคาปกติ 3,900 บาท*)

MI0101002D Vortex Mixer



LED Display

Speed: 0-3,000rpm

Touch mode
Time mode
Continuous mode

(# MI0101002D)

ราคาพิเศษ 7,000 บาท*
(ราคาปกติ 7,500 บาท*)



BenchMixer™ Vortexer



Features

- Powerful motor for INSTANT vortexing
- Continuous or "touch" operation
- Q-Drive™ dynamic balancing system
- Variable speed from 200 to 3200 rpm

(# BV1000-E) BenchMixer™ Vortexer

ราคาพิเศษ 11,340 บาท*
(ราคาปกติ 12,600 บาท*)



BenchMixer V2™ Vortex Mixer



Features

- Reversible top platform, cup or flat-dimpled surface
- Powerful motor for INSTANT vortexing
- Continuous or "touch" operation
- Q-Drive™ dynamic balancing system
- Variable speed from 200 to 3200 rpm

(# BV1003-E) BenchMixer V2™ Vortex Mixer with flip top cup head and new counter balance

ราคาพิเศษ 12,690 บาท*
(ราคาปกติ 14,100 บาท*)



Mortexer™ Vortexer



Features

Unique Multi-Head™ for general purpose vortexing
PLUS holds up to eight microtubes (Patent Pending)

- Powerful motor for INSTANT vortexing
- Continuous or "touch" operation
- Q-Drive™ dynamic balancing system
- Variable speed from 200 to 3200 rpm

(# BV1005-E) Mortexer™ Vortexer

ราคาพิเศษ 12,960 บาท*
(ราคาปกติ 14,400 บาท*)



Multi-Tube Vortexer

BenchMixer™ XL

Features

- The 7x12 inch platform accommodates a wide variety of standard, pre-drilled tube racks
- Hands-free, high capacity vortexing
- Assortment of accessories for a variety of tubes, flasks & plates
- Pulsing program for interval mixing
- Fits almost any tube rack
- Speed Range : 500 -2500 rpm, a true vortex in every tube
- Dimensions (cm) : 38.5 x 23.5 x 42
- BenchMixer XL will perform unattended mixing for up to 100 hours.

(# BV1010-E) BenchMixer™ XL Multi-Tube Vortexer, includes 50x12mm tube rack

ราคาพิเศษ 139,860 บาท*
(ราคาปกติ 155,400 บาท*)



BenchMixer XLQ

Features

- For use with QuEChERS and other sample prep methods

- The BenchMixer XLQ can perform unattended mixing for as little as 1 minute or up to 100 hours.
- Powerful, hands-free shaking/vortexing
- Pulsing program for interval mixing
- Speed Range : 500 -2500 rpm
- Dimensions (cm) : 38.5 x 23.5 x 42
- Supplied with QuEChERS rack starter kit: 7 x 50ml tubes, held horizontally 50 x 15ml tubes, held vertically 50 x 1.5/2.0ml tubes, held vertically

(# BV1010-TST-E) BenchMixer XLQ, QuEChERS Shaker/Vortexer with QuEChERS Racks

ราคาพิเศษ 141,750 บาท*
(ราคาปกติ 157,500 บาท*)



Hotplate Magnetic Stirrers



MS7-H550-S

(# 805012211) Hotplate Magnetic Stirrer – 550°C (MS7-H550-S),
LED Digital 7" Square Hotplate Magnetic Stirrer, glass ceramic
hotplate, heating temperature up to 550°C
Speed range : 0-1500rpm
Heating output : 1000W
Max. stirring quantity, [H2O] : 10L

ราคาพิเศษ 19,350 บาท*
(ราคาปกติ 21,500 บาท*)



MS7-H550-S

(# 805012211) MS7-H550-Pro, LCD Digital 7" Square Hotplate Magnetic
Stirrer, glass ceramic hotplate, heating temperature up to 550°C
Speed range : 100-1500 rpm
Heating output : 1000W
Max. stirring quantity, [H2O] : 20L

ราคาพิเศษ 24,570 บาท*
(ราคาปกติ 27,300 บาท*)



Multi-channel Hotplate Magnetic Stirrer



(# 8050140000) 10-Channel Classic Hotplate Magnetic Stirrer, stainless steel plate with silicone film, heating temperature up to 120°C
Max. stirring quantity[H2O] : 0.4Lx10
Speed range : 0-1100rpm

ราคาพิเศษ 58,050 บาท*
(ราคาปกติ 64,500 บาท*)



H3770-HS

(# H3770-HS-E) Digital Hotplate
Magnetic Stirrer, 7 x 7 inch
Safety LED indicates hot surface
Maximum stirring capacity 5 L
Speed range : 150-1500rpm
Temp. Range : Ambient + 5 to 400°C

ราคาพิเศษ
19,710 บาท*
(ราคาปกติ 21,900 บาท*)



H4000-HS

(# H4000-HS-E) Hotplate Magnetic Stirrer
Ceramic work surface, 7.1 x 7.1 in.
Safety LED indicates hot surface
Speed range : 60-1500 rpm Temp. Range : 80 to 380°C

ราคาพิเศษ
19,980 บาท*
(ราคาปกติ 22,200 บาท*)



H3710-HS

(# H3710-HS-E) Digital Hotplate Magnetic Stirrer, 10 x 10 inch
Maximum stirring capacity 15 L
Speed range : 150-1500rpm
Temp. Range : Ambient + 5 to 400°C

ราคาพิเศษ
31,410 บาท*
(ราคาปกติ 34,900 บาท*)



OS20-S

(# 8053100200) Overhead Stirrer (OS20-S), LED Digital Overhead Stirrer
Max. stirring quantity 20L
Speed range : 50-2200rpm

ราคาพิเศษ 18,900 บาท*
(ราคาปกติ 21,000 บาท*)



OS40-S

(# 8053200200) OS40-S, LED Digital Enhanced Overhead Stirrer
Max. stirring quantity 40L
Speed range : 50-2200rpm

ราคาพิเศษ 30,150 บาท*
(ราคาปกติ 33,500 บาท*)



Rotator



MX-RD-Pro, LCD Digital Rotator

Features

- Adjustable mixing angle up to 90°
- Speed adjustable from 10-70 rpm
- DC motor with less maintenance
- Low speed rotation enhances the agitation of biological samples.
- Various types of disk and clip accessories

(# 8051412100) MX-RD-Pro, LCD Digital Rotator (including a 50ml disk accessory - 18900162), used with disk accessories

ราคาพิเศษ 28,800 บาท*
(ราคาปกติ 32,000 บาท*)



MX-RL-Pro, LCD Digital Rotator

Features

- Variable speed from 10-70 rpm
- Adjustable mixing angle
- DC motor with less maintenance
- Low speed rotation enhances the agitation of biological samples.
- Various types of disk and clip accessories

(# 8051402100) Tube Roller & Rotator (MX-RL-Pro), LCD Digital Rotator (including a 50ml rotisserie accessory - 18900147), used with rotisserie accessories

ราคาพิเศษ 33,300 บาท*
(ราคาปกติ 37,000 บาท*)



Roto-Mini™ Plus

Features

- The mixers include interchangeable tube holders for accommodating all common tube sizes from 0.5ml to 50ml.
- Adjust speed of 5 to 70rpm
- Mixing Modes : Mix - Pause - Rock
- Max Capacity : 44x1.5/2.0ml - 20x15ml - 6x50ml

(# R2024-E) Roto-Mini™ Plus Variable Speed Rotator with tube holders

ราคาพิเศษ 19,890 บาท*
(ราคาปกติ 22,100 บาท)



RotoBot Mini Programmable Rotator

Features

- Advanced programming with a wide variety of rotational modes
- Set for full 360° rotation, or interrupt rotations with pausing & mixing intervals
- Slow rotating to vigorous mixing
- Cold room and incubator safe
- Speed Range : 1 to 80 rpm
- Max Capacity : 6x50ml - 10x15ml - 60x1.5ml
- Timer : 1 sec. to 99 hrs 59min. / Cont.

(# R4040-E) RotoBot Mini Programmable Rotator, includes tube holders for 12x1.5ml, 2x15ml and 2x50ml

ราคาพิเศษ 26,100 บาท*
(ราคาปกติ 29,000 บาท)



MX-T6-S Classic Tube Roller

Features

- Speed adjustable of 10-70 rpm
- Max. load capacity up to 4 kg
- Rocking motion as rocking and rolling
- Gentle mixing in rolling motion with a maximum of 6 tubes capacity
- LED power indicator

(# 8051302000) MX-T6-S, Classic Tube Roller, variable speed, 6 rollers

ราคาพิเศษ 9,720 บาท*
(ราคาปกติ 10,800 บาท*)



MX-T6-Pro LCD Digital Tube Roller

Features

- Speed adjustable of 10-70 rpm and timer from 1-1199min
- Max. load capacity up to 4 kg
- Rocking motion as rocking and rolling
- Gentle mixing in rolling motion with a maximum of 6 tubes capacity
- LED overload indicator

(# 8051312100) MX-T6-Pro, LCD Digital Tube Roller, variable speed, 6 rollers

ราคาพิเศษ 22,680 บาท*
(ราคาปกติ 25,200 บาท*)



Homogenizer

Handheld Homogenizer

(Ideal for microtubes)

Specification

- Homogenize most samples in under 30 seconds
- For volumes from 100µl to 250ml
- Speed Range : 8500 to 30000rpm
- Noise Level: <70 db
- Operating Temp. Range: +4° to 65°C
- Dimensions : 1.9 x 2.3 x 9 in. / 4.5 x 5.8 x 22.5 cm
- Weight : 1.35 lbs / 0.62 kg

(# D1000-E) D1000 Homogenizer, includes 5mm and 7mm generators (ideal for microtubes)

(ราคาปกติ 59,900 บาท*) ราคาพิเศษ 53,910 บาท*



Benchmark Scientific



Ergonomic, "Slim-line" handle design



BeadBug™ 3 Microtube homogenizer

- Extremely powerful mixing for lysis, grinding or homogenization
- Faster and more effective than tissue grinders
- Homogenize 1, 2 or 3 tubes simultaneously
- Extremely compact, less than 7" wide
- Eliminates the cross contamination associated with handheld homogenizers
- Full range of beads in prefilled tubes and bulk available
- Speed Range : 2800 to 4000rpm
- Capacity : 3 x 2.0ml (Screw cap / non-skirted)
- Timer : 3 sec. to 3 min



(# D1030-E) include 2.0ml non-skirted Screw cap tubes with caps

ราคาพิเศษ 41,670 บาท*
(ราคาปกติ 46,300 บาท*)



Max. Capacity up to 3 x 2.0ml

More information [Click](#)

BeadBug 6, Six Position Homogenizer

- Extremely powerful mixing for lysis, grinding or homogenization
- Faster and more effective than tissue grinders
- Homogenize up to 6 tubes simultaneously
- Extremely compact, less than 9" wide
- Eliminates the cross contamination associated with handheld homogenizers
- Full range of beads in prefilled tubes and bulk available
- Speed Range : 2500 to 4350rpm
- Capacity : 6 x 2.0ml (Screw cap / non-skirted)
- Timer : 1 sec. to 90 sec. with up to 10 cycles



(# D1036-E) BeadBug 6, Six Position Homogenizer

ราคาพิเศษ 110,610 บาท*
(ราคาปกติ 122,900 บาท*)



More information [Click](#)

BeadBlaster™ 24 Microtube homogenizer

- Fast, efficient homogenization in about 35 seconds
- For all sample types, from soft tissue to bone
- Mix up to 24 tubes simultaneously
- Sealed 2.0ml tubes – eliminates cross contamination
- Full range of beads in prefilled tubes and bulk available
- Speed Range : 2430 to 4260 rpm
- Capacity : 24 x 2.0ml
- Cycle Time : 1 to 90 sec. (up to 90 sec.)
- Pause between cycles : 0 to 2 min. (1 sec. increments)
- Accel./Decel Time : <2 sec. / <2 sec.



(# D2400-E) BeadBlaster™ Microtube homogenizer

ราคาพิเศษ 432,720 บาท*
(ราคาปกติ 480,800 บาท*)



More information [Click](#)

BeadBlaster™ 24R Refrigerated Microtube Homogenizer

- High capacity – 24 x 2.0 ml
- Cooling function to protect temperature sensitive samples
- True refrigeration – no dry ice, liquid nitrogen or external connections
- Sealed 2.0ml tubes – eliminates cross contamination
- Full range of beads in prefilled tubes and bulk available
- Temperature range : -10°C to ambient
- Speed : 4.00 to 7.00 m/s, 0.05 increments
- Cycle Time : 1 to 90 sec. (up to 90 sec.)
- Pause between cycles : 0 to 2 min. (1 sec. increments)
- Accel./Decel Time : <4 sec. / <4 sec.



(# D2400-R-E) BeadBlaster™ 24 Refrigerated Microtube Homogenizer

ราคาพิเศษ 680,760 บาท*
(ราคาปกติ 756,400 บาท*)



More information [Click](#)



ราคาพิเศษ 17,550 บาท*
(ราคาปกติ 19,500 บาท*)

ONILAB

SK-L180-S, LED Digital Linear Shaker



Features

- Amplitude : 20mm
- Max. load capacity: 3kg
- Speed range : 40-200rpm
- Speed display : LED
- Dimension [WxDxH] : 270x330x110mm

(# 8052110200) SK-L180-S with Dish Attachment with non-slip mat

SK-O180-S, LED Digital Orbital Shaker



Features

- Orbital diameter: 20mm
- Max. load capacity: 3kg
- Speed range : 40-200rpm
- Speed display : LED
- Dimension [WxDxH] : 270x330x110mm

(# 8052210200) SK-O180-S with Dish Attachment with non-slip mat

SK-R1807-S, LED Digital Rocking Shaker



Features

- Tilt angle : 7°
- Max. load capacity: 3kg
- Speed range : 10-80rpm
- Speed display : LED
- Dimension [WxDxH] : 270x330x130mm

(# 8052311200) SK-R1807-S with Dish Attachment with non-slip mat

SK-D1807-S, LED Digital 3D Shaker



Features

- Tilt angle : 7°
- Max. load capacity: 3kg
- Speed range : 10-80rpm
- Speed display : LED
- Dimension [WxDxH] : 270x330x130mm

(# 8052412000) SK-D1807-S with Dish Attachment with non-slip mat

Microplate Mixers

MX-M, Microplate Mixers

(# 8051202000) MX-M, include Microplate clamp

ราคาพิเศษ 11,610 บาท*
(ราคาปกติ 12,900 บาท*)



Features

- Shaking movement : Orbital
- Orbital diameter : 4.5mm
- Max. shaking weight : 0.5kg
- Speed range : Single microplate: 0-1500rpm
Double microplate: 0-1000rpm
- Speed display : Scale
- Dimension [WxDxH] : 260x150x80mm

ONILAB

Orbi-Shaker™ MP

Features

- Orbital diameter : 3mm
- Max. load capacity: Up to 4 microplates
- Speed range : 200-1500rpm
- Dimensions : 33.3 x 29.8 x 12 cm
- Control : Digital



(# BT1502-E) Orbi-Shaker™ MP with 4 position micro plate platform

ราคาพิเศษ 43,830 บาท*
(ราคาปกติ 48,700 บาท*)

Orbi-Shaker™ CO2-MP

Features

- Designed for use in CO2 Incubators and other extreme environments
- Remote control, adjust settings without exposing chamber
- Compact, 3mm orbit for thorough mixing of well plates
- Includes 6 position microplate platform
- Speed range : 200-1200rpm
- Platform Size : 33 x 30 cm

(# BT4500-E) Orbi-Shaker™ CO2-MP

ราคาพิเศษ 165,240 บาท*
(ราคาปกติ 183,600 บาท*)



Benchmark Scientific



Shaking Incubator

Roto-Therm™ Incubated Rotator



- Rotated mixing with temperature control
- Includes tube holders for common tube sizes
- Available with variable speed control and advanced shaking/ mixing modes: Mix (Oscillating), Pause, Rock
- Temperature : Ambient +5 to 60°C
- Speed : H2020 = 24rpm / H2024 = 5 to 70rpm

(# H2020-E) Roto-Therm™ Incubated Rotator with tube holders

ราคาพิเศษ 27,000 บาท*
ราคาปกติ 30,000 บาท

(# H2024-E) Roto-Therm™ Plus Incubated Rotator

(variable speed) with tube holders

ราคาพิเศษ 36,000 บาท*
ราคาปกติ 40,000 บาท



Incu-Shaker™ Mini



- Extremely compact, just 11" wide
- TOUCH Screen control over time, speed and temperature
- Horizontally circular 19mm orbit for aeration & mixing
- Instantly exchange flask clamps with MAGIC Clamp™ accessories (PATENTED)
- Program STEP feature for linking consecutive programs
- Temperature : Ambient +5 to 70°C
- Speed : 30 to 300rpm

(# H1001-M-E) Incu-Shaker™ Mini with non-slip rubber mat

ราคาพิเศษ 148,410 บาท*
ราคาปกติ 164,900 บาท



Incubator

MyTemp™ Mini Digital Incubator

Features

- Digital temperature control
- Personal sized, 13 x 14.5" footprint (20 L)
- Accepts bottles and flasks up to 2 L
- Internal power outlet, for installation of small shakers, mixers or other instrumentation
- Dimensions: (w x d x h) : Interior 23.5 x 29 cm



(# H2200-H-E) with heating only

Temp. Range : 5°C above ambient to 60°C

ราคา 27,000 บาท*

ราคาพิเศษ 24,300 บาท*



(# H2200-HC-E) with heating and cooling

Temp. Range : 15°C below ambient to 60°C

ราคา 41,000 บาท*

ราคาพิเศษ 36,900 บาท*



SureTemp™ Dual Convection Incubator



Features

- Precision temperature control up to 75°C
- Dual-Convection technology, excellent uniformity and recovery
- Includes SureCheck™ temperature logger and software
- Stainless steel chamber with internal power outlet
- Temperature Range : Ambient +5° to 75°C



(# H2505-40E) 40 Liters, Interior Dimensions: 35 x 35 x 35 cm

ราคา 89,100 บาท** ราคาพิเศษ 80,190 บาท*

(# H2505-70E) 70 Liters, Interior Dimensions: 45 x 35 x 45 cm

ราคา 114,900 บาท** ราคาพิเศษ 103,410 บาท*

(# H2505-130E) 130 Liters, Interior Dimensions: 55 x 45 x 55 cm

ราคา 153,200 บาท** ราคาพิเศษ 137,880 บาท*

MyTemp™ 65HC Digital Incubator



Features

- Accurate temperature control from 0° to 60°C
- Powerful compressor maintains 0°C
- Stainless-steel internal chamber
- Internal power outlet for shaker, mixers, etc.
- For floor standing use or on bench-tops less than 32" tall
- Ideal for BOD and Drosophila applications
- Interior Dimensions: 40 x 32.4 x 50.2 cm
- Capacity : 65L

(# H2265-HC-E)

ราคา 164,500 บาท*

ราคาพิเศษ 148,050 บาท*



Electrophoresis System



MyGel Mini Electrophoresis System


The MyGel comes complete with all of the equipment required to get you up and "running": gel running tank, power supply and 2 casting sets with stands, trays and combs.

Specification

- Output Voltage: 35V, 50V or 100V
- Timer: 0-99 min. or Cont.
- Safety: Lid interlock
- Max. Buffer (ml): 230
- Gel Capacity: One: 10.5 x 6cm Two: 5 x 6cm

(# E1101-E) complete with E1101-CS1 & E1101-CS2

ราคาพิเศษ 24,930 บาท*
(ราคาปกติ 27,700 บาท*)



ACCURIS
INSTRUMENTS



MyGel InstaView Systems

Features

- View DNA migration and separation as it happens
- Blue light illumination – won't damage DNA
- Capture high resolution images without removing the gel from the tank

(# E1201-E) myGel InstaView™ system, includes gel tank with orange filter, direct connect power supply, E1200-CS1 casting set, Mini SmartBlue Transilluminator and imaging enclosure

ราคาพิเศษ 40,500 บาท*
(ราคาปกติ 45,000 บาท*)



ACCURIS
INSTRUMENTS

Included Casting Set
(# E1101-COMB1) Reversible Combs, 22/12 teeth,
for E1101-CS1 Casting Stand, pk 2

(# E1200-CS1) Extra casting set for 10.5x10cm and 10.5x6cm gels.
Includes stand, trays, E1101-COMB1 double-sided combs

MyVolt Mini Power Supply

The MyVolt Mini is a compact power supply ideal for basic, constant voltage applications. Users can select between a constant 100V or 200V output, gel running tank, power supply and 2 casting sets with stands, trays and combs.

(# E2100-E) ราคา 11,400 บาท*
ราคาพิเศษ 10,260 บาท*



Specification


- Output Terminals: 2 pairs
- Output Voltage: 100V/200V constant

MyVolt Touch Power Supply

ACCURIS
INSTRUMENTS



Dual Orientation Display



Easy to Use,
Touch Screen Interface

- Touch screen control
- Bright color display
- Dual orientation, auto rotating display
- High performance specifications
- Output Terminals: 4 pairs

- Max Voltage 300V
- Max Amperage 400mA
- Max Wattage: 100W

(# E2301-E)
ราคา 30,300 บาท*

ราคาพิเศษ 27,270 บาท*

Gel Documentation

Mini-Imager™

Mini-Imager™ UV/LED is a small digital camera imager embedded with both blue light (470nm) and UV (302nm) transilluminators

Specification

1. Dimensions: WxDxH 250x203x364mm
2. Light Source: UV-B (302nm) and LED (470nm)
3. Viewing Size: WxD 150x80mm
4. Power: DC12V-2A adapter
5. Compatible gel size: 50x60mm, 105x60mm, 125x60mm
6. Camera: Canon EOS M-series type

MAESTROGEN

- Dual wavelength light source:
 - (1) UV light (302nm): Better sensitivity
 - (2) Blue LED (470nm): Better downstream data
- Compact:

Smaller dimension, save your working area

(# MI-01) Mini-imager™ UV/LED, All-in-one system,
with digital camera and Wi-Fi data transfer

ราคาพิเศษ 179,100 บาท*
(ราคาปกติ 199,000 บาท*)



SMART
SCIENCE
Smart Science co.,Ltd.



บริษัท สมาร์ทไซเอนซ์ จำกัด สอบถามข้อมูลได้ที่



sales@smartscience.co.th



techsupport@smartscience.co.th



+662-0777593
+6698-8250970


*ราคายังไม่รวม VAT 7%

www.smartscience.co.th

Ultra Bright UV Transilluminator

Product	(# MB-16)	(# MLB-16)	(# MB-21)	(# MLB-21)
View size (mm)	160D x 200W		210D x 260W	
Wavelength (nm)	302	302 & 365	302 & 365	302
ราคา	35,000	38,500	38,500	41,900
ราคาพิเศษ	31,500	34,650	34,650	37,710



- Accuracy: < 5% CV across the viewing area
- Sensitivity: High contrast with strong frame, up to 0.1 ng nucleic acid
- Safety: Ultra Safe UV blocking cover block 99.99% UV transmittance
- Ease: Easy for observation and gel cutting
- Flexibility: Adjustable intensity
- Light source: UV lamp



Ultra Bright LED Transilluminator

Product	(# LB-16)	(# LB-17)	(# LB-18)
View size (mm)	160D x 200W		
Wavelength (nm)	470	470 (Blue), 530 (Green), 630 (Red); no 630 (Red) filter	Blue/Green 505
ราคา	33,500	45,000	45,900
ราคาพิเศษ	30,150	40,500	41,310

- Accurate: < 5% CV across the full filter area
- Sensitivity: Up to 1 ng nucleic acid
- Safe: No damage to you and your samples
- Easy: Easy for observation and gel cutting
- Flexibility: Suit for several kinds of stains and adjustable intensity
- Light source: LED light



UltraSlim™ LED Transilluminator

Blue LED illuminator for mini gels



- View size (mm) : 120D x 70W
- Wavelength (nm) : 470 nm
- Smaller: Single-handedly take
- Accurate: <10% CV across the full filter area
- Sensitivity: Up to 1 ng nucleic acid
- Safe: No damage to you and your samples
- Easy: Easy for observation and gel cutting

(# SLB-01W) ราคา 23,500 บาท*
ราคาพิเศษ 21,150 บาท*

UltraSlim™ UV Transilluminator



- View size (mm) : 150D x 80W
- Wavelength (nm) : 302 nm
- Light source: UV lamp
- Smallness: One-handed lifting
- Accuracy: <5% CV across the viewing area
- Sensitivity: Up to 0.5 ng nucleic acid
- Ease: Easy for observation and gel cutting

(# UUV-01) ราคา 26,900 บาท*
ราคาพิเศษ 24,210 บาท*

UltraSlim™ LED Transilluminator & SlimWhite™

Blue LED illuminator for mini gels, (in white), White light for protein gel illumination



- The UltraSlim LED illuminator is not only designed for viewing DNA/RNA gels, also has a whole new white light panel to use for protein gels on the laboratory bench, or within gel documentation systems

- View size (mm) :
120D x 70W – Blue
130D x 90W – White
- Wavelength (nm) : 470 nm and high brightness white light
- Light source: UV lamp

(# SLB-03W)
ราคา 31,900 บาท**

ราคาพิเศษ 28,710 บาท*

SlimWhite™ for UltraSlim


for protein gel illumination, Coomassie blue stained / silver stained media

- View size (mm) : 130D x 90W
- Light source: White light LEDs




(# SW-04)
ราคา 7,500 บาท**

ราคาพิเศษ 6,750 บาท*




BandPeeper™ Real-time in gel



(# RT-172)
ราคา 15,900 บาท**

ราคาพิเศษ 14,310 บาท*



The real-time observation of electrophoresis in gel

- MaestroGen offers BandPeeper real-time electrophoresis LED illuminator for DNA gel fluorescent signal observation in water solution.
- Window size (mm) 150D x 60W
- Wavelength (nm) : 470 nm
- Light source: Blue LED light

SlimWhite™

White light for protein gel illumination, Coomassie blue stained / silver stained media



- Uniform: Illumination is designed by light guide plate with diffuser
- Easy to observe: Light source is under the gel, avoid bubble and reflection issue
- Cost Effective: Long lifetime (~50,000 hrs), low power consumption
- View size (mm) : 240D x 160W
- Light source: White light LEDs

(# SW-02) ราคา 13,500 บาท*
ราคาพิเศษ 12,150 บาท*



UV Spectrophotometer

Model SP-UV1000

- Wavelength : 200~1000nm
- Optical System : Single Beam
- Light Source : Tungsten lamp and Deuterium lamp
- Sample Compartment : 4-position, 10mm pathlength cuvette
- Display : LCD
- Output : USB Port and Parallel Port (Printer)

(# 4050110100) including 4 glass square cuvettes and 2 quartz square cuvettes (package contain)

ราคาพิเศษ 96,300 บาท*
(ราคาปกติ 107,000 บาท*)



Model SP-UV1100

- Wavelength : 190~1100nm
- Optical System : Single Beam
- Light Source : Tungsten lamp and Deuterium lamp
- Sample Compartment : 4-position, 10mm pathlength cuvette
- Display : LCD
- Output : USB Port and Parallel Port (Printer)

(# 4050120100) including 4 glass square cuvettes and 2 quartz square cuvettes(package contain)

ราคาพิเศษ 140,400 บาท*
(ราคาปกติ 156,000 บาท*)

ONiLAB

MaestroNano

DNA RNA Protein Quantification Spectrophotometer



- Convenient : 2 ul sample only, measurement in less than 5 seconds
- Focus on nucleic acid and protein : 230nm/260nm/280nm/320nm
- Measurement data output : (A) OD230nm, OD260nm, OD280nm, OD320nm / (B) Sample concentration(ng/ul) / (C) OD260nm/OD230nm, OD260nm/OD280nm
- Best concentration range : 2ng/ul – 2000 ng/ul (dsDNA) / 1.6 ng/ul – 1600 ng/ul (RNA) without dilution
- Light source : Xenon flash lamp
- LCD resolution : 7 inches, 1024(W) x 600(H) dots matrix
- Output : Wifi (USB dongle) / OTG USB (connect to PC to access) / USB / Ethernet / Printer / QR code

(# MN-917) MaestroNano™ PRO

ราคาพิเศษ 250,000 บาท*
(ราคาปกติ 290,000 บาท*)

MAESTROGEN



SmartReader 96, Microplate Absorbance Reader



- Intuitive, 7 inch color touch screen control panel
- Filter based system with wavelength range from 340 to 750nm
- Operates as a stand alone system, with USB flash drive for data transfer
- Absorbance range: 0.0 to 4.000 Abs
- 8 channel vertical optical path, with zero dispersion
- Integrated, multi-speed plate shaker (3 modes: slow, medium and fast)
- MR9600-T features temperature controlled plate incubation. Temperature can be maintained at 5°C above ambient to 50°C
- Light source : Quartz-halogen lamp 6V/10W
- Intuitive software and graphical interface make these instruments easy to use as a standalone reader (a separate computer and additional software is not required)

(MR9600-E) SmartReader™ 96 Microplate Absorbance Reader, includes 405, 450, 492 and 630nm filters

ราคาปกติ 302,500 บาท ราคาพิเศษ 272,250 บาท*

(MR9600-T-E) SmartReader™ 96 Microplate Absorbance Reader, with incubation, includes 405, 450, 492 and 630nm filter

ราคาปกติ 322,100 บาท ราคาพิเศษ 289,890 บาท*




More information [Click](#)

SmartWasher 96 Microplate Washer

The Accuris SmartWasher 96 automates the process of ELISA plate washing so assays can be prepared quickly, accurately, and with confidence for absorbance reading. It's the perfect companion to our popular SmartReader 96 microplate reader.

- Precision control of aspiration needle position
- Accurate to 0.1mm
- Minimal residual liquid, ≤1μl/well
- Auto rinse function eliminates cross contamination
- Up to 100 wash protocols can be customized and stored
- Liquid level sensors in wash and waste bottles
- Wash protocols can be transferred via flash drive



Compatible with all common microplate well shapes



More information [Click](#)

(# MW9600-E) SmartWasher 96 Microplate Washer, wash head sold separated

ราคาพิเศษ 206,820 บาท*
(ราคาปกติ 229,800 บาท)

