Product Info





POP-UP SOCKETS

HAFELE

This product communication takes you through the following details about Häfele's New Pop-up Sockets:

Topic	Page No.
Introduction	3
Features	4
Product Specifications	5 - 6
Installation	7
Operation	8
Ordering and Important Information	9









Product Specifications



Article No.	822.80.300	822.80.301	
Description:	Pop-up Socket with Bluetooth Speaker	Pop-up Socket without Bluetooth Speaker	
Dimensions (mm):	436 (H) × 100 (Diameter)	345 (H) × 100 (Diameter)	
No. of Sockets:	International Sockets: 2 USB Sockets: 2	International Sockets: 3 USB Sockets: 2	
Input:	220 – 240 V ~ 50 Hz		
Power:	International Sockets: 16A USB Charger: 2.1A		
Splash-proof:	Yes (IP 54: In a closed position)		
Supplied with:	• 1x Pop-up Socket 60 PTT 2 WW 61 2 V TTV 1 V		





Product Specifications



USB Charger

Output Voltage: 5VDC

Output Current: Max. 2100 mA

Individual Switch for power on / off

LED Indicator lights up when power on



audi 🔊

Wireless Audio Speaker

Output Power:

Max. 2 W

Speaker Frequency


Range:

Audio Connector:

280Hz – 16 KHz 550 9555

Standard 3.5mm

headphone connector



Data Socket


Output Voltage:

Output Current: Max. 16 A

Superior performance and low loss signal


transmission

Contacts are phosphor bronze plated with hard gold




HAFELE

Installation



 Cut-out a 92 mm diameter hole in the work surface and allow a minimum of 25mm clearance surrounding the cut hole.
The surface you select should be between 10mm and 50mm thick.


NOTE: Ensure there is sufficient space underneath the installed surface, for the unit when it retracts to the closed position



2. A locking ring with rubber washer is supplied in the packaging. If it is attached to the mounting collar, remove it by rotating it in an anti-clockwise direction prior to lowering the unit into its final location

1:02 550 9555

3. Insert the socket into the hole




- 4. Now place the locking ring into the mounting collar. Identify and align arrows on the collar and the locking ring to ensure that the thread is engaged properly. Turn the locking ring clockwise to tighten. Make sure the rubber washer is compressed tightly on underside of surface. Tighten the screw until the ring firmly grip the surface
- 5. Connect the cable to the power supply, once installation has been completed accurately. The product is now ready for use




Operation

1. To use the Pop-up Socket, gently lift up the silver handle on the top cover until all the socket outlets are exposed and the red stop/release button clicks and locks the unit in place.







2. Press the master switch on. A green light confirms that power is available. You can use all the power sockets.

The unit can be retracted in position by pressing the red stop/release button and pushing the unit down until it is flush with the surface, leaving the engaged cables on the window of the top cover



Ordering & Important Information

Article No.	Description	M.R.P. (INR)
822.80.300	Pop-up Socket with Bluetooth Speaker	18,000/-
822.80.301	Pop-up Socket without Bluetooth Speaker	12,000/-

Important Information:

- To clean the socket, use a damp cloth with mild detergent and dry immediately
- Ensure that you disconnect the power prior to cleaning
- Always check for obstructions that could interfere during retraction
- The pop-up socket is Surge-Protected, i.e. it protects your gadgets and appliances from damaging power surges and spikes
- Certification Details:



Indoor Usage: This symbol identifies appliances that are suitable only for inside use



CE Mark: CE mark indicates that the product is conforming and satisfies all the community directives that are applicable; it guarantees the right of this product to be freely commercialized in all the states members of the European union.



Earth Ground: This symbol categorises the product as a Class-product which must earth



Ingress Protection 54: The rating of IP 54 denotes that the electrical equipment has limited protection against dust ingress and is protected against splash water from all directions.







บริษัท ซีที่ อิเลคทริค ซัพพลาย จำกัด

In case of any query / issue, SM\$ HAFELE to 56070 | Our customer care executive will get in touch with you and address your

ใหว : 02 550 9555



Call us on our dedicated toll-free number: 1800 266 6667

Customer- friendly, deviation-free call connection to our Customer Care team



Email us on: customercare@hafeleindia.com