


คู่มือการใช้งาน  
เครื่องฟอกอากาศในรถยนต์



**VitaHealth**  
**v1**

Car Air Purifier Manual



## คำแนะนำ

ทางบริษัท วิต้าอินโน จำกัด ต้องขอขอบคุณท่านที่ซื้อสินค้าจากทางบริษัท แนะนำให้ท่านอ่านคู่มือ และทำความเข้าใจก่อนเริ่มต้นการใช้งาน เครื่องฟอกอากาศในรถ Vitainno ที่มีการออกแบบพิเศษ และแตกต่างไม่เหมือนใคร ที่ตัวเครื่องจะดูดอากาศเข้าจากทางด้านหลังเครื่องและปล่อยอากาศสะอาดจากทางด้านหน้า นอกจากนี้ยังเป็นระบบพลังดูด Dual Fans ที่มีพัดลม 2 ตัวเร่งดูดและกำจัดอากาศสกปรก สารระเหย เชื้อโรค ควันไอเสีย แก๊สพิษ พร้อมฝุ่น PM 2.5 และปล่อยอากาศสะอาดออกมา ทั้งนี้เครื่องฟอกในรถของ Vitainno ยังช่วยลดกลิ่นไม่พึงประสงค์ต่างๆ ได้อีกด้วย ซึ่งจะช่วยปรับปรุงคุณภาพอากาศโดยรอบได้อย่างมีประสิทธิภาพและปกป้องสุขภาพของคุณ เครื่องฟอกอากาศภายในรถจึงเป็นอีกสิ่งหนึ่งที่ทำหน้าที่เปลี่ยนอากาศเสียภายในรถให้สะอาดตลอดการเดินทาง

## คุณสมบัติตัวเครื่อง

1. Pre-Filter ฟิลเตอร์กรองชั้นนอก จะทำหน้าที่กรองฝุ่นละอองที่ลอยอยู่ภายในรถ
2. Hepa Filter ฟิลเตอร์ Hepa กรด 13 ที่จะช่วยกรองฝุ่นและเชื้อโรคที่มีขนาดเล็ก เช่น แบคทีเรีย ฝุ่น PM 2.5
3. ระบบพลังดูด Dual Fans ที่มีพัดลม 2 ตัวเร่งดูดและกำจัดอากาศสกปรก สารระเหย เชื้อโรค ควันไอเสีย แก๊สพิษพร้อมฝุ่น PM 2.5 และปล่อยอากาศสะอาดออกมา และปรับระดับแรงลมได้ถึง 3 ระดับเพื่อเร่งการดูดกรองพลังและปรับการทำงานให้เหมาะสมกับการใช้งาน
4. หน้าจอแสดงผล LED แสดง PM 2.5 ที่สามารถวัดคุณภาพอากาศแบบเรียลไทม์ และยังสามารถปรับแรงลมเพื่อให้เหมาะสมกับสภาพอากาศนั้นด้วยโหมดอัตโนมัติ
5. การออกแบบพิเศษและแตกต่างไม่เหมือนใคร ที่ตัวเครื่องจะดูดอากาศเข้าจากทางด้านหลังเครื่องและปล่อยอากาศสะอาดจากทางด้านหน้า
6. เครื่องฟอกอากาศ Vitainno นอกจากจะสามารถใช้ได้ภายในรถแล้ว ยังสามารถใช้ที่โต๊ะทำงาน ห้องนอน หรือห้องนั่งเล่นได้
7. ปุ่มสัมผัสเปิดปิดเครื่องที่ปรับเปลี่ยนเลือกโหมดการทำงาน พร้อมไฟ LED ที่แสดงผลคุณภาพอากาศ
8. เมื่อสตาร์ทรถ เครื่องฟอกอากาศจะเปิดการทำงานอัตโนมัติ
9. เครื่องฟอกอากาศที่ออกแบบมาเพื่อง่ายต่อการใช้งานและการจัดวาง ที่สามารถวางไว้บริเวณที่วางได้อย่างลงตัว

## ข้อควรระวัง

1. ห้ามให้เครื่องฟอกอากาศโดนน้ำ หรือฉีดของเหลวต่างๆ เช่น สารไวไฟ หรือหากต้องการทำความสะอาดเครื่องให้ใช้ผ้าแห้งเช็ดเครื่อง
2. ควรวางเครื่องไว้โดยหามืออะไรปกคลุมหรือครอบ ซึ่งจะวางการทำงานและดูดอากาศเข้าเครื่องได้
3. เพื่อการฟอกอากาศในรถได้ดีและมีประสิทธิภาพยิ่งขึ้น ควรปิดหน้าต่างและประตูรถทุกครั้งเมื่อใช้เครื่อง ถ้าเปิดแอร์แนะนำให้เปิดแอร์ที่แรงลมต่ำ
4. ห้ามให้เด็กเล่นหรือแกะเครื่องฟอกอากาศ และเก็บให้ห่างจากมือเด็ก
5. ควรวางเครื่องฟอกอากาศไว้ในรถตรงที่วางแก้ว และไม่ควรวางตรงคอนโซลหน้ารถหรือที่อื่นเพื่อป้องกันความปลอดภัยขณะขับรถ
6. เพื่อป้องกันความปลอดภัยระหว่างขับรถ ไม่ควรปรับโหมดการทำงานระหว่างขับรถ
7. ไม่ควรใช้สายต่อจากที่อื่นหรืออันอื่น แนะนำให้ใช้สายต่อของตัวเครื่องโดยเฉพาะที่แนบมาในกล่องเท่านั้น

*\*กึ่งนี้บริษัทจะไม่รับผิดชอบอุบัติเหตุจากการวางเครื่องในตำแหน่งไม่เหมาะสม หรือการใช้งานผิดประเภท*



## อุปกรณ์ในกล่อง

- ตัวเครื่อง Vita-Health V1 1 เครื่อง
- หัวปลั๊กชาร์จไฟในรถยนต์ 1 ชิ้น
- สาย USB 1 เส้น
- คู่มือการใช้งาน 1 เล่ม
- ใบรับประกัน 1 ชุด


## รายละเอียดตัวเครื่อง

- กำลังไฟ 5 วัตต์ / 5 วัตต์
- เหมาะสำหรับพื้นที่ 3 ตร.ม.
- ความดังเสียง ไม่เกิน 50 dB
- ขนาดอากาศหมุนเวียน 28 ตร.ม./ชม.
- ขนาดสินค้า กว้าง 75 x ยาว 68 x สูง 200 มม.

## ส่วนประกอบ



## ฟังก์ชันการทำงาน




## การติดตั้ง

ให้อ่านเครื่องฟอกอากาศที่ตำแหน่งวางแก็วด้านหน้ารถ

1. เสียบสายต่อเครื่องชนิด C ที่ตัวเครื่อง และเสียบกับช่อง USB ที่ตัวรถ (ตามรูปที่ 1)
2. ถ้าใช้หัวปลั๊กในรถ (ตรงช่องจุดบุหรี่) ให้เสียบสายต่อที่ตัวเครื่องและหัวปลั๊ก และเสียบสายอีกด้านเข้ากับตัวเครื่อง (ตามรูปที่ 2)




รูปที่ 1






รูปที่ 2



## วิธีการใช้งาน

1. หลังจากสตาร์ทเครื่องยนต์ เครื่องฟอกอากาศจะเริ่มทำงาน โดยจะเป็นความแรงลมที่ตั้งไว้ก่อนดับเครื่อง เช่น ถ้าก่อนดับเครื่องเลือกความแรงลมที่เบอร์ 2 เครื่องจะกลับมาทำงานที่เบอร์ 2 แต่ถ้าเลือกอัตโนมัติเครื่องจะกลับมาทำงานที่โหมดอัตโนมัติ
2. โหมดอัตโนมัติ เครื่องจะทำการปรับแรงลมเพื่อให้เหมาะสมกับสภาพอากาศ ณ เวลานั้นที่เครื่องวัดค่าได้

คุณภาพอากาศ	ดี	ปานกลาง	แย่
สีไฟ			
ค่า PM2.5	0-75	76-150	>150
ระดับความแรงลม			
ระดับลม	1st Gear	2nd Gear	3rd Gear


3. เมื่อเปิดเครื่อง ระดับแรงลมจะอยู่ที่โหมด อัตโนมัติ แต่ถ้าต้องการปรับระดับแรงลมเอง สามารถเลือกได้ระดับแรงลมปรับได้ 3 ระดับ คือ เบอร์ 1 ลมต่ำ โดยกดที่ปุ่ม  1 ครั้ง ถ้ากดที่ปุ่ม  อีกครั้ง จะไปอยู่ที่เบอร์ 2 และกดอีกครั้งจะเป็นเบอร์ 3 แต่ถ้ากดปุ่ม  ค้างไว้ 3 วินาที จะปิดเครื่อง

## แจ้งเตือนเปลี่ยนฟิวเตอร์

เพื่อรักษาคุณภาพอากาศภายในรถให้สะอาดตลอดการเดินทาง แนะนำให้เปลี่ยนแผ่นกรองหรือฟิวเตอร์ ทุก 3-5 เดือน เครื่องฟอกอากาศควิต้าอินโนจะทำการแจ้งเตือนเปลี่ยนแผ่นกรอง ถ้าหากถึงเวลาหรือแผ่นกรองสกปรก เมื่อเปิดเครื่อง เครื่องจะแสดงไฟสีแดง *F* กะพริบเตือน 5 ครั้งพร้อมเสียง และที่หน้าจอก็จะแสดง *F* สีแดงค้างไว้แต่เมื่อหลังจากเปลี่ยนฟิวเตอร์ กดปุ่ม  ค้างไว้ 10 วินาที เพื่อทำการตั้งค่าแผ่นกรองใหม่ จะได้ยินเสียงดัง 3 ครั้งและปุ่ม  กะพริบ 3 ครั้งเป็นการเสร็จการตั้งค่า *Fw*แจ้งเตือนเปลี่ยนฟิวเตอร์ *F* จะดับลง

## วิธีเปลี่ยนฟิวเตอร์


1. ปิดเครื่อง และถอดสายต่อออกจากตัวรถและจากตัวเครื่อง ดันตัวล็อกที่ด้านหลังเครื่องขึ้น แล้วดึงฝาที่ด้านหลังเครื่องออก (ตามรูปที่ 1)
2. ดึงฟิวเตอร์ออก และใส่ฟิวเตอร์ใหม่เข้าไปแทนที่ (ตามรูปที่ 2)
3. ปิดฝาที่ด้านหลังเครื่อง โดยใส่ฝาที่ด้านบน ให้ล็อกก่อนแล้วดันฝาให้ล็อกด้านบนล่างอีกครั้ง (ตามรูปที่ 3)



รูปที่ 1



รูปที่ 2



รูปที่ 3

## Instruction

Thank you for purchasing our product. Please read this manual before using. This product belongs to the car air purifier. The unique appearance is designed to bring aesthetic experience to users. Intake air from the back, outlet air from the front, its dual fans design can circulate and purify air better. This product can remove micro-particles such as microorganisms, PM2.5, animal hair, formaldehyde, benzene, smoke, and other harmful gases, while reducing odor as well. So it can improve the surrounding air quality effectively and protect your health.

**Vita-Health V1** Air purifier can be described as 'small body, big role'.

## Features

- 1.The primary filter can filter floating particles such as hair, pollen, and dust in the air.
- 2.The HEPA filter can filter micro particles such as microorganisms, bacterialand PM2.5 as small as 0.3um in diameter.
- 3.This product use high quality brushless DC fans. The fans' air volume is larger and noise is lower. The fans have PWM function and three-speed regulation function.
- 4.Built-in PM2.5 sensor can detect the air quality in the surrounding in real-time, adjust the wind speed automatically to purify air, and display the current environmental value on the LED screen so that you can know the air index status at any time.
- 5.The purifier is designed with fashionable appearance, intake air from the back, outlet air from the front, dual fans bring ultra-efficient air purification effect.
6. This purifier is suitable for living room, bedroom, office, and other living areas where need air-purification.
7. One-touch operation to switch multiple working modes, colorful LED screen indicates the air quality visually.
8. Turn on the car power supply, the product will start automatically, eliminating tedious operations.
9. The purifier's shape is designed for the car cup holder. It's easy to use and install.

## Precautions

1. Do not use the liquids, such as water, leaningagents, or flammable solvents to clean or splash into the purifier. When you clean the product, please disconnect the power supply and use a soft cloth to clean it.
2. Please keep air circulation free and do not cover the purifier when it is running
3. In order to improve the purification effect, please close the car window when using this purifier. If you turn on the air conditioner, please adjust the air-conditioning power to the minimum.
4. Do not use this purifier as a toy for children. For your safety, do not open the top cover of the machine when power on.
5. Please install the purifier firmly on the car, and do not place it on the car dashboard to avoid accidents.
6. For your safety, do not adjust this product when you' re driving. If you need to adjust it, please stop the car.
7. Do not use different type of power adapters. Please use the accessories attached to this product for installation. Our company does not assume any liability for damage or accidents caused by improper installation or use.

## Accessories list

- Vita-Health V1 1 piece
- USB Car Charger 1 piece
- USB cable 1 piece
- Use manual 1 piece
- Qualified card 1 piece











## How to use


1. After starting the car, the purifier reverts to the last shutdown mode of drive memory. For example, before shutdown, it is in manual second gear, which will be restored after start-up; before shutdown, it is in automatic mode, and after start-up, it will return to automatic mode.

2. Auto mode function: in the automatic mode, AUTO open lighting, the purifier will automatically select the suitable gear according to the air quality signal detected by the built-in PM2.5 sensor. (as figure below)

Air quality	Good	Light pollution	Heavy pollutiond
Light color			
PM2.5 digit	0-75	76-150	>150
Wind speed			
Gear button	1st Gear	2nd Gear	3rd Gear

3. Manual mode function : After exiting the automatic mode, AUTO lights off then the machine enter the manual mode. Touch the power button  1st gear indicated  primary purification. Touch the power touch button  again, 2nd indicated  fast purification; And touch button  again, 3rd indicated  high speed purification; Touch the power touch button  again, enter into automatic mode; Loop in turn. After pressing the button for 3 seconds, the machine is turned off, and the standby power button  is illuminated by a white light.

## Filter replacement

To maintain the best purification performance, after the machine has been working for 3-5 months, according to the pollution degree of the filter, the product will prompt reminder to replace the filter. Every time the machine is power on, the red light reminder *F* Flashes for 5 times , and the chord prompt tone sounds 5 times, then the reminder light *F* is always red. At this time, the filter needs to be replaced. After the replacement is completed, press and hold the power button for 10 seconds  to start resetting, the chord prompt tone sounds 3 times, the button flashes 3 times, the machine resets successfully, *F* the reminder light turns off, and the normal working state begins. Be sure to replace it with a genuine filter that matches this product.

## How to replace filter

1. Disconnect the power supply of this product, then buckle the back cover at the back of the machine and take it out. (Figure 1)
2. Remove the filter inside and place in a new one. (Figure 2)
3. Then snap the back cover inward to the back of the purifier. (Figure 3)




Figure 1




Figure 2




Figure 3