


Con Reducer (Inch Standard)								
INCH	OD	Od	L	T	T1			
1" X 0.5"	25.4	12.7	36	1.2	1.5			
1" X 0.75"	25.4	19.1	25	1.2	1.5			
1.5" X 1"	38.1	25.4	48	1.2	1.2			
1.5" X 0.75"	38.1	19.1	48	1.2	1.2			
2" X 1.5"	50.8	38.1	48	1.2	1.2			
2" X 1"	50.8	25.4	67	1.2	1.2			
2.5" X 2"	63.5	50.8	50	1.5	1.2			
2.5" X 1.5"	63.5	38.1	67	1.5	1.2			
2.5" X 1"	63.5	25.1	67	1.5	1.2			
3" X 2.5"	76.2	63.5	48	1.5	1.5			
3" X 2"	76.2	50.8	82	1.5	1.2			
3" X 1.5"	76.2	38.1	82	1.5	1.2			
3" X 1"	76.2	25.1	76	1.5	1.2			
4" X 3"	101.6	76.2	82	2.1	1.5			
4" X 2.5"	101.6	63.5	105	2.1	1.5			
4" X 2"	101.6	50.8	105	2.1	1.2			



CON Reducer (DIN Standard)									
INCH	OD	Od	L	I	T1				
DN20 X DN15	22 / 23	18 / 19	7	1.5	1.5				
DN25 X DN15	28 / 29	18 / 19	18 / 48	1.5	1.5				
DN25 X DN20	28 / 29	22 / 23	11 / 48	1.5	1.5				
DN32 X DN20	34 / 35	22 / 23	22	1.5	1.5				
DN32 X DN25	34 / 35	28 / 29	11 / 48	1.5	1.5				
DN40 X DN20	40 / 41	22 / 23	33	1.5	1.5				
DN40 X DN25	40 / 41	28 / 29	22 / 48	1.5	1.5				
DN40 X DN32	40 / 41	34 / 35	22 / 48	1.5	1.5				
DN50 X DN20	52 / 53	22 / 23	27	1.5	1.5				
DN50 X DN25	52 / 53	28 / 29	44	1.5	1.5				
DN50 X DN32	52 / 53	34 / 35	33 / 48	1.5	1.5				
DN50 X DN40	52 / 53	40 / 41	22 / 48	1.5	1.5				
DN65 X DN25	70 / 70	28 / 29	73 / 82	2	1.5				
DN65 X DN40	70 / 70	40 / 41	51 / 82	2	1.5				
DN65 X DN50	70 / 70	52 / 53	29 / 67	2	1.5				
DN80 X DN50	85 / 85	52 / 53	45 / 82	2	1.5				
DN80 X DN65	85 / 85	70 / 70	27 / 67	2	2				
DN100 X DN50	104 / 104	52 / 53	90	2	1.5				
DN100 X DN65	104 / 104	70 / 70	61 / 82	2	2				
DN100 X DN80	104 / 104	85 / 85	60 / 67	2	2				