

DocuPrint CP315 dw / CM315 z A4 Colour Printers

Driving your business forward



Introducing the next generation printing products from Fuji Xerox - stylish design meets high performance, delivering amazing print quality and advanced productivity features designed to drive your business forward

Mobility for Business



Connect your way. Latest generation technology allows your business more ways to share documents than ever before.

AirPrint and Google Cloud Print ready

AirPrint™ and Google Cloud Print™ enables you to print directly from your mobile device without the need to download mobile apps or to install print drivers. Perfect for people on the move.





Mopria Alliance Certification

The DocuPrint CP315 dw / CM315 z are Mopria Alliance certified, making it possible for Android users to easily print documents using their smartphone and tablet devices. Mopria Print Service can be downloaded for free from Google Play™ Store (Android™ 4.4 or later).



Wi-Fi Direct

The DocuPrint CP315 dw / CM315 z are Wi-Fi Direct enabled allowing devices to connect and print easily without requiring a wireless access point.



NFC Enabled







Configurations



DocuPrint CP315 dw

Up to 28 pages per minute printing Standard paper capacity - 300 sheets Automatic 2-sided printing Print resolution of 1200 x 2400 dpi Memory Capacity 512MB Network ready, Wireless Network, USB 2.0 Fast processing speed with ARM Core 733MHz





DocuPrint CM315 z

Same print features as CP315 dw plus Copy, Scan Fax function Memory Capacity 1GB ID Card copy feature 4.3" colour touch panel Scan to FTP / Email / SMB / USB storage device Embedded Fax (33.6Kbps) and PC DirectFAX









Keep a step ahead

Powerful and clever features that will increase productivity to keep you ahead of the game.

Print Fast. Don't wait

However demanding your professional printing needs, the DocuPrint CP315 dw / CM315 z delivers great results – fast. Save time by printing even complex documents at speeds of up to 28 pages per minute helping you to work faster, be more flexible and more productive.

Save time with customisable 4.3" touch panel

Simplify your work processes with the innovative 4.3" colour touch screen display on the DocuPrint CM315 z.

It features bright, colourful icons and intuitive 'click-drag' navigation for optimal ease-of-use. Organise your most commonly used functions so they are easy to access.

Make your daily work processes a breeze by creating your own custom 'app', which allows you to convert complex processes into a simplified command you can access with a click of a button, giving you guick access to frequently used and complex functions.

The built-in USB port makes walk-up functionality simple, allowing you to print and scan to and from a USB memory stick without the need of a PC.


Made for the Cloud



Cloud Service Hub – print from, scan to; your cloud service

With Fuji Xerox you can print various types of file formats such as Microsoft Office stored in the cloud service or send scanned data to the cloud – simply and securely. The single sign-on feature gives users one-click access to all their web apps in the cloud and behind the firewall – via desktops, smartphones and tablets.






Make an impression




Class-leading technology delivers amazing print quality in a stylish compact design.

New CCSLED Technology with IReCT

Newly developed CCSLED (Current Confinement Self-Scanning Light Emitting Device) & STYLS (Set-Type ThYristor Logic SLED) technology allows high-resolution output at 1200 x 2400 dpi quality, whilst achieving compactness and power-saving benefits.



IReCT (Image Registration Control Technology) ensures each printed colour is corrected by digitally processed 2400 dpi high-resolution data, ensuring improved registration accuracy and ultra-precision image reproduction.



Gradation control in secondary scanning direction enables smoother reproduction of black lines and character outlines. This feature is especially effective on the lines in low angles. The result is smoother, sharper image reproduction.

Lower running costs and emissions



Clever technology helping to reduce running costs and it's footprint on the environment

High yield, lower costs

High-yield toner cartridges allow longer periods of uninterrupted productivity, reducing your total cost of operation.

Save with Super EA-ECO Toner

The newly developed Super EA-Eco Toner applies a new polyester resin that dramatically effects the viscosity of the toner with changes in temperature. This enables Super EA-Eco Toner to achieve 10-15°C lower fusing temperature than standard toner, reducing power consumption by up to 20%, and reducing CO2 emissions by up to 35%. That means bigger savings for you and a greener planet for us all.




Manage your print costs



Control and manage colour usage with Auditron

With Auditron, you can define user usage limits for colour printing. This makes it easier to track, analyse and manage print expenses.



Secure printing made easy



Powerful security features makes the DocuPrint CP315 dw / CM315 z perfect additions to any multi-user environment


Secure communication

For users in today's business environment, security is paramount. The DocuPrint CP315 dw / CM315 z is equipped with advanced technology designed to safeguard your business critical data against potential attack from multiple points of access.

Built-in security features such as IPV6, IPsec, Secure HTTPs (SSL) and SNMPV3 delivers required security to keep your confidential data safe.

Confidential printing

Advanced security features, such as Secure Print, allows you to set a password on your print job which means that the data is encrypted for transmission and is hidden from prying eyes by only printing when a password is entered on the control panel. Perfect for workgroup environments, this means that your confidential documents won't end up in the wrong hands.



Flexible options to suit your needs



The DocuPrint CP315 dw / CM315 z gives you flexible options to suit your work environment

- 1 4.3" Colour Touch Panel* with easy to use operations
- Direct USB Scan*
- 3 Duplex Automatic Document Feeder *
- Easy to change toner
- 50-sheet bypass tray
- 6 250-sheet standard feeder
- Optional 550-sheet feeder
- Optional cabinet The optional cabinet frees up table space and provides extra storage for consumables
- 9 External standard Wi-Fi Dongle



Specifications of DocuPrint CP315 dw / CM315 z

Basic Specifications / Print Function

Item		CP315 dw	DocuPrint CM315 z
Print Speed			(Letter) monochrome and colour
Duplex Print Speed		Up to 18 ppm (A4), Up to 19 ppm (Letter) monochrome and colour	
Print Resolution	1200		ox Imaging Technology)
First-page-out-time (ISO 17629)	Less than 9.2 seconds for colour Less than 8.2 seconds for monochrome		
Warm-up time	Within 20) seconds	Within 38 seconds
Maximum Duty Cycle		52,000 pag	
Memory (Standard)	512	2MB	1GB
Processor		ARM Core	
PDL		PCL6, PCL5e, Postso	ript® 3 Compatible
Duplex Automatic Document Feeder	-	-	50 sheets
Two-sided printing, copying, scanning	-	_	Standard
Protocol	Ethernet (standard): TCP/IP (IPv4/IPv6, LPD, IPP, IPPS, SMB, Port9100, WSD*, HTTP, HTTPS, SMTP, RARP, AutoIP, WINS, Telnet), SNMP, DHCP, BOOTP, Bonjour (mDNS), LDAP, LDAPS, Kerberos, DNS, DDNS, SNTP, FTP IEEE 802.11b/802.11g/802.111 *WSD stands for Web Services on Devices.		
Connectivity	Ethernet (1000BASE-T/100BASE-TX/10BASE-T), USB 2.0 (Hi-Speed), Wireless (IEE802.11b/802.11q/802.11n)		
	PCL6 Driver: Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit), Windows® 8.1 (64bit), Windows® 7 (32bit), Windows® 7 (64bit), Windows Vista® (32bit), Windows Vista® (64bit), Windows Server® 2012 R2 (64bit), Windows Server® 2008 R2 (64bit), Windows Server® 2008 R3 (32bit), Windows Server® 2008 (64bit), Clirix XenApp 7.6		
Supported OS	Postscipt® 3 Compatible: Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit), Windows® 8.1 (64bit), Windows® 8.2 (64bit), Windows® 8.3 (32bit), Windows® 8 (64bit), Windows Vista® (32bit), Windows Vista® (32bit), Windows Vista® (64bit), Windows Server® 2012 R2 (64bit), Windows Server® 2018 R2 (64bit), Windows Server® 2008 R2 (64bit), Windows Server® 2008 (32bit), Windows Server® 2008 (32bit), Windows Server® 2008 (64bit), OS X 10.11 El Capitan, OS X 10.10 Yosemite, OS X 10.9 Mavericks, OS X 10.8 Mountain Lion, Mac OS X 10.7 Lion, Citrix XenApp 7.6		
	Linux PDF driver provided, supported OS as follows: Redhat Enterprise Linux 7 Desktop, Redhat Enterprise Linux 6 Desktop, SUSE Linux Enterprise Desktop 12, SUSE Linux Enterprise Desktop 11, Ubuntu 14.04 LTS, Ubuntu 12.04 LTS, Ubuntu 10.04 LTS		
Input Paper Size*	Standard Tray	Monar 、十六開(PR	etter/Legal/Folio/Executive/COM10, ch, DL, C5, 十六開(Taiwan) C), Postcard(4x6), Postcard(5x7), '6.2 to 215.9mm, Length: 148 to 355.6mm)
	MSI	Width: 76.2 to 215.9mm (3" to 8.5") Length: 127 to 355.6mm (5" to 14")	
	Optional Width: 76.2 to 215.9mm (3" to 8.5")		
T . D . W L.	550-sheet Feeder	Length: 19	0.5 to 355.6mm (7.5" to 14")
Input Paper Weight (All trays)	60 to 220gsm		
Media Input Capacity	Bypass Tray: 50 Sheets; Standard Feeder: 250 sheets; Optional Feeder: 550 sheets; Maximum: 850 Sheets		
Media Output Capacity	150 sheets face-down		
Dimensions (WxDxH)	420 x 480	x 347 mm	420 x 503 x 500 mm
Weight (without toner cartridges)	23.7kg		30.2kg
Power Support*			0Hz ±3Hz, 60Hz ±3Hz ; 50Hz ±3Hz, 60Hz ±3Hz
Power Consumption*	(220v) Max 1,320 w or less Low 15 w or less Sleep 1.2w or less	(110v) Max 1,210w or less] Low 15 w or less Sleep 1.2w or less	(220v/110v) Max 1,320w or less Low 23w or less Sleep 1.5w or less
Noise Levels	Stan	dby: 4 30dB(A): Duri	ng operation: 6.94dB(A)

Copy Function

Item	DocuPrint CP315 dw	DocuPrint CM315 z
Continous Copy Speed (A4)	-	28 sheets (A4) Colour, Monochrome
Copy Resolution	-	up to 600 x 600 dpi
FCOT	-	9.9 secs monochrome / 12.1 secs colour
Reduction / Enlargement	-	25% – 400%
Continuous Copy	-	Up to 99 pages
Copy Features	-	2-in-1 copy, ID card copy, 2 sided copy

Scan Function

Item	DocuPrint CP315 dw	DocuPrint CM315 z
Туре	_	CIS 1path 2sided scan
Scan Speed	-	Monochrome: 33 ipm, Colour: 14ipm (Simplex, A4 size, Colour 200dpi, from ADF)
Maximum Scanning Guarantee Area	-	Platen: 216mm x 297mm ADF: 215.9mm x 356mm
Scan Optical Resolution	_	Up to 600 x 600 dpi
Scan Destinations	-	Scan to Email, Scan to Network (FTP/SMB), Scan to USB Memory Scan to PC

Fax Function

Item	DocuPrint CP315 dw	DocuPrint CM315 z
Memory Capacity	-	4MB
Fax Resolution	-	Up to 400 x 400 dpi
Tranmission Mode	-	ITU-T Super G3/ G3 ECM/G3
Address book	-	120
Fax Features	-	Transmit: PC DirectFAX, Broadcast, Delay/Schedule, Forward Receive: Secure, Remote, Polling, Fax Forward to email

Accessories

Item	DocuPrint CP315 dw DocuPrint CM315 z	
550-sheet feeder	EL500292	
Cabinet	EL500294	

Consumables*

Item	DocuPrint CP315 dw	DocuPrint CM315 z
Black Toner (up to 3,000 pages)	CT202606	
Cyan Toner (up to 3,000 pages)	CT202607	
Magenta Toner (up to 3,000 pages)	CT202608	
Yellow Toner (up to 3,000 pages)	CT202609	
High-capacity Black Toner (up to 6,000 pages)	CT202610	
High-capacity Cyan Toner (up to 6,000 pages)	CT202611	
High-capacity Magenta Toner (up to 6,000 pages)	CT202612	
High-capacity Yellow Toner (up to 6,000 pages)	CT202613	
Drum Black (up to 50,000 pages)	CT351100	
Drum Cyan (up to 50,000 pages)	CT351101	
Drum Magenta (up to 50,000 pages)	CT351102	
Drum Yellow (up to 50,000 pages)	CT351103	
Waste Toner Cartridge (up to 30,000 pages)	EL500293	

^{*}Declared yield in accordance with ISO / IEC 19798 / 24712. Yield may vary depending on image, area, coverage and print mode (job length, media size, media type and orientation). Printer is shipped with one set of starter toner cartridge with average yield of 3,000 pages and up to 50,000 pages for drum cartridges.

Other company names or product names are registered trademarks or trademarks of each company. 'Wi-Fi Direct' is a mark [or a registered mark] of the Wi-Fi Alliance, AirPrint and the AirPrint logo are trademarks of Apple Inc. Google Cloud Print is a trademark of Google Inc.

 $The \ available \ model \ varies \ depending \ on \ the \ country/region. \ Please \ ask \ the \ sales \ representatives \ for \ details.$

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law:

Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.





For Your Safety

Before using the product, read the Instruction Manual carefully

for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

สำหรับท่านที่สนใจ หรือต้องการข้อมูลเพิ่มเติมกรุณาติดต่อ

บริษัท ฟูจิ ซีร็อกซ์ (ประเทศไทย) จำกัด

123 อาคารซันทาวเวอร์ เอ เชั้น 23-26 ถนนวิภาวดีรังสิต จอมพล จตุจักร กรุงเทพฯ 10900 โทร: 02-660-8000 แฟกซ์: 02-617-6748-9

Call Center: 02-660-8400

Fuji Xerox (Thailand) Co., Ltd.

123 Suntowers A Building, 23rd-26th Floor, Vibhavadi-Rangsit Road, Chomphon, Chatuchak, Bangkok 10900 Tel: 02-660-8000 Fax: 02-617-6748-9

Call Center: 02-660-8400

https://www.fujixerox.co.th/

FUJI Xerox