HP LaserJet MFP M42623 series



Count on legendary HP performance and reliability at an affordable price.

Surpass your office printer expectations with the speed, quality, and efficiency of HP LaserJet office printers.



HP LaserJet MFP M42623n



HP LaserJet MFP M42623dn

A printer to handle your printing volume needs

- Simplify workflows with automatic paper-handling solutions, efficient scan solutions, and copying.^{1,2}
- Conserve resources with automatic two-sided printing—consume up to 50% less paper.
- Capture both sides of the page with ease, using an optional 100-sheet reversing automatic document feeder.²
- Launch tasks at the device—streamline copying; capture a two-sided ID; and darken, enlarge, or reduce images.

Reliable and productive


- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.³
- Easily set up, print, and share printing resources with built-in Ethernet networking.

Get great value from your office printer


- Help maximize value and minimize budget impact with an attractive purchase price and affordable running costs.
- Help save budget and put affordable MFP performance to work for your business.
- Help protect your investment and get affordable running costs, using Original HP toner cartridges.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at http://www.hp.com/go/learnaboutsupplies

Product walkaround



Series at a glance



¹ Automatic duplex printing is available on the HP LaserJet MFP M42623dn model only. The HP LaserJet MFP M42623n model offers manual duplex printing and copying. Automatic duplex copying is available on both models with the optional ADF; please purchase separately.

² The optional 250-sheet paper tray is a service part that requires a Care Pack installation.

³ Reversing automatic document feeder requires a separate purchase and Care Pack installation.

⁴ Measured using ISO/IEC 24734 and excludes the first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

⁵ All Laser Jet Pro, Enterprise, Managed, and PageWide products with introductions beginning in September 2019 will include consistent worldwide default duplex settings (across bundles/drivers); product introductions before September 2019 may have inconsistent default duplex settings across drivers

⁶ Scan speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁷ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies. Ships with one HP Original Black LaserJet Introductory Toner cartridge (yield ~4,000 pages) and one HP Original Imaging Drum (yield ~80,000 pages).

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information, about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Top features

8AF49A HP LaserJet MFP M42623n **8AF50A** HP LaserJet MFP M42623dn

Accessories

XOR64A HP LaserJet 250-sheet Media Tray

XOR65A HP LaserJet 100-sheet Reverse Automatic Document Feeder

Supplies

CF257A HP 57A Original LaserJet Imaging Drum (80,000 pages)
 W1336A HP 336A Black Original LaserJet Toner Cartridge (7,400 pages)
 W1336X HIgh Yield Black Original LaserJet Toner Cartridge (13,700 pages)

HP Care Packs

U9JT4E HP 3 year Next Business Day w/DMR Service
U9JT5E HP 4 year Next Business Day w/DMR Service
U9JT6E HP 5 year Next Business Day w/DMR Service
U9JT7E HP 3 year 4 hour 9x5 w/DMR Service
U9JT8E HP 4 year 4 hour 9x5 w/DMR Service
U9JT9E HP 5 year 4 hour 9x5 w/DMR Service

U9JU3PE HP 1 year Post Warranty Next Business Day w/DMR Service
U9JU4PE HP 1 year Post Warranty 4 hour 9x5 w/DMR Service

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP

Care Pack, go to hp.com/go/cpc

Dano

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc









HP LaserJet MFP M42623 series

	MI P M42023 Selles	
Model	HP LaserJet MFP M42623n	HP LaserJet MFP M42623dn
Product number	8AF49A	8AF50A
Functions	Print, Copy, Scan	
Print Duplex print options		Automatic (standard)
Print speed	Black (A4, normal): Up to 23 ppm; Black (letter, normal): Up to 23 ppm Black (A3, normal): Up to 12 ppm; Black (letter, normal): Up to 12 ppm	Black (A4, normal): Up to 23 ppm; Black (letter, normal): Up to 23 ppm; Black (A4, duplex): Up to 12 ppm; Black (letter, duplex): Up to 12 ppm; Black (letter, duplex): Up to 12 ppm; Black (A3, normal): Up to 12 ppm; Black (letter, normal): Up to 12 ppm; Black (letter, duplex): Up to 8 ppm; Black (letter, duplex): Up to 12 ppm; Black (letter, d
First page out	Black (A4, ready): As fast as 8.1 sec; Black (A4, sleep): As fast as 22.0 sec	
Print technology	Laser	
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi	
Number of Print Cartridge models	2 (black)	
Standard print languages	PCL6, PS	
Printer management Scan	HP Web Jetadmin	
Scan technology	Type: Flatbed, ADF (Optional); Technology: Digital-CMOS Image Sensors (D-CIS)	
Scan speed	Normal (A4): Up to 33 ipm(b&w):	
Scan resolution	Enhanced: Up to 4800 × 4800 dpi; Hardware: Up to 600 × 600 dpi; Optical: Up to 600 dpi	
Digital sending	Scan to E-mail; Send to FTP; Send to SMB; Local Address Book; SMTP over SSL/TLS	
standard features		
Color scanning	Yes Flatbed: 297 x 432 mm: ADF: Optional ADF: 297 x 432 mm	
Scan Size	PDF, JPEG, TIFF	
Scan file format Copy	רטר, זרבט, וורר	
Copier smart software features	ID Copy, Book Copy, N-UP, Reduce/Enlarge	
First copy out	Black (A4): As fast as 7.5 sec; Black (A4, sleep): As fast as 22.0 sec; Black (letter): As fast as 7.5 sec; Black (letter, sleep): As fast as 22.0 sec	
Max no of copies	Up to 999 copies	
Copier resize	25 to 400%	
Copier settings	600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Reduce/Enlarge scaling: 25 to 400%; Copy qty settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark	
Connectivity	Collation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up	
Standard connectivity	Hi-Speed USB 2.0 Device, Ethernet 10/100 Base TX	
Wireless capability	No	
Network capabilities	Standard (build-in 10/100 Base TX Ethernet)	
Memory	Standard: 256 MB	Standard: 512 MB
Processor speed	600 MHz	
Duty cycle (monthly) ⁴	Up to 50,000 pages per month; Recommended monthly page volume⁵: 2000 to 5000	
Paper handling Input	Tray 1: 100 sheet, Tray 2: 250 sheet	
Output	Tup 1: Food sheets	
Media types	Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycled, Intermediate, Letterhead, Prepunched	
Media weight	Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²; Optional Tray 3: 60 to 110 g/m²	
Media Sizes Custom	Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm; Tray 3: 148 x 210 to 2	97 x 432 mm
Dimensions (w x d x h)	560 x 540 x 417 mm	
Weight	25 kg (includes supplies)	25.4 kg (includes supplies)
What's in the box1	Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP Scan to PC Lite	
Software included Warranty features	One-year, on-site limited warranty	
	one year, on site timited warranty	
JVJIPHIS		
Systems Compatible operating systems ⁷	Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), F. G., 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, penSUSE: 112, 11.4, 12.1, 121, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, [.2, 12.3, 13.1, 13.2, 42.1, Ubuntu : 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10,
Compatible operating	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 121	Jebian : 6, 7, 8, 9, Linux Mint : 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see
Compatible operating systems ⁷ Minimum system	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, L PC:CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wire microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configure	2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, bebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux
Compatible operating systems ⁷ Minimum system requirements	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, ENCIOPEROM or DVD drive, or Internet connection; dedicated USB or network connection or Wire microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configura Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Valover SSL/TLS, IPsec, SMMPv3 49 Scalable Fonts / 1 Bitmap	2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, bebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux bible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP
Compatible operating systems? Minimum system requirements Security management Fonts and typefaces	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, 12.1 PC:CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wire microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configura Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Valover SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, 0 (4EA),OK key, menu key (2EA),mode key (2EA),function key (4EA)	2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, bebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux bible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP
Compatible operating systems? Minimum system requirements Security management Fonts and typefaces Control panel Display	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, ID PC.CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wire microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configura Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Valover SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, 0	2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, bebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux bible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP
Compatible operating systems 7 Minimum system requirements Security management Fonts and typefaces Control panel Display ENERGY STAR	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, 12.1 PC:CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wire microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configura Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Valover SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, 0 (4EA),OK key, menu key (2EA),mode key (2EA),function key (4EA)	2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, bebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux bible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP
Compatible operating systems? Minimum system requirements Security management Fonts and typefaces Control panel Display ENERGY STAR Qualified	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 (16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, EPCCD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wire microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configure Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Valover SSL/TLS, IPsec, SMMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, 0 (4EA), OK key, menu key (2EA), mode key (2EA), function key (4EA) No Power supply type: Built-in Universal Power supply; Power supply required: AC 220 - 240V: 50, 0330 kWh/Week (22PPM: 0.310 kWh/Week 23PPM: 0.330 kWh/Week 24PPM: 0.350 kWh/Week	2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, bebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux bible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP
Compatible operating systems 7 Minimum system requirements Security management Fonts and typefaces Control panel Display ENERGY STAR	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 (16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, 12.1 (16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, 12.1 (16.04, 16.10). The Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configura Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Valover SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, 0 (4EA), OK key, menu key (2EA), mode key (2EA), function key (4EA) 4-line LCD No Power supply type: Built-in Universal Power supply; Power supply required: AC 220 - 240v: 50, 0.330 kWh/Week (22PPM: 0.310 kWh/Week 23PPM: 0.330 kWh/Week 24PPM: 0.350 kWh/Wee 7 watts (Sleep), 0.2 watts (Off): Typical Electricity Consumption number ⁶ : 1.000 kWh/Week Acoustic power emissions: 6.6 B(A) (printing at 23 ppm); Acoustic power emissions (ready): Institute of the country	12, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, lebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux lible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP range 1EA), power key, start key, stop key, cancel key, reset key, numerical key (12EA), Navi. Key (160Hz, Normal Operation 550W, Ready 80W, Max/Peak 1.1 kWh, Sleep/Power Off 1W/0.2W, TEC ek 25ppm: 0.370 kWh/Week); Power consumption ² : 560 watts (Active Printing), 80 watts (Ready)
Compatible operating systems? Minimum system requirements Security management Fonts and typefaces Control panel Display ENERGY STAR Qualified Power Acoustics	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 (16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, 12, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, 12, 12.1 (16.04, 16.10, 17.04), 17.0 (17.04), 18.0 (18.04) (19.04) (2, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, lebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For 0S hardware requirements see D space 1 GB (2 GB) for Linux lible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP range 1EA), power key, start key, stop key, cancel key, reset key, numerical key (12EA), Navi. Key range 1EA), power key, start key, stop key, cancel key, reset key, numerical key (12EA), Navi. Key 660Hz, Normal Operation 550W, Ready 80W, Max/Peak 1.1 kWh, Sleep/Power Off 1W/0.2W, TEC ek 25ppm: 0.370 kWh/Week); Power consumption ² : 560 watts (Active Printing), 80 watts (Ready) utdible; Acoustic pressure emissions bystander (active, printing): 51 dB(A); Acoustic pressure
Compatible operating systems 7 Minimum system requirements Security management Fonts and typefaces Control panel Display ENERGY STAR Qualified Power	5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, openSUSE: 112, 11.4, 12.1, 12.1 (16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux Enterprise Desktop: 10, 11, 12, IPCCD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or wire microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2) / RAM 512 MB (1 GB) / Free HD Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configura Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Valover SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, 0 (4EA),0K key, menu key (2EA),mode key (2EA),function key (4EA) 4-line LCD No Power supply type: Built-in Universal Power supply; Power supply required: AC 220 - 240V: 50, 0330 kWh/Week (22PPM: 0.310 kWh/Week 23PPM: 0.330 kWh/Week 24PPM: 0.350 kWh/Week Acoustic power emissions: 6.6 B(A) (printing at 23 ppm); Acoustic power emissions (ready): Inaudieous Operating temperature range: 10 to 30°C; Recommended operating temperature: 10 to 30°C;	12, 12.3, 13.1, 13.2, 42.1, Ubuntu: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, lebian: 6, 7, 8, 9, Linux Mint: 15, 16, 17, 18 less connection; 200 MB available hard disk space; (For OS hardware requirements see D space 1 GB (2 GB) for Linux lible login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key dation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP arange 1EA), power key, start key, stop key, cancel key, reset key, numerical key (12EA), Navi. Key arange 1EA), power key, start key, stop key, cancel key, reset key, numerical key (12EA), Navi. Key (60Hz, Normal Operation 550W, Ready 80W, Max/Peak 1.1 kWh, Sleep/Power Off 1W/0.2W, TEC ek 25ppm: 0.370 kWh/Week); Power consumption: 550 watts (Active Printing), 80 watts (Ready) audible; Acoustic pressure emissions bystander (active, printing): 51 dB(A); Acoustic pressure Operating humidity range: 20 to 80% RH; Recommended operating humidity range: 20 to 80% RH (10 +A12:2011 +A2:2013 (EU), IEC 60825-1:2014, EN60825-1:2014 (Class 1 Laser/LED Device), Low

Footnotes

- ¹ Automatic two-sided printing is standard on the HP LaserJet MFP M42523dn and M42625dn only.
- ² Reversing automatic document feeder requires a separate purchase for the HP LaserJet MFP M42523dn and M42625dn. Installation from HP Authorized service provider only.
- 3 Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M42523 and M42625. HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/ webjetadmin

Technical specifications disclaimers

- 1 Ships with One HP Original Black LaserJet Introductory Toner cartridge (yield ~4,000 pages), One HP Original Imaging Drum (yield ~80,000 pages). Declared yield value in accordance with ISO/IEC 19752 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: http://www.hp.com/go/learnaboutsupplies

 2 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on
- ³ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
- Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 5 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 230V for Blue Angel.
- 7 Windows 7 or higher



