

TRACK LINK

No.	Description	Model
1	LINK A'SSY 40L	BD2F
2	LINK A'SSY 51L	CAT215,D4 5/8"
3	LINK A'SSY 38L	CAT306,BD2F
4	LINK A'SSY 44L	CAT315,CAT320
5	LINK A'SSY 45L	CAT320,SH200,CAT322
6	LINK A'SSY 45L	CAT325,SK220
7	LINK A'SSY 45L	CAT330,SK330
8	LINK A'SSY 45L	CAT336,CAT330
9	LINK A'SSY 51L	CAT350
10	LINK A'SSY 43L	E120,SK140,CAT311
11	LINK A'SSY 46L	E300B,PC300-3
12	LINK A'SSY 39L	D3
13	LINK A'SSY 40L 5/8"	D4,CAT215
14	LINK A'SSY 40L 9/16"	D4
15	LINK A'SSY 46L 5/8"	D5
16	LINK A'SSY 36L	D6C
17	LINK A'SSY 38L	D7G,D80,D85,D85A-E12
18	LINK A'SSY 38L	D50
19	LINK A'SSY 48L	D60-6
20	LINK A'SSY 46L	EC210,PC200-5
21	LINK A'SSY 50L	EC360,SE350,PC400-1
22	LINK A'SSY 37L	EX60
23	LINK A'SSY 46L	EX200-5
24	LINK A'SSY 47L	EX300,PC300-3
25	LINK A'SSY 45L	FURUKAWA HCR9
26	LINK A'SSY 48L	HD700
27	LINK A'SSY 48L	K907,LS2800
28	LINK A'SSY 43L	YANMAR
29	LINK A'SSY 43L	PC20-6
30	SHOE/STEEL TRACK ASS'Y 43L	PC20 โช้พร้อมแผ่น


TRACK LINK

No.	Description	Model
31	LINK A'SSY 38L	PC40-1>6
32	LINK A'SSY 38L	PC40-7
33	LINK A'SSY 38L	PC60-6
34	LINK A'SSY 39L	PC75UU,PC60-6
35	LINK A'SSY 38L	PC90,PC120-5
36	LINK A'SSY 46L	PC120-3
37	LINK A'SSY 42L	PC120-5
38	LINK A'SSY 43L	PC130-8,PC120-5
39	LINK A'SSY 44L	PC160-8,PC200-8
40	LINK A'SSY 45L	PC200-3,ZX200-1
41	LINK A'SSY 45L	PC200-5,ZX200-3
42	LINK A'SSY 48L	PC300-3,D65E-12,E300B,EL300
43	LINK A'SSY 48L	PC300-5,SK400-2
44	LINK A'SSY 48L	PC300-6LC,ZX350,DX340
45	LINK A'SSY 49L	PC380,PC400-6,EC480
46	LINK A'SSY 49L	PC400-5,SE450,ZX450,ZX470,DX480
47	LINK A'SSY 46L	PC400-6
48	LINK A'SSY 46L	PC450-6,PC450-7,PC400-6
49	LINK A'SSY 46L	DX140
50	LINK A'SSY 49L	DX200,DX225
51	LINK A'SSY 48L	DX340
52	LINK A'SSY 53L	DX480,DX500
53	LINK A'SSY 54L	SE210LC,D6B
54	LINK A'SSY 52L	SE450LC
55	LINK A'SSY 51L	SH220,CAT320
56	LINK A'SSY 45L	SH350-5,PC400-5
57	LINK A'SSY 39L	SK60,PC60-6
58	LINK A'SSY 43L	SK120
59	LINK A'SSY 46L	SK140,E120,EC140
60	LINK A'SSY 46L	SK200-V

TRACK LINK

No.	Description	Model
61	LINK A'SSY 46L	SK220
62	LINK A'SSY 48L	SK300
63	LINK A'SSY 45L	SK330,CAT330
64	LINK A'SSY 42L	SY135,PC120-5
65	LINK A'SSY 46L	SY215,SY205,CAT320
66	LINK A'SSY 49L	SY365,PC300-6
67	LINK A'SSY 49L	ZX200-1,PC200-3
68	LINK A'SSY 46L	ZX200-3,PC200-5
69	LINK A'SSY 45L	ZX350,EX350,PC300-6
70	LINK A'SSY 49L	ZX450,PC400-1,SE450
71	LINK A'SSY 51L	ZX800,ZX850,EX800-5

No.	Description	Model
1	LINK A'SSY 38L(LUB)	D4E
2	LINK A'SSY 40L(LUB)	D4E
3	LINK A'SSY 39L(LUB)	D4H
4	LINK A'SSY 44L(LUB)	D4H,D5C,D5G,D5K
5	LINK A'SSY 39L(LUB)	D4H-HD,D5R,D5M
6	LINK A'SSY 44L(LUB)	D4H-HD
7	LINK A'SSY 37L(LUB)	D5H
8	LINK A'SSY 46L(LUB)	D5H
9	LINK A'SSY 37L(LUB)	D5H-HD,D6M
10	LINK A'SSY 39L(LUB)	D5H-HD
11	LINK A'SSY 46L(LUB)	D5H-HD
12	LINK A'SSY 36L(LUB)	D6C
13	LINK A'SSY 39L(LUB)	D6H
14	LINK A'SSY 45L(LUB)	D6H
15	LINK A'SSY 40L(LUB)	D6H-HD,D6R
16	LINK A'SSY 51L	CAT350
17	LINK A'SSY 42L	D155-2,D135A-1,2
18	LINK A'SSY 51L(SEAL)	D355A-3,5,EX800-5,ZX800,ZX850,PC650
19	LINK A'SSY 46L(LUB)	D5B
20	LINK A'SSY 46L(LUB)	D7H,D7R
21	LINK A'SSY 45L(LUB)	D8L CR 4052
22	LINK A'SSY 41L	D85 20 MM.
23	LINK A'SSY 47L	FL4
24	LINK A'SSY 42L	D2,CAT933C 42L
25	LINK A'SSY 49L	LIEBHERR RH9,R934



UNDERCARRIAGE

TRACK LINK & SHOE

TRACK LINK :

Our chains are hardened for long life and excellent seal-ability. They (for all crawlers and excavators) are forged with medium carbon steel that allow deeper heat treating. It assists to keep the pins and bushings from loosening even in severe applications.

OEM Quality and reliable

Available for all popular brands of Bulldozers, Crawler Loaders and Hydraulic Excavators etc.

>>Guaranteed Heat Treatment

>>Optimum Purchased Parts

>>High Quality Control

TRACK SHOES :

We will support you with track shoes available several styles and a range of widths.

Standard shoes provide good penetration and traction. Extreme service shoes provide longer wear life in high impact and abrasive conditions.

They are tough and durable enough to survive continuous contact with the ground.

MINI EXCAVATOR'S PARTS :

We supply the full range of Mini-Excavator's undercarriage spare parts.

They are worth to all kinds of working conditions.

