

NAME
Q886
ZINC
gms
100
F&S
F&S
C.O.
26W0
PROF
APPEAR
COLOUR
ODOURS
PRESERV
ANTIOXI

SPECIFIC
REFRACT

STORAGE
SHELF L
REMARK

NY
0886
ZNY
gnd
RSC
File:
Hib
C.
T26W0
I N I T I A L S :
A N G E L S :
S : D.
: A T I V E S
D A N T S :

' G R A V I T
I V E I N D I

E :
I F E :
.

№ 0886
Zin 1-
gda 0
580
RD
C.
T26W0
a1179
249
D.

.

Y(20°C) :

EX(20°C) :

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
Z101-
gnd
2580
UT
Hib
C.
T26W0
CONF
FL
FL
D
ORL
CONFOR
NONE
NONE

0.8865 ~ ()
1.36843 ~

KEEP IN
36 MONT
THIS PRC

NY
0886
ZIN
gnd
F580
SPE
H66
C.
T26W0
AVOLR W
ND24MPII
ES D.
M TO STA

.9065
1.38843

COOL ANI
HS.
DUCT IS

NY
0886
ZIN
gnd
F580
SPE
H66
C.
T26W0
AVOLR W
ND24MPII
ES D.
M TO STA

.9065
1.38843

COOL ANI
HS.
DUCT IS

NY
0886
ZIN
gnd
F580
SPE
H66
C.
T26W0
AVOLR W
ND24MPII
ES D.
M TO STA

.9065
1.38843

COOL ANI
HS.
DUCT IS

NY
0886
ZIN
gnd
F580
SPE
H66
C.
T26W0
AVOLR W
ND24MPII
ES D.
M TO STA

.9065
1.38843

COOL ANI
HS.
DUCT IS

NY
0886
ZIN
gnd
F580
SPE
H66
C.
T26W0
AVOLR W
ND24MPII
ES D.
M TO STA

.9065
1.38843

COOL ANI
HS.
DUCT IS

NY
0886
ZIN
gnd
F580
SPE
H66
C.
T26W0
AVOLR W
ND24MPII
ES D.
M TO STA

.9065
1.38843

COOL ANI
HS.
DUCT IS

NY
0886
ZNY
gnd
1550
CFL
Hrb
C.
T6W0
T694-3
JL9UID
D.
NDARD

D DRY PL
MANUFA

NY
0886
ZNY
gnd
1550
CFL
Hrb
C.
T6W0
T694-3
JL9UID
D.
NDARD

D DRY PL
MANUFA

NY
0886
ZNY
gnd
1550
CFL
Hrb
C.
T6W0
T694-3
JL9UID
D.
NDARD

D DRY PL
MANUFA

NY
0886
ZNY
gnd
1550
CFL
Hrb
C.
T6W0
T694-3
JL9UID
D.
NDARD

D DRY PL
MANUFA

NY
0886
ZNY
gnd
1550
CFL
Hrb
C.
T6W0
T694-3
JL9UID
D.
NDARD

D DRY PL
MANUFA

NY
0886
Zin
g
1950
CAT
1950
1956
C.
126W
a
19
24
D.

ACE CON
TURED

NY
0886
Zin
g
1950
CAT
1950
1956
C.
126W
a
19
24
D.

ACE CON
TURED

NY
0886
Zin
g
1950
CAT
1950
1956
C.
126W
a
19
24
D.

ACE CON
TURED

NY
0886
Zin
g
1950
CAT
1950
1956
C.
126W
a
19
24
D.

ACE CON
TURED

NY
0886
Zin
g
1950
CAT
1950
1956
C.
126W
a
19
24
D.

ACE CON
TURED

NY
0886
Zin
g
1950
ION
C.
126W
a
179
249
D.

DITIONS.
IN TAIWAN.

NY
0886
Zin
g
1950
ION
C.
126W
a
179
249
D.

DITIONS.
IN TAIWAN.

NY
0886
Zin
gnd
R60
Fik:
Hab
C.
Z6W0
a119
249
D.