


## Components & Accessories (หัวข้อ Components & Accessories )





## Components & Accessories

JBS-100	JBM-100	T-100	E-100		
Power connection for 1 heater	Power connection for up to 3 heaters, splice or tee	T-connection	End-seal with leashed cap, re- enterable, easy system testing		
Captive screws in lid					
Reliable, vibration-proof spring type terminals		Insulated crimp connections			
Installs fast, and without special tools		Installs fast, with crimp tool			
Integrated pipe stand protects heating cables					
Cold applied = no hot work permit needed					
Allows up to 10cm insulation					
Approved for use in hazardous areas					



## Control & Monitoring (หัวข้อ Control & Monitoring )

	Mechanical	Mechanical Dual sensing	Electronic Field
Line sensing low/medium temperature	T-M-10-S/0+50C T-M-10-S/0+200C T-M-10-S/+50+300C	T-M-20-S/0+50C T-M-20-S/0+200C T-M-20-S/+50+300C	AT-TS-14 RAYSTAT- CONTROL-10
Line sensing High temperature			DigiTrace NGC-20
Ambient sensing	T-M-10-S/0+50C		AT-TS-13
PASC			RAYSTAT-ECO-10 DigiTrace NGC-20
Multi circuit control			DigiTrace NGC-20

