Product Environmental Profile

Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC







08-2024 ENVPEP2310034_V2-EN


General information

Reference product	Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC - EVH5A22N400F
Description of the product	The e Resi charging station is designed to allow private persons to have a charging point dedicated to their electric vehicle. Its function unit is to allow the charging of an electrical vehicle 7 hours a day for 10 years.
Description of the range	The products of the range are: Schneider Charge ,7.4kW~11kW The environmental impacts of this reference product are representative of the impacts of the other products of the range which are developed with a similar technology.
Functional unit	Supply 1 kW to one vehicle in accordance with the reference use scenario at the charging point
Specifications are:	Charging an electrical vehicle with power 7 to 22 kW, with T2S outlet during 10 years. EN61851-1 Ed3.0 EN 61000-6-1 EN 61000-6-3 IEC 61851-21-2 IEC62955 (Meet < <minimum from="" iec62955="" requirements="">> as attached)</minimum>

Constituent materials

Reference product mass

4780 g including the product, its packaging and additional elements and accessories



Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website https://www.se.com/ww/en/work/support/green-premium/

ENVPEP2310034_V2-EN 08-2024

(19) Additional environmental information

End Of Life

Recyclability potential:

2%

The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.

Tenvironmental impacts

Reference service life time	10 years years					
Product category	Private or semi-public station - AC wallbox					
Installation elements	The product does not require any installation operations					
Use scenario	The product is in active mode 33.3% of the time with a power use of 7.8W; in stand-by mode 65.7% of the time with a power use of 4.6W and in off mode 1% of the time, for 10 years, without any special maintenance.					
Time representativeness	The collected data are representative of the year 2024					
Technological representativeness	The e Resi charging station is designed to allow private persons to have a charging point dedicated to their electric vehicle. Its function unit is to allow the charging of an electrical vehicle 7 hours a day for 10 years.					
Geographical representativeness	Europe					
	[A1 - A3]	[A5]	[B6]	[C1 - C4]		
Energy model used	China, CN	Electricity Mix; High voltage; 2018; China, CN	Electricity Mix; High voltage; 2018; China, CN	Electricity Mix; High voltage; 2018; China, CN		

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneiderelectric.com/contact

Mandatory Indicators			Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC - EVH5A22N400F					
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	6.59E+02	2.19E+02	1.72E+00	2.18E+00	4.27E+02	8.30E+00	-2.59E+00
Contribution to climate change-fossil	kg CO2 eq	6.58E+02	2.19E+02	1.72E+00	2.11E+00	4.27E+02	8.29E+00	-2.41E+00
Contribution to climate change-biogenic	kg CO2 eq	8.17E-01	6.71E-01	0*	7.40E-02	6.13E-02	1.11E-02	-1.86E-01
Contribution to climate change-land use and land use change	kg CO2 eq	3.50E-03	3.50E-03	0*	0*	0*	0*	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	3.20E-05	2.80E-05	1.52E-06	2.21E-08	2.44E-06	1.35E-08	-2.09E-07
Contribution to acidification	mol H+ eq	4.64E+00	1.42E+00	7.48E-03	6.48E-03	3.20E+00	6.94E-03	-2.16E-02
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	1.07E-03	5.66E-04	2.02E-07	4.07E-05	9.03E-05	3.78E-04	-2.43E-05
Contribution to eutrophication marine	kg N eq	5.08E-01	1.58E-01	3.44E-03	2.27E-03	3.42E-01	2.68E-03	-2.90E-03
Contribution to eutrophication, terrestrial	mol N eq	5.63E+00	1.67E+00	3.73E-02	1.72E-02	3.87E+00	2.98E-02	-2.62E-02
Contribution to photochemical ozone formation - human health	kg COVNM eq	1.72E+00	5.51E-01	1.22E-02	4.53E-03	1.14E+00	7.15E-03	-7.95E-03
Contribution to resource use, minerals and metals	kg Sb eq	2.89E-02	2.88E-02	0*	0*	5.48E-06	1.11E-05	-3.43E-04
Contribution to resource use, fossils	MJ	9.68E+03	2.67E+03	2.14E+01	6.12E+01	6.91E+03	1.27E+01	-3.98E+01
Contribution to water use	m3 eq	7.46E+01	5.45E+01	8.74E-02	3.65E-01	1.89E+01	8.27E-01	-1.16E+00

ENVPEP2310034_V2-EN 08-2024

Inventory flows Indicators			Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC - EVH5A22N400F					
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	8.19E+02	8.59E+01	0*	1.92E+00	7.31E+02	3.20E-01	4.30E+00
Contribution to use of renewable primary energy resources used as raw material	MJ	3.25E+01	3.25E+01	0*	0*	0*	0*	-2.03E+01
Contribution to total use of renewable primary energy resources	MJ	8.52E+02	1.18E+02	0*	1.92E+00	7.31E+02	3.20E-01	-1.60E+01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	9.59E+03	2.58E+03	2.14E+01	6.12E+01	6.91E+03	1.27E+01	-3.92E+01
Contribution to use of non renewable primary energy resources used as raw material	MJ	8.69E+01	8.69E+01	0*	0*	0*	0*	-6.32E-01
Contribution to total use of non-renewable primary energy resources	MJ	9.68E+03	2.67E+03	2.14E+01	6.12E+01	6.91E+03	1.27E+01	-3.98E+01
Contribution to use of secondary material	kg	2.89E-04	2.89E-04	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	1.78E+00	1.31E+00	2.03E-03	8.50E-03	4.39E-01	1.93E-02	-2.71E-02
Contribution to hazardous waste disposed	kg	4.29E+02	4.15E+02	0*	0*	1.30E+01	6.56E-01	-2.80E+01
Contribution to non hazardous waste disposed	kg	1.70E+02	9.26E+01	0*	7.48E-01	7.45E+01	2.54E+00	-1.55E+00
Contribution to radioactive waste disposed	kg	2.92E-02	2.56E-02	3.42E-04	1.00E-04	3.05E-03	9.90E-05	-7.10E-04
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	3.68E-01	6.77E-02	0*	2.35E-01	0*	6.53E-02	0.00E+00
Contribution to materials for energy recovery	kg	1.15E-07	1.15E-07	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	1.48E-01	7.54E-04	0*	8.95E-02	0*	5.83E-02	0.00E+00

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product	kg of C	0.00E+00
Contribution to biogenic carbon content of the associated	kg of C	3.87E-01

Life cycle assessment performed with EIME version v6.1, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range, ratios to apply can be provided upon request

ENVPEP2310034_V2-EN 08-2024

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number:	ENVPEP2310034_V2-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06			
Verifier accreditation N°		Supplemented by	PSR-0018-ed1-EN-2021 09 13			
Date of issue	08-2024	Information and reference documents	www.pep-ecopassport.org			
		Validity period	5 years			
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006						
Internal X External						
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (Ddemain)						
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022						

Schneider Electric Industries SAS Country Customer Care Center http://www.se.com/contact 35, rue Joseph Monier CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP2310034_V2-EN ©2024 - Schneider Electric – All rights reserved

The components of the present PEP may not be compared with components from any other program.

Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"

08-2024