

KITZ Fig: 10FWZ

Sizes: 11/2-18inch(40-450mm)

Standards

. End to End:

. End Connection:

. Wall Thickness:

Test Standard

Conform to

MLIT 40-450 mm (11/2-18 inch)
approved**Dimensions**




SIZE (inch/mm)	L	L1	H	D1	Kg	
11/2	40	54.0	0.0	126.0	55.0	0.00
11/2	40					
2	50					
2	50	56.0	0.0	140.0	70.0	0.00
2 1/2	65					
2 1/2	65	56.0	0.0	148.0	70.0	0.00
3	80	59.0	0.0	153.0	70.0	0.00
3	80					
4	100	66.0	0.0	166.0	70.0	0.00
4	100					
5	125					
5	125	72.0	0.0	180.0	70.0	0.00
6	150	78.0	0.0	214.0	80.0	0.00
8	200	96.0	0.0	241.0	80.0	0.00
10	250	109.0	0.0	289.0	90.0	0.00
12	300	145.0	0.0	315.0	90.0	0.00
14	350	184.0	0.0	328.0	90.0	0.00
16	400	191.0	0.0	355.0	90.0	0.00
18	450	204.0	0.0	386.0	90.0	0.00

Material List

NAME OF PART	MATERIAL	SPECIFICATION
BODY	CAST IRON+NBR	FC250+NBR
STEM	BRASS	C3531

Specifications

Sizes : 11/2-18inch(40-450mm), Conform to : MLIT 40-450 mm (11/2-18 inch), BODY MATERIAL : CAST IRON+NBR, STEM MATERIAL : BRASS, KITZ Fig : 10FWZ



For more details, please refer to the drawing.

Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.

KITZ CORPORATION Tokyo Shiodome Building, 1-9-1, Higashi-Shimbashi, Minato-ku, Tokyo 105-7305, Japan
© KITZ Corporation. All Right Reserved.

ISO 9001
CERTIFIED
Since 1989