## CLASS 150 CAST BRONZE, GATE VALVES

KITZ Fig: E

Sizes: 3/8-3inch(10-80mm)

SCREWED ENDS. SCREWED BONNET, INSIDE SCREW, NON RISING STEM.

Standards

End to End: KITZ STANDARDEnd Connection: JIS B0203Wall Thickness: KITZ STANDARD

Test Standard . KITZ STANDARD

## Dimensions

2 1 111 0 11 0 11 0						
SIZE(inch/	nm)	L	L1	Н	D1	Kg
3/8	10	43.0	0.0	86.0	50.0	0.00
1/2	15	48.0	0.0	96.0	55.0	0.00
3/4	20	53.0	0.0	111.0	60.0	0.00
1	25	62.0	0.0	122.0	70.0	0.00
11/4	32	69.0	0.0	141.0	80.0	0.00
11/2	40	75.0	0.0	164.0	90.0	0.00
2	50	86.0	0.0	197.0	100.0	0.00
21/2	65	105.0	0.0	225.0	115.0	0.00
3	80	116.0	0.0	261.0	135.0	0.00



NAME OF PART	MATERIAL	SPECIFICATION	
BODY	CAST BRONZE	CAC	
BONNET	FORGED BRASS	C3771	
STEM	BRASS	C3531(2)	
DISC	CAST BRONZE	CAC	



CLASS 150 CAST BRONZE, GATE VALVES, SCREWED ENDS. SCREWED


BONNET, INSIDE SCREW, NON RISING STEM.

End to End: KITZ STANDARD, End Connection: JIS B0203, Wall Tchickness: KITZ STANDARD, Test Standard: KITZ STANDARD, Sizes: 3/8-3inch(10-80mm), B0DYMATERIAL: CAST BRONZE, B0NNETMATERIAL

:FORGED BRASS, STEMMATERIAL :BRASS, DISCMATERIAL :CAST BRONZE, KITZ

Fig : E





Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.



