KITZ-ELECTRIC ACTUATORKELMO, 10K CAST STAINLESS STEEL BALL VALVES

KITZ Fig: EXH200-10UTB Sizes: 1/2-10inch(15-250mm)

ANTI-STATIC DEVICE, FULL BORE, FLANGED ENDS.

Standards

End to End: KITZ STANDARDEnd Connection: JIS B2220 10K

. Wall Thickness: ASME B16.34 CLASS 150

Test Standard
. KITZ STANDARD

Dimensions

SIZE(inc	ch/mm)	L	L1	Н	D1	Kg
1/2	15	110.0	42.0	283.0	0.0	0.00
3/4	20	120.0	47.0	286.0	0.0	0.00
1	25	130.0	50.0	293.0	0.0	0.00
11/4	32	140.0	56.0	297.0	0.0	0.00
11/2	40	165.0	67.0	332.0	0.0	0.00
2	50	180.0	74.0	339.0	0.0	0.00
21/2	65	190.0	85.0	409.5	0.0	0.00
3	80	200.0	95.0	418.5	0.0	0.00
4	100	230.0	110.0	441.5	0.0	0.00
5	125	300.0	150.0	551.0	0.0	0.00
6	150	340.0	170.0	576.0	0.0	0.00
8	200	450.0	225.0	630.0	0.0	0.00
10	250	533.0	266.5	771.0	0.0	0.00

Material List

mator rat 210t						
NAME OF PART	MATERIAL	SPECIFICATION				
BODY	STAINLESS STEEL	A351 Gr.CF8/SCS13A				
BODY CAP	STAINLESS STEEL	A351 Gr.CF8/SCS13A				
STEM	STAINLESS STEEL	304SS				
BALL	STAINLESS STEEL	304SS				


Specifications

KITZ-ELECTRIC ACTUATORKELMO, 10K CAST STAINLESS STEEL BALL VALVES, ANTI-STATIC DEVICE, FULL BORE, FLANGED ENDS.

End to End : KITZ STANDARD, End Connection : JIS B2220 10K, Wall

Tchickness: ASME B16.34 CLASS 150, Test Standard: KITZ STANDARD, Sizes: 1/2-10inch(15-250mm), BODYMATERIAL: STAINLESS STEEL, BODY CAPMATERIAL: STAINLESS STEEL, STEMMATERIAL: STAINLESS STEEL, BALLMATERIAL: STAINLESS STEEL, KITZ Fig: EXH200-10UTB





Pressure-temperature ratings and other performance data published in this catalog have been developed from our design calculation, in-house testing, field reports provided by our customers and/or published official standards or specifications. They are good only to cover typical applications as a general guideline to users of KITZ products introduced in this catalog. For any specific application, users are kindly requested to contact KITZ Corporation for technical advice, or to carry out their own study and evaluation for proving suitability of these products to such an application. Failure to follow this request could result in property damage and/or personal injury, for which we shall not be liable. Read instruction manual carefully before use.



