



- Elegant glass side panel, clear view of the drawer content, easy to find what we need, make a more comfortable living environment.



- Multi-dimensional adjustment is built-in on the panel, helping you to solve the tolerance problem in installation in the easiest way.


# SH SERIES LUXURY DRAWER

(A86 Shallow Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Spac Requirement



## The basic components



| Length       | Item no. |
|--------------|----------|
| 450 mm (18") | A86-DW18 |
| 500 mm (20") | A86-DW20 |

## Order information



Kit package



Sides



Drawer Sides



Back Fixing-brackets Left/Right




Front Fixing-brackets






Screw




Nominal Slide Length=NL      Internal Cabinet Depth=LT=NL+3



## Front section



## LW Internal cabinet width




# SH SERIES LUXURY DRAWER (A164 Mid Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Spac Requirement



## The basic components



| Length       | Item no.  |
|--------------|-----------|
| 450 mm (18") | A164-DW18 |
| 500 mm (20") | A164-DW20 |

## Order information



Kit package



Sides



Drawer Sides



Back Fixing-brackets Left/Right



Front Fixing-brackets




Screw




Rails left/right

## Installation dimensions(mm)


Nominal Slide Length=NL Internal Cabinet Depth=LT=NL+3




## Drawer installation dimensions(mm)




## Screw Positions of the Sides(mm)




## Installation Dimensions(mm)



## Drawer Back and Bottom Dimensions(mm)



KB Cabinet width  
LW Internal cabinet width  
NL Nominal length




# SH SERIES LUXURY DRAWER (A204 Pan Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Spac Requirement



## The basic components



| Length       | Item no.  |
|--------------|-----------|
| 450 mm (18") | A204-DW18 |
| 500 mm (20") | A204-DW20 |

## Order information



Kit package



Sides



Drawer Sides



Back Fixing-brackets Left/Right



Front Fixing-brackets



Screw




Rails left/right




Mid Rails left/right

## ◀ Installation dimensions(mm)


Nominal Slide Length=NL Internal Cabinet Depth=LT=NL+3




## ◀ Drawer installation dimensions(mm)




## ◀ Screw Positions of the Sides(mm)




## ◀ Installation Dimensions(mm)



## ◀ Drawer Back and Bottom Dimensions(mm)



KB Cabinet width  
LW Internal cabinet width  
NL Nominal length




# SH SERIES LUXURY DRAWER (A86 Inner Shallow Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Space Requirement



NL Nominal length


## The basic components



| Length       | Item no.    |
|--------------|-------------|
| 450 mm (18") | A86-DW18-IN |
| 500 mm (20") | A86-DW20-IN |

## Installation dimensions(mm)

Nominal Slide Length=NL Internal Cabinet Depth=LT=NL+13



## Order information



Sides Industrial Package




Drawer Sides Industrial Package



Back Fixing-brackets Left/Right  
Item no : B120086



Front Fixing-brackets Left/Right  
Item no : Q230



Front Section 1100 mm\*\*  
Item no : LB120503



Front Section set


\*\* It can be able to cut as your cabinet size \*\*

# SH SERIES LUXURY DRAWER (A164 Inner Mid Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Space Requirement



NL Nominal length


## The basic components



| Length       | Item no.     |
|--------------|--------------|
| 450 mm (18") | A164-DW18-IN |
| 500 mm (20") | A164-DW20-IN |

## Installation dimensions(mm)

Nominal Slide Length=NL Internal Cabinet Depth=LT=NL+13



## Order information



Sides Industrial Package



Drawer Sides Industrial Package



Back Fixing-brackets Left/Right  
Item no : B120164



Front Fixing-brackets Left/Right  
Item no : Q430



Front Section 1100 mm  
Item no : LB120503



Rails left/Right  
Item no : LGR1450 MX (18")  
Item no : LGR1500 MX (20")



Front Fixing-brackets  
Item no : NS130



Front Section 1100 mm\*\*  
Item no : NL120503



Front Section set


\*\* It can be able to cut as your cabinet size \*\*

# SH SERIES LUXURY DRAWER (A204 Inner Pan Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Space Requirement




## The basic components



| Length       | Item no.     |
|--------------|--------------|
| 450 mm (18") | A204-DW18-IN |
| 500 mm (20") | A204-DW20-IN |

## Installation dimensions(mm)

Nominal Slide Length=NL Internal Cabinet Depth=LT=NL+13



## Order information



Sides Industrial Package



Drawer Sides Industrial Package



Back Fixing-brackets Left/Right  
Item no : B120204




Front Fixing-brackets Left/Right  
Item no : Q530



Front Section 1100 mm\*\*  
Item no : LB120503



Rails left/Right  
Item no : LGR1450 MX (18")  
Item no : LGR1500 MX (20")



Front Fixing-brackets  
Item no : NS130



Front Section 1100 mm\*\*  
Item no : NL120503



Front Section


\*\* It can be able to cut as your cabinet size \*\*

# SH SERIES LUXURY DRAWER (A204 Pan Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Space Requirement



NL Nominal length



## Additional option with Twin Wall Metal Side Panels

| Length       | Item no.     |
|--------------|--------------|
| 450 mm (18") | A204-DW18-TW |
| 500 mm (20") | A204-DW20-TW |



Twin Wall Metal Side Panels Left/Right  
Item no : SJ120-450 (18")  
Item no : SJ120-500 (20")

## Accessories for A204-DW18-TW and A204-DW20-TW




Vertical Dividing Panels  
Item no : SG124



Connector Left/Right  
Item no : CC-HG120



Horizontal Dividing Panel 1100 mm \*\*  
Item no : HG120



Horizontal Dividing Panel with connectors L/R


\*\* It can be able to cut as your cabinet size \*\*

# SH SERIES LUXURY DRAWER (A204 Pan Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Space Requirement



NL Nominal length



## Additional option with Acrylic

| Length       | Item no.     |
|--------------|--------------|
| 450 mm (18") | A204-DW18-AC |
| 500 mm (20") | A204-DW20-AC |

12




A204 Aclip1 Left/right  
Item no : BJ204A1

13




A204 Aclip2 Left/right  
Item no : G204A2

14



Acrylic Left/right  
Item no : BJ204A3-450 (18")  
Item no : BJ204A3-500 (20")




## Accessories for Tandem Box A164 and A204



### These accessories are suitable for

- A164-DW18
- A164-DW20
- A204-DW18
- A204-DW20
- A164-DW18-AC
- A164-DW20-AC
- A204-DW18-AC
- A204-DW20-AC
- A164-DW18-IN
- A164-DW20-IN
- A204-DW18-IN
- A204-DW20-IN



### Item no. Part name

|   |                                                                                     |       |                                 |
|---|-------------------------------------------------------------------------------------|-------|---------------------------------|
| 1 |  | TC-01 | T-Connecting Clip               |
| 2 |  | CC-01 | Connecting Clip                 |
| 3 |  | LT-01 | Long Tube<br>(Length 1100 mm**) |
| 4 |  | EC-01 | End Cap                         |




\*\* It can be able to cut as your cabinet size \*\*

# SH SERIES LUXURY DRAWER (PUSH TO OPEN) (A86, A164, A204 Drawer)




- Concealed, Full Extension, Synchronized Slides
- White, Silver Grey (7088), Stainless Steel (SUS)
- Light Opening & Closing, Smooth Sliding
- Quick installation And Easy Dismantling
- Integrated 3D Front Panel Adjustment
- Dynamic Loading Capacity 40 Kg

## Spac Requirement



## The basic components



| Length       | Item no.  |
|--------------|-----------|
| 450 mm (18") | A86-PO-18 |
| 500 mm (20") | A86-PO-20 |

| Length       | Item no.   |
|--------------|------------|
| 450 mm (18") | A164-PO-18 |
| 500 mm (20") | A164-PO-20 |

| Length       | Item no.   |
|--------------|------------|
| 450 mm (18") | A204-PO-18 |
| 500 mm (20") | A204-PO-20 |

## Order information



Kit package



Sides



Drawer Sides



Back Fixing-brackets Left/Right



Front Fixing-brackets



Screw




Rails left/right




Mid Rails left/right

Nominal Slide Length=NL      Internal Cabinet Depth=LT=NL+3



Technical drawing of a 19-inch rack showing vertical dimensions and horizontal offsets for various components. The vertical axis is labeled "Nominal length NL" with values 270, 300, 350, 400, 450, 500, and 550. The horizontal axis is labeled "Cabinet edge" with values 37, 32, 224, and 32. The drawing illustrates the placement of components (represented by rectangles) and their horizontal offsets from the cabinet edge at different vertical positions.



16


LW-89

|         |
|---------|
| Back    |
| H=188mm |

16

LW-75

|                      |
|----------------------|
| Bottom               |
| Wood back<br>L=NL-5  |
| Steel back<br>L=NL-8 |




# Stainless steel cutlery organisers




- An effective way to store and separate your cutlery
- Manufactured from high quality stainless steel
- Totally modular to fit most drawer systems
- Hygienic as can be easily removed for cleaning


## Space requirement



NL Nominal length




| NL     | Item no. |
|--------|----------|
| 450 mm | TR-03-45 |
| 500 mm | TR-03-50 |




| NL     | Item no. |
|--------|----------|
| 450 mm | TR-04-45 |
| 500 mm | TR-04-50 |

# Plate carriers & rack



- A convenient space saving and versatile plate storage system
- Adjusts at the press of a button
- Accepts plates from 180–350mm diameter

## Space requirement



NL Nominal length

## Order information



| Kit package         |                       |
|---------------------|-----------------------|
| Item no.            | PL-130                |
| Set/ctn             | 1                     |
| Accept Plates       | 180-335mm - diameter  |
| Plates height-max   | 147 mm                |
| Rack height-overall | 171 mm                |
| Material            | ABS + Stainless Steel |





**Excellence • Innovative**

### 728 Full extension synchronize undermount slides

- Innovative technology, real full extension synchronize undermount slides.
- Silent and Smooth design by excellent workmanship.
- Easy, smooth and silent drawer system.
- Longer product life.

### 728 Full extension synchronize undermount slides

**Best Experience • Quick Installation**

- equipped with quick installation and disassemble of the 3D handle
- Tool-free adjustment drawer panel
- Three-dimensional, six-way adjustment




# 728CFH Synchronized Full Extension Soft Close Concealed Undermount slide With 3D Locking Brackets




- Synchronized more light, more silent , more smooth, self & soft close system
- Quick and easy assembling and dismantle the drawer
- Height adjustment 0~+3mm
- ✱ Side adjustment  $\pm 1.5\text{mm}$
- Depth (In and Out) adjustment 0~+3mm
- Loading capacity 40KG

## Space requirement




## Basic components




#9-2



#10-2




Height adjustment 0~+3mm



✱ Side adjustment  $\pm 1.5\text{mm}$

✱ Side adjustment  $\pm 1.5\text{mm}$  ,provided that the width of the drawer is within tolerance.



Depth (In and Out) adjustment 0~+3mm

## Ordering information



Runners Left/Right



Locking Brackets #10-2 Left/Right for 18", 20"



Locking Brackets #9-2 Left/Right for 12", 14", 16"


| Length       | Item no.         |
|--------------|------------------|
| 300 mm (12") | F - US 12 - PLUS |
| 350 mm (14") | F - US 14 - PLUS |
| 400 mm (16") | F - US 16 - PLUS |
| 450 mm (18") | F - US 18 - PLUS |
| 500 mm (20") | F - US 20 - PLUS |

# 720CF Synchronized Full Extension Push To Open Concealed Undermount slide With 3D Locking Brackets




- Synchronized more light, more silent, more smooth, push to open system
- Quick and easy assembling and dismantle the drawer
- Height adjustment 0~+3mm
- ✱ Side adjustment  $\pm 1.5\text{mm}$
- Depth (In and Out) adjustment 0~+3mm
- Loading capacity 40KG

## Space requirement



## Basic components



## Ordering information




Runners Left/Right




Locking Brackets #10-2 Left/Right for 18", 20"


| Length       | Item no.         |
|--------------|------------------|
| 300 mm (12") | F - PO 12 - PLUS |
| 350 mm (14") | F - PO 14 - PLUS |
| 400 mm (16") | F - PO 16 - PLUS |
| 450 mm (18") | F - PO 18 - PLUS |
| 500 mm (20") | F - PO 20 - PLUS |



Height adjustment 0~+3mm



✱ Side adjustment  $\pm 1.5\text{mm}$




Depth (In and Out) adjustment 0~+3mm


✱ Side adjustment  $\pm 1.5\text{mm}$ , provided that the width of the drawer is within tolerance.

## Installation Dimensions (mm)


Installation for drawer with max 16mm thick drawer side  
 LW=Internal Cabinet Width SKW=Internal drawer Width



Installation for drawer with max 19mm thick drawer side  
 LW=Internal Cabinet Width SKW=Internal drawer Width




## Installation Dimensions (mm)




## Drawer Dimensions (mm)

SKL Drawer length  
 LT Inside cabinet length (min.)



## Drawer box specification (mm)





## **Wellplus Fitting**

*Wellplus Soft Close Hinges Series*

*Perfected Movement For Global Furniture*

- > **Smooth opening and close, perfect motion, shiny aesthetic appearance**
- > **Multi-functional adjustment, quick-assembly and dismantling : various style for customer choice**




**SGS**



### < Product description


- \* Opening angle 110°
- \* Diameter of hinge cup : 35mm
- \* Cup depth : 11.5mm
- \* Drilling distance on the door : 3-6mm
- \* Range of door thickness: 15-25mm
- \* Door adjustment
  - Height adjustment +1.5-1.5mm
  - Side adjustment +5mm
  - Depth adjustment +2.5mm

Three-dimensional adjustment





### Fix Lock Germany Technology System

Right/left adjustment of door





+5MM



Conventional depth adjustment





+2.5MM



Conventional up/down adjustment



+1.5-1.5MM



| Type         | Item no.   |
|--------------|------------|
| Full overlay | F-HIN02-3D |



| Type         | Item no.   |
|--------------|------------|
| Half overlay | H-HIN02-3D |



| Type          | Item no.   |
|---------------|------------|
| Inset overlay | I-HIN02-3D |


SGS




### < Product description

- \* Opening angle 110°
- \* Diameter of hinge cup : 35mm
- \* Cup depth : 11.5mm
- \* Drilling distance on the door : 3-6mm
- \* Range of door thickness: 15-25mm
- \* Door adjustment
  - Height adjustment +1.5-1.5mm
  - Side adjustment +5mm
  - Depth adjustment +2.5mm



Three-dimensional adjustment




Right/left adjustment of door





+5MM



Conventional depth adjustment





+2.5MM



Conventional up/down adjustment



+1.5-1.5MM



| Type         | Item no.   |
|--------------|------------|
| Full overlay | F-HIN03-3D |


| Type         | Item no.   |
|--------------|------------|
| Half overlay | H-HIN03-3D |

| Type          | Item no.   |
|---------------|------------|
| Inset overlay | I-HIN03-3D |




### product description


- Open angle: 110°
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling distances on the door(k): 3~6mm
- Range of door thickness: 15~25mm
- Door adjustment:
  - Height adjustment +2mm -2mm
  - Side adjustment +2mm -2mm
  - Depth adjustment +3mm -2mm



Minimum Gap




Minimum Reveal




Hinge & Door Protrusion




$H=11+K-D$   
Crank 0



$H=1.5+K-D$   
Crank 9.5



$H=-7+K+F$   
Crank 18



Overlay: D

| D   | K=3 | 4  | 5  | 6  |
|-----|-----|----|----|----|
| H=0 | 14  | 15 | 16 | 17 |
| 2   | 12  | 13 | 14 | 15 |
| 4   | 10  | 11 | 12 | 13 |

Overlay: D

| D   | K=3 | 4   | 5   | 6   |
|-----|-----|-----|-----|-----|
| H=0 | 4.5 | 5.5 | 6.5 | 7.5 |
| 2   | 2.5 | 3.5 | 4.5 | 5.5 |
| 4   | 0.5 | 1.5 | 2.5 | 3.5 |

Reveal: F

| D   | K=3 | 4 | 5 | 6 |
|-----|-----|---|---|---|
| H=0 | 4   | 3 | 2 | 1 |
| 2   | 6   | 5 | 4 | 3 |
| 4   | 8   | 7 | 6 | 5 |

- Formula and the parameters in the table above is based on the left and right adjustment (adjustment) side screw in the middle position, plus or minus 2 mm can be adjusted.

| Type         | Item no. |
|--------------|----------|
| Full overlay | F-HIN01  |

| Type         | Item no. |
|--------------|----------|
| Half overlay | H-HIN01  |




| Type          | Item no. |
|---------------|----------|
| Inset overlay | I-HIN01  |

SGS




**product description**

- Special Angled Hinge Series—for folding doors
- Open angle: 25° – 110°
- Diameter of hinge cup: φ 35mm
- Cup depth: 11.5mm
- Drilling distances on the door(k): 3~6mm
- Range of glassdoor thickness: 15~25mm
- applied with 165° Hinge
- Door adjustment:
  - Height adjustment +2mm –2mm
  - Side adjustment +2mm –2mm
  - Depth adjustment +2.5mm –2.5mm
  - Tolerance +6mm –6mm



| Type         | Item no.    |
|--------------|-------------|
| Full overlay | F-HIN04-135 |

**SGS**


### product description


- Open angle: 165°
- Diameter of hinge cup: 35mm
- Cup depth: 12mm
- Face Panel (K) measurement K: 3~7mm
- Recommended Door thickness: 16~26mm
- Opening angle adjustable: 130° ~165°

Door adjustment:

Height adjustment +2mm -2mm


Side adjustment +2mm -2mm

Depth adjustment +3mm -2.5mm




● Use the formulas below to decide the overlay for hinge.

- H= height of mounting plate
- K= drilling distance from the edge of door to the edge of the hole
- D= required door overlay
- A= gap between door and side panel
- L= gap between door and carcass
- T= door thickness



### Full overlay




### D: Coverage calculation table

| H \ D \ K | 3  | 4  | 5  | 6  | 7  |
|-----------|----|----|----|----|----|
| 0         | 16 | 17 | 18 | 19 | 20 |
| 2         | 14 | 15 | 16 | 17 | 18 |
| 4         | 12 | 13 | 14 | 15 | 16 |

### Fmin

| T     | 16  | 17  | 18  | 19  | 20  | 21  | 22  | 23  | 24  | 25  | 26  |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| K=3 F | 0.0 | 0.0 | 0.0 | 0.1 | 0.4 | 1.4 | 2.4 | 3.4 | 4.4 | 5.4 | 6.4 |
| K=4 F | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.8 | 1.7 | 2.6 | 3.6 | 4.5 | 5.5 |
| K=5 F | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.5 | 1.2 | 2.0 | 2.9 | 3.8 | 4.8 |
| K=6 F | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.5 | 0.9 | 1.6 | 2.4 | 3.2 | 4.1 |
| K=7 F | 0.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.4 | 0.8 | 1.3 | 2.0 | 2.8 | 3.6 |



| Type         | Item no.    |
|--------------|-------------|
| Full overlay | F-HIN05-165 |

# F-HIN06



## *Wellplus Fitting*

**Wellplus Soft Close Hinges Series**

**Perfected Movement For Global Furniture**

- > Smooth opening and close, perfect motion, shinny aesthetic appearance
- > Multi-functional adjustment, quick-assembly and dismantling : various style for customer choice



# New Walk-in closet system



## Furniture Fitting & Better


Invisible cabinet bracket  
HYM-008L/R

Kit Left and right drawers suspension brackets



Universal Shelf Brackets  
HYM-007

There is no difference between the brackets  
Bracket For 18mm Or 25mm MDF  
Material: Iron  
Color :Powder coating



Universal Shelf Brackets  
HYM-006

There is no difference between the brackets  
Bracket For 18mm Or 25mm MDF  
Apply to Install Glass Brackets Lamps  
Material: Iron  
Color :Powder coating




Brackets external fixing  
4822M4-8

Brackets central fixing  
4822M4-10



Brackets for shoes rack  
HYM-009

There is no difference between the brackets  
Bracket For 18mm Or 25mm MDF  
Apply to Install Glass Brackets Lamps  
Material: Iron  
Color :Powder coating



Clothes pass rod

Kit Right and Left rod holders  
Finish: Black Anodized




Corner holder for wall fixing  
COD-HYM-001

Corner holder for wall fixing For90 degree  
Material: Iron




Corner holder for wall fixing  
COD-HYM-001A



Adjusting Leg  
COD-HYM-003


Kit of adjustable levelers for corner




Board Hook  
COD-HYM-005



Adjusting Leg Support plate  
COD-HYM-002



Rack  
COD-59003





# New Walk-in closet system

### WALK IN CLOSET SYSTEM

MAX 2.7M

19mm

Example of application of universal shelf brackets with wooden shelves

Aluminium Clothes pass seat

Example of application of universal shelf brackets with luminous shelves

Invisible cabinet bracket

Brackets for shoes rack

### TECHNICAL INSTRUCTION

"L" Wooden Carter

M-59003

HYM-002

Instructions for mounting wall

"L" Wooden Carter Make Size

8.9 XX-17.9mm 8.9

XX 4.0

Panel boiserie fixing

Panel fastening with screws

**INSTALL TOOLS:**

- 1、 M3 Inner Hexagon Spanner
- 2、 M5 Screw
- 3、 Flashlight drill
- 4、 Blades

The new aluminum structure allows the housing of panels up to 18 mm thickness and glasses of 5 mm

Easily machined even from lengths, it can also be supplied in kits. For wall hanging and stand-alone

**INSTALLATION INSTRUCTION**

| Nº | CODE                       | NAME                              |
|----|----------------------------|-----------------------------------|
| 1  | F59001                     | STRUT                             |
| 2  | F59002                     | STRUT WITH SUPPORT                |
| 3  | GASKET FOR PROFIILE F59002 | GASKET                            |
| 4  | F59003\F59005              | CORNER JOINTS.3 -SIDED OR 4-SIDED |
| 6  | M5x12.BL                   | SCREW                             |

F59005 F59003 F59004 F59001 F59002

## อุปกรณ์เสริมในตู้เสื้อผ้า



|                     |                                      |
|---------------------|--------------------------------------|
| <b>Item no.</b>     | <b>FL210</b>                         |
| <b>Name</b>         | <a href="#">2 Layers Side Basket</a> |
| <b>Size (WxDxH)</b> | 305 x 465 x 610 mm                   |
| <b>Finish</b>       | Chrome, Epoxy aluminium              |
| <b>Description</b>  | Soft Closing Slide                   |



|                     |                               |
|---------------------|-------------------------------|
| <b>Item no.</b>     | <b>FL201A</b>                 |
| <b>Name</b>         | <a href="#">Trousers Rack</a> |
| <b>Size (WxDxH)</b> | 664 x 465 x 90 mm             |
| <b>Finish</b>       | Epoxy aluminium               |
| <b>Description</b>  | Soft Closing Slide            |



|                     |                              |
|---------------------|------------------------------|
| <b>Item no.</b>     | <b>FM021A</b>                |
| <b>Name</b>         | <a href="#">Basket (Low)</a> |
| <b>Size (WxDxH)</b> | 664 x 460 x 140 mm           |
| <b>Finish</b>       | Chrome, Epoxy aluminium      |
| <b>Description</b>  | 3 Ball Bearing Slide         |



|                     |                               |
|---------------------|-------------------------------|
| <b>Item no.</b>     | <b>FM021B</b>                 |
| <b>Name</b>         | <a href="#">Basket (High)</a> |
| <b>Size (WxDxH)</b> | 664 x 460 x 240 mm            |
| <b>Finish</b>       | Chrome, Epoxy aluminium       |
| <b>Description</b>  | 3 Ball Bearing Slide          |



|                     |                            |
|---------------------|----------------------------|
| <b>Item no.</b>     | <b>FM020A</b>              |
| <b>Name</b>         | <a href="#">Shoes Rack</a> |
| <b>Size (WxDxH)</b> | 564 x 460 x 130 mm         |
| <b>Finish</b>       | Chrome, Epoxy aluminium    |
| <b>Description</b>  | 3 Ball Bearing Slide       |

## อุปกรณ์เสริมในตู้เสื้อผ้า




|                 |                           |
|-----------------|---------------------------|
| <b>Item no.</b> | <b>FM010</b>              |
| Name            | Trouser Rack with 9 hooks |
| Size (WxDxH)    | 360 x 460 x 90 mm         |
| Color           | Black                     |
| Finish          | Aluminium, ABS Plastic    |
| Description     | 3 Ball Bearing Slide      |



|                 |                         |
|-----------------|-------------------------|
| <b>Item no.</b> | <b>HY-B1</b>            |
| Name            | Clothes Hanger          |
| Size (WxDxH)    | 90 x 465 x 120 mm       |
| Finish          | Chrome, Epoxy aluminium |
| Description     | 3 Ball Bearing Slide    |






|                 |                               |
|-----------------|-------------------------------|
| <b>Item no.</b> | <b>FM004</b>                  |
| Name            | Up & Down rack                |
| Size (W)        | 600 - 830 (mm) can adjustable |
| Color           | Silver                        |
| Configuration   | Oil Buffer, Pneumatic cushion |
| Description     | Self closing                  |



# Kitchen Collection






| Item No.                  | Cabinet width | Dimension (W*D*H)          | Bottom Material |
|---------------------------|---------------|----------------------------|-----------------|
| 174.040F6.300 (6 Baskets) | 300 mm        | 255 x 500 x (1870-2170) mm | Wire Bottom     |
| 174.040F6.400 (6 Baskets) | 400 mm        | 340 x 500 x (1870-2170) mm | Wire Bottom     |
| 174.040F4.400 (4 Baskets) | 400 mm        | 340 x 500 x (1270-1570) mm | Wire Bottom     |

| Item No.                  | Cabinet width | Dimension (W*D*H)          | Bottom Material |
|---------------------------|---------------|----------------------------|-----------------|
| 1805F6.300.01 (6 Baskets) | 300 mm        | 255 x 500 x (1870-2170) mm | Wooden Bottom   |
| 1805F6.400.01 (6 Baskets) | 400 mm        | 340 x 500 x (1870-2170) mm | Wooden Bottom   |






| Item No.                   | Cabinet width | Dimension (W*D*H)   | Bottom Material |
|----------------------------|---------------|---------------------|-----------------|
| 174.119F4.450 (8 Baskets)  | 450 mm        | 405 x 530 x 1250 mm | Wire Bottom     |
| 174.119F6.450 (12 Baskets) | 450 mm        | 405 x 530 x 1850 mm | Wire Bottom     |

| Item No.                   | Cabinet width | Dimension (W*D*H)   | Bottom Material |
|----------------------------|---------------|---------------------|-----------------|
| 1804F6.450.01 (12 Baskets) | 450 mm        | 405 x 530 x 1850 mm | Wooden Bottom   |

Frame: Universal (left and right)



## Swing Trays Oval Wire




| Item No.          | Cabinet width | Dimension (W*D*H)     | Packing  |
|-------------------|---------------|-----------------------|----------|
| 1808. 900. 01 L/R | 900mm         | 810x500x (570-710) mm | 1set/ctn |

Frame: Left or right




## Pull Out Magic Corner



| Item No.    | Cabinet width | Dimension (W*D*H) | Packing     |
|-------------|---------------|-------------------|-------------|
| 174.033 L/R | 900mm         | 850 x 490 x 520mm | 1set/2 ctns |

Frame: Left or right




## 180 Degrees Swivel Basket 2 Levels

| Item No.        | Cabinet width | Dimension (W*D*H) | Packing   |
|-----------------|---------------|-------------------|-----------|
| 174.039.180.800 | 800mm         | 740×394×680mm     | 1 set/ctn |





## Complete Out Magic Corner



| Item No.    | Cabinet width | Dimension (W*D*H)  | Bottom Material |
|-------------|---------------|--------------------|-----------------|
| 174.034     | 800 mm        | 680 x 510 x 605 mm | Wire Bottom     |
| Item No.    | Cabinet width | Dimension (W*D*H)  | Bottom Material |
| 1806.800.01 | 800 mm        | 680 x 510 x 605 mm | Wooden Bottom   |





## Dish Basket



| Item No.    | Cabinet width | Dimension (W*D*H) | Packing   |
|-------------|---------------|-------------------|-----------|
| 174.047.800 | 800mm         | 698×460×135mm     | 1 set/ctn |





## Drawer Basket



| Item No.    | Cabinet width | Dimension (W*D*H) | Packing   |
|-------------|---------------|-------------------|-----------|
| 174.048.600 | 600mm         | 498×460×135mm     | 1 set/ctn |
| 174.048.800 | 800mm         | 698×460×135mm     |           |



## Dish Basket




A2

| Item No.    | Cabinet width | Dimension (W*D*H) | Packing  |
|-------------|---------------|-------------------|----------|
| 174.055.600 | 600mm         | 535×460×180mm     | 1set/ctn |
| 174.055.800 | 800mm         | 735×460×180mm     |          |

Slide cover sold separately




## Drawer Basket



| Item No.    | Cabinet width | Dimension (W*D*H) | Packing   |
|-------------|---------------|-------------------|-----------|
| 174.052.450 | 450mm         | 395×460×140mm     | 1 set/ctn |
| 174.052.600 | 600mm         | 545×460×140mm     |           |
| 174.052.800 | 800mm         | 745×460×140mm     |           |




## Pull Out Utility Basket



| Item No.    | Cabinet width | Dimension (W*D*H) | Packing   |
|-------------|---------------|-------------------|-----------|
| 1501.300.01 | 300mm         | 260×460×480mm     | 1 set/ctn |




## Pull Out Utility Basket



| Item No.    | Cabinet width | Dimension (W*D*H) | Packing   |
|-------------|---------------|-------------------|-----------|
| 1502.350.01 | 350mm         | 310×460×480mm     | 1 set/ctn |
| 1502.400.01 | 400mm         | 360×460×480mm     | 1 set/ctn |





## Drawer Basket Oval Wire



| Item No.    | Cabinet width | Dimension (W*D*H) | Packing  |
|-------------|---------------|-------------------|----------|
| 1810.600.01 | 600mm         | 530×460×165mm     | 1set/ctn |



## Side Mounted Basket 2 Levels Oval Wire





A2

| Item No.        | Cabinet width | Dimension (W*D*H) | Packing   |
|-----------------|---------------|-------------------|-----------|
| 1807.150.01 L/R | 150mm         | 110×470×570mm     | 1 set/ctn |



## Side Mounted Basket 2/3 Levels Oval Wire



| Item No.            | Cabinet width | Dimension (W*D*H) | Packing  |
|---------------------|---------------|-------------------|----------|
| 1802F2. 200. 01 L/R | 200mm         | 155x470x600mm     | 1set/ctn |
| 1802F2. 300. 01 L/R | 300mm         | 255x470x600mm     | 1set/ctn |



### Drawer Basket Flat Wire



| Item No.      | Cabinet width | Dimension (W*D*H) | Packing  |
|---------------|---------------|-------------------|----------|
| 1310. 800. 01 | 800mm         | 740×470×170mm     | 1set/ctn |

### Dish Basket Flat Wire

| Item No.      | Cabinet width | Dimension (W*D*H) | Packing  |
|---------------|---------------|-------------------|----------|
| 1314. 800. 01 | 800mm         | 740x470x184mm     | 1set/ctn |



Pull Down Storage Rack



| Item No.    | Cabinet width | Dimension (w*D*H) | Packing   |
|-------------|---------------|-------------------|-----------|
| 174.082.600 | 600mm         | 466×260×560mm     | 1 set/ctn |
| 174.082.800 | 800mm         | 666×260×560mm     |           |



Trash Can (with Aluminium Frame)

| Item No. | Cabinet width | Size (W*D*H)      | Packing   |
|----------|---------------|-------------------|-----------|
| 173.151  | 300 mm        | 275 x 460 x 510mm | 1 set/ctn |





Trash Can (with Aluminium Frame)

| Item No. | Cabinet width | Size (W*D*H)       | Packing   |
|----------|---------------|--------------------|-----------|
| 173.149  | 400 mm        | 330 x 480 x 400 mm | 1 set/ctn |




Aluminium Waterproof Board

| Item No.    | Cabinet width | Size (W*D*H)      | Packing   |
|-------------|---------------|-------------------|-----------|
| 173.159.900 | 900 mm        | 855 x 530 x 18 mm | 1 set/ctn |



With rubber edge



Eva Anti Slip Mat

| Item No. | Color | Size (L*W*H)           | Material |
|----------|-------|------------------------|----------|
| CA-730   | Grey  | 20 Meter x 50CM x 1 mm | PVC      |




Adjustable Cabinet Leg

| Item No. | Height (mm) | Size (Dia*W*H)          | Material |
|----------|-------------|-------------------------|----------|
| Leg-01   | 95 - 150 mm | Ø 27.5 x 30 x 95-150 mm | ABS      |





### Single Lift up system

| Item No. | Max Capacity | Color       | Material            |
|----------|--------------|-------------|---------------------|
| FS100    | 8 kgs        | Grey+Chrome | Zinc Alloy, Plastic |




### Double Lift up system

| Item No. | Max Capacity | Color  | Material            |
|----------|--------------|--------|---------------------|
| FS227    | 6 kgs        | Silver | Zinc Alloy, Plastic |



| Item no. | Product Name                             | Size (W*D*H)              |
|----------|------------------------------------------|---------------------------|
| 173.153  | Aluminium & Plastic Bottom Baffle        | H=80 / 100 / 120 / 150 mm |
| 171.015  | Aluminium Bottom Baffle Corner           | 90 ° L=3000mm             |
| 173.154  | Aluminium & Plastic Bottom Baffle Corner | 180° L=3000mm             |

## Aluminium Edge Sealing Handle "K580 Series"





**Handle "K580"**

ขนาดความยาว

- \* 197 mm
- \* 297 mm
- \* 347 mm
- \* 397 mm
- \* 447 mm
- \* 497 mm
- \* 547 mm
- \* 597 mm
- \* 797 mm





**Finish : Silver Brush (SB), Champagne Gloss (CG), Pink Gold Brush (PB), Black Brush (BB)**

### Wellplus Fitting

Expert for Furniture Aluminium Handle Design, Edge Sealing Handles Aluminium Edge Handle, Feel Fine, Bright Color.


## Aluminium Edge Handle "New Series"




### *Wellplus Fitting*

*Aluminium New Series Handles bring you new experience, result in perfected and luxury furniture.*

## Aluminium Handle



Size A : 220 mm / 1000 mm




Size A : 220 mm / 1000 mm




Size A : 220 mm / 1000 mm




Size A : 220 mm / 1000 mm




Size A : 220 mm / 1000 mm



Size A : 220 mm / 1000 mm




Size A : 220 mm / 1000 mm



Size A : 220 mm / 1000 mm



Size A : 220 mm / 1000 mm



Size A : 220 mm / 1000 mm

## \*\* PVC Edge Banding \*\*

| ลำดับ | ขนาด           | จำนวนเมตร / ม้วน |
|-------|----------------|------------------|
| 1     | 0.5 MM x 15 MM | 200 เมตร / ม้วน  |
| 2     | 0.5 MM x 19 MM | 200 เมตร / ม้วน  |
| 3     | 0.5 MM x 22 MM | 200 เมตร / ม้วน  |
| 4     | 0.5 MM x 28 MM | 200 เมตร / ม้วน  |
| 5     | 1 MM x 12 MM   | 200 เมตร / ม้วน  |
| 6     | 1 MM x 19 MM   | 200 เมตร / ม้วน  |
| 7     | 1 MM x 23 MM   | 200 เมตร / ม้วน  |
| 8     | 1 MM x 28 MM   | 200 เมตร / ม้วน  |
| 9     | 1 MM x 32 MM   | 200 เมตร / ม้วน  |
| 10    | 1 MM x 42 MM   | 200 เมตร / ม้วน  |
| 11    | 1 MM x 50 MM   | 200 เมตร / ม้วน  |
| 12    | 2 MM x 19 MM   | 100 เมตร / ม้วน  |
| 13    | 2 MM x 23 MM   | 100 เมตร / ม้วน  |
| 14    | 2 MM x 28 MM   | 100 เมตร / ม้วน  |
| 15    | 2 MM x 32 MM   | 100 เมตร / ม้วน  |



**\*\* รับสั่งผลิต Edge PVC , ABS กรอบเป็นสี, ขนาด และลาย หรืองานสั่งพิเศษ หรือสินค้าที่ไม่มีใน Stock (MADE TO ORDER ) จำนวนขั้นต่ำ 3,000 เมตรขึ้นไป**



## \*\* Acrylic Edge Banding (Uni-color and Two Tone) \*\*

|   |              |                 |
|---|--------------|-----------------|
| 1 | 1 MM x 22 MM | 100 เมตร / ม้วน |
| 2 | 1 MM x 23 MM | 100 เมตร / ม้วน |

## \*\* Aluminium Edge Banding (T Shape) \*\*


|   |                     |               |
|---|---------------------|---------------|
| 1 | 1 MM x 19 MM        | 3 เมตร / เส้น |
| 2 | อุปกรณ์มุม (Corner) |               |

## \*\* Aluminium Edge Banding (Silver and Gold) \*\*


|   |              |                 |
|---|--------------|-----------------|
| 1 | 1 MM x 23 MM | 100 เมตร / ม้วน |
|---|--------------|-----------------|



Aluminium Edge Banding (T Shape, Silver, Gold)



Acrylic Two Tone Edge Banding



PVC, ABS Edge Banding

**\*\*\* Made to order, Please contact Tel. 02 427-9879, 089 799-0727 \*\*\***

## Hand Tool Machine

\* Portable Edge Bander "JBT102B"



\* Corner Trimming Machine (CTA03)



\* Edge Bander Machine with Timer model "MFT500"



\* Horizontal Pneumatic Drilling machine (DR-01)



\* Automatic Trimming and Ending Machine "QX01"



\* Single Hinged Drill Machine (MZS1A)



## อุปกรณ์เสริม

\* Electric Trimmer (ET1)



\* แวกคัม (Sucker) (SK3)



\* ดอกตัดเตอร์ Trimming Bit R1 (C-ET1)  
เข้า shape R1 Edging โดยเฉพาะ



\* คัตเตอร์สำหรับตัดตรง 3 mm (SC3)  
(Straight Cutter 3 mm)



\* คัตเตอร์สำหรับตัดโค้ง 3 mm (RC3)  
(Round Cutter 3 mm)



## แผ่นอะคริลิกไฮกลอส แบบ 3 มิติ (3D Hi-gloss Acrylic sheet)




แผ่นอะคริลิกไฮกลอส แบบ 3 มิติ ใช้สำหรับทำตู้ครัว หน้าบานครัว ตู้เสื้อผ้า ประตูบานเลื่อน หรืองานตกแต่งเฟอร์นิเจอร์ภายในบ้าน ด้วยคุณสมบัติพิเศษ เงางาม แบบ 3 มิติ วัสดุติดเป็นมิตรต่อสิ่งแวดล้อม และมีสีให้เลือกหลากหลาย ทำความสะอาดง่าย ทนทานต่อรอยขีดข่วน และการกัดกร่อนของกรดและด่าง อีกทั้งยังป้องกันความชื้นได้ดี

**การใช้งาน** เหมาะสำหรับทำประตูบานเลื่อน, ประตูตู้เสื้อผ้า, ประตูห้องน้ำ, พาร์ทิชันกันห้องทำงาน, หน้าบานครัว, Counter เครื่องสำอางค์ เป็นต้น ขนาดมาตรฐาน คือ ขนาด 1220 mm \* 2440 mm (หรือ 4 x 8 ฟุต) ความหนา 1 mm โดยแนะนำให้ติดลงบนไม้ MDF ด้วย กาว PUR (Polyurethane Reactive)



## Cabinet Hanger



อุปกรณ์สำหรับแขวนตู้ลอย : แบบซ่อน (CH-001)



วัสดุ : เหล็ก  
สี : กัลวาไนซ์  
ปรับความสูง : 15 mm  
ปรับความลึก : 21 mm  
ปรับด้านข้าง : 20 mm  
รับน้ำหนัก : 130 Kgs / คู่

## Wall Rail for Cabinet Hanger

ราวยึดผนังสำหรับอุปกรณ์แขวนตู้ลอย



วัสดุ : เหล็ก  
สี : กัลวาไนซ์

## Cabinet Push Latch (Push to Open System)

อุปกรณ์กด เปิด-ปิด หน้าบาน หรือ ลื่นชัก



รุ่น : PL-001P  
วัสดุ : ABS  
สี : ขาว  
ขนาด : 8 cm สามารถ ยึดได้ 4.5 cm



รุ่น : PL-002S  
วัสดุ : สแตนเลส / ABS  
สี : เทา  
ขนาด : 8 cm สามารถ ยึดได้ 4.5 cm


## Minifix

เก็อกม้า สำหรับงานน็อคดาวนั้



### แกนเก็อกม้า Minifix

วัสดุ : เหล็ก และ พลาสติก  
สี : กัลวาไนซ์  
ขนาด : ความยาว 34 mm  
ความยาวเกลียว 11 mm




### เก็อกม้า สำหรับไม้หนา 15, 16 mm (MF-015)

วัสดุ : ชิงค์อัลลอยด์  
สี : นิกเกิล  
ขนาด : เส้นผ่าศูนย์กลาง 15 mm  
สูง 11.5 mm



### เก็อกม้า สำหรับไม้หนา 19 mm (MF-019)

วัสดุ : ชิงค์อัลลอยด์  
สี : นิกเกิล  
ขนาด : เส้นผ่าศูนย์กลาง 15 mm  
สูง 13 mm




## Invisible Connector Bolt

เดือยล๊อคแบบซ่อน




### เดือยล๊อคแบบซ่อน (HS-015)

วัสดุ : เหล็ก และ พลาสติก ABS  
สี : นิกเกิล  
ขนาด : ความยาว 31 mm  
ความยาวเกลียว 7 mm  
\*เหมาะสำหรับไม้หนา 15, 16 mm\*



### เดือยล๊อคแบบซ่อน (HS-019)

วัสดุ : เหล็ก และ พลาสติก ABS  
สี : นิกเกิล  
ขนาด : ความยาว 31 mm  
ความยาวเกลียว 11 mm  
\*เหมาะสำหรับไม้หนา 19 mm\*





SGS

# WELLPLUS FITTING

[www.wellplusfitting.com](http://www.wellplusfitting.com)



บริษัท เวลพลัส ฟิตติ้ง จำกัด เป็น "ผู้นำเข้า" และ "จัดจำหน่าย" อุปกรณ์เฟอร์นิเจอร์ฟิตติ้งจากต่างประเทศ เราคัดสรรแต่สินค้าที่ดี คุณภาพสูง สำหรับงานออกแบบตกแต่งภายใน Built-in หรือโรงงานเฟอร์นิเจอร์ ที่ต้องการเพิ่มมูลค่าสินค้าให้สวยโดดเด่น ทันสมัย ไม่เหมือนใคร

บริษัท เวลพลัส ฟิตติ้ง จำกัด ก่อตั้งขึ้นตั้งแต่ ปี พ.ศ. 2551 ด้วยความมุ่งมั่นที่จะให้บริการสินค้าตกแต่งภายในอย่างครบวงจร ภายใต้แบรนด์ **"WELLPLUS FITTING"** เราคัดสรรแต่โรงงานที่ได้รับมาตรฐานสากล ผ่านการรับรอง จากสถาบันชั้นนำ อาทิเช่น TUV และ SGS ลูกค้าสามารถมั่นใจในคุณภาพสินค้าของเรา ไม่ว่าจะเป็น ทีวีปิดขอบ, แผ่นอะคริลิกโฮกอส 3D, บานพับซอฟท์โคลส, รางลิ้นชักรับได้, รางลิ้นชักพร้อมแผงข้างสำเร็จรูป, อุปกรณ์ Walk-in closet, ราวแขวนกางเกง, ตระแกรงสำหรับตู้เสื้อผ้า, ตะแกรงสำหรับชุดครัว, มือจับหน้าบานแบบปิดและอุปกรณ์ฟิตติ้งอื่นๆอีกมากมาย เรามีผู้เชี่ยวชาญพร้อมที่จะให้คำปรึกษาแก่ท่าน

Wellplus Fitting Co.,Ltd. is an "Importer" and "Distributor" of furniture fittings. We choose high quality products for interior design, built-In company and furniture factory to add value to your modern and unique design.

Wellplus Fitting has established since 2008. We committed to provide full range of interior decoration products with our brand **"WELLPLUS FITTING"**. We choose the manufactures that have been approved the quality by international standard (TUV and SGS). Therefore, the customer can assure the quality of our products such as Edge Banding (PVC, ABS, Aluminium, Acrylic), 3D High-glossy Acrylic sheet, Soft closing Hinge, Full Extension Undermount Soft closing Slide, Double Wall, Walk-in closet Fitting, Trousers rack and any kind of baskets for wardrobe, Kitchen basket, Closed handles and etc. We have specialist and pleased to give you an advice.



Wellplus Fitting Co.,Ltd.

### Our Products

PVC Edge Banding  
3D Hi-gloss Acrylic sheet  
Hinge, Double Wall, Closed handle  
Walk-in Closet Fitting  
Kitchen Basket and other fittings

[www.wellplusfitting.com](http://www.wellplusfitting.com)

Facebook : wellplus.fitting

Email : wellplusfitting@yahoo.com

Tel. 02 427-9879 Fax. 02 874-3875  
089 799-0727, 089 225-0077

