



PRICELIST POWER PLUG




HT SERIES PLUGS SOCKETS AND COUPLERS

PLUGS

ปลั๊กตัวผู้




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HT013	HT023
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	122	139
	b	59	75
	c	6	8
	d	50	64
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		110.-	165.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HT014	HT024
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	122	139
	b	65	75
	c	6	8
	d	54	64
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		135.-	195.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HT015	HT025
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	130	143
	b	72	84
	c	8	8
	d	63	69.5
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		160.-	220.-

WALL INLETS

ปลั๊กตัวผู้ติดลอย




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HT513	HT523
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	121	131
	b	76	83
cable nominal cross- section area (mm ²)		1.5~4	2.5~6
Price		195.-	275.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HT514	HT524
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	124	131
	b	76	83
cable nominal cross- section area (mm ²)		1.5~4	2.5~6
Price		210.-	290.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HT515	HT525
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	126	142
	b	79	88
cable nominal cross- section area (mm ²)		1.5~4	2.5~6
Price		245.-	310.-

WALL SOCKETS

เต้ารับติดลอย




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HT113	HT123
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	131	149
	b	88	100
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		195.-	265.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HT114	HT124
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	132	149
	b	91	100
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		205.-	300.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HT115	HT125
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	132	151
	b	98	101
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		210.-	320.-

CONNECTORS


ตัวเมียกลางทาง




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof



MODEL		HT213	HT223
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	131	150
	b	70	92
	c	6	8
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		155.-	200.-

MODEL		HT214	HT224
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	131	150
	b	78	92
	c	6	8
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		160.-	235.-


MODEL		HT215	HT225
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	140	154
	b	92	102
	c	6	8
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		190.-	270.-

FLANGED SOCKETS


เต้ารับฝังเดียว



current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof




MODEL		HT313	HTX323
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	62	80
	b	68	96
	c	47	60
	d	48	70
	e	36	42
	f	37	43
	g	55	75
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		140.-	220.-

MODEL		HTX314	HT324
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	76	80
	b	86	96
	c	60	60
	d	61	70
	e	47	42
	f	37	43
	g	64	75
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		165.-	235.-

* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HTX315	HT325
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	76	81
	b	86	96
	c	60	60
	d	61	70
	e	47	42
	f	37	47
	g	72	81
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		190.-	255.-

FLANGED SOCKET

เต้ารับเยอรมันฝัง



German style
current: 16A
voltage: 230V~2P+E
IP44 splash proof




MODEL		DKN312E	DKN312H
rated current (A)		16A	
pole		3	
dimension (mm)	a	50.5	
	b	38	
	c	62	
	d	25	
	e	17	
	f	27.5	
	g	43.5	
cable nominal cross-section area(mm ²)		1.2~5	
Price		100.-	

PLUG

ปลั๊กตัวผู้เยอรมัน



German style
current: 16A
voltage: 230V~2P+E
IP44 splash proof



MODEL		DKN012B	DKN012W
rated current (A)		16A	
pole		2	
dimension (mm)	a	105	
	b	42	
	c	19	
	d	41	
	e	105	
cable nominal cross-section area(mm ²)		1.2~5	
Price		90.-	


HTN SERIES IP44

PLUGS

ปลั๊กตัวผู้




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HTN013	HTN023
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	120	150
	b	57	80.5
	c	15	22
	d	53.5	72
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		140.-	245.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HTN014	HTN024
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	125	150
	b	67.5	80.5
	c	15	22
	d	61	72
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		175.-	265.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HTN015	HTN025
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	133	155
	b	75.5	89.5
	c	17	22
	d	68	71.5
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		200.-	300.-

CONNECTORS

ตัวรับกลางทาง




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HTN213	HTN223
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	130	162
	b	75.6	94
	c	15	22
	d	52	64.6
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		195.-	310.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HTN214	HTN224
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	135	162
	b	83	94
	c	15	22
	d	58	64.6
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		220.-	330.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof



MODEL		HTN215	HTN225
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	142	163.5
	b	89.5	100
	c	17	22
	d	62.8	71
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		255.-	385.-


* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice

WALL SOCKETS

เต้ารับติดลอย




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HTB113	HTB123
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	117	120
	b	142	156
	c	84.4	84.4
	d	60	60
	e	52	52
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		275.-	355.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HTB114	HTB124
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	117	120
	b	142.5	156
	c	84.4	84.4
	d	60	60
	e	52	52
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		310.-	385.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HTB115	HTB125
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	118.5	119
	b	142.5	158
	c	84.4	84.4
	d	60	60
	e	52	52
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		345.-	440.-

FLANGED SOCKETS

เต้ารับฝังเดียว




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HTN313	HTN323
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	75.5	75.5
	b	86.5	86.5
	c	61	61
	d	61	61
	e	36	55
	f	37	42
	g	57.5	64
	h	-	35
	i	-	38
	R	-	32
	r	-	7
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		180.-	265.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HTN314	HTN324
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	75.5	75.5
	b	86.5	86.5
	c	61	61
	d	61	61
	e	40	55
	f	40	42
	g	64	64
	h	35	35
	l	38	38
	R	32	32
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		200.-	300.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HTN315	HTN325
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	75.5	80
	b	86.5	90
	c	61	65
	d	61	70
	e	40	51
	f	41	45
	g	64	70
	h	35	37.5
	l	38	40.5
	R	32	35
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		265.-	330.-

FLANGED SOCKETS

เต้ารับฝังตรง




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HTN413	HTN423
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	75	75
	b	75	75
	c	60	60
	d	60	60
	e	25.8	29.2
	f	52	62.5
	g	85	93
	h	43	57.5
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		180.-	265.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HTN414	HTN424
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	75	75
	b	75	75
	c	60	60
	d	60	60
	e	26.3	29.4
	f	51.5	51.5
	g	86.5	86.5
	h	49.5	57.5
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		200.-	300.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HTN415	HTN425
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	75	75
	b	75	75
	c	60	60
	d	60	60
	e	26.2	29.8
	f	52	62.5
	g	91.6	100
	h	56	64
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		265.-	330.-

FLANGED INLETS

ปลั๊กตัวผู้ฝัง




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HTN613	HTN623
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	45.5	54.7
	b	16.5	17
	c	64	64
	d	4.5	4.5
cable nominal cross- section area (mm ²)		1~4	2.5~10
Price		410.-	520.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HTN614	HTN624
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	45.5	55
	b	16.5	16.5
	c	64	64
	d	4.5	4.5
cable nominal cross- section area (mm ²)		1~4	2.5~10
Price		440.-	540.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HTN615	HTN625
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	46	55
	b	15.6	16.5
	c	64	64
	d	4.5	4.5
cable nominal cross- section area (mm ²)		1~4	2.5~10
Price		495.-	575.-

WALL INLET

ปลั๊กตัวผู้ติดลอย




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL		HTB513	HTB523
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	95.5	98
	b	131	145
	c	84.4	84.4
	d	60	60
	e	52	52
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		220.-	290.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL		HTB514	HTB524
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	96	98
	b	134	145
	c	84.4	84.4
	d	60	60
	e	52	52
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		245.-	310.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof




MODEL		HTB515	HTB525
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	97	98
	b	135.5	147
	c	84.4	84.4
	d	60	60
	e	52	52
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		265.-	355.-

SWITCHED & INTERLOCKED SOCKETS


ตัวรับพร้อมสวิตช์อินเตอร์ล็อก




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof



MODEL		HTPZ313	HTPZ323
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	167	167
	b	120	120
	c	108	118
	d	128	128
	e	102.8	102.8
	f	121	121
	g	71	71
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		1,150.-	1,430.-

MODEL		HTPZ314	HTPZ324
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	167	167
	b	120	120
	c	111.5	118
	d	128	128
	e	102.8	102.8
	f	121	121
	g	71	71
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		1,265.-	1,650.-

MODEL		HTPZ315	HTPZ325
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	167	167
	b	120	120
	c	112	120.5
	d	128	128
	e	102.8	102.8
	f	121	121
	g	71	71
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		1,460.-	1,815.-


HTN SERIES IP67

PLUGS IP67

ปลั๊กตัวผู้กันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN0131	HTN0231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	120	150
	b	71	93
	c	15	22
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		165.-	265.-




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN0141	HTN0241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	125	150
	b	79	93
	c	15	22
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		200.-	290.-




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN0151	HTN0251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	133	155
	b	87	99.5
	c	17	22
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		255.-	355.-




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN0331	HTN0431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	260	301
	b	113.5	126
	c	32	45
cable nominal cross- section area (mm ²)		6~16	16~50
Price		880.-	3,300.-




current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN0341	HTN0441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	260	301
	b	113.5	126
	c	32	45
cable nominal cross- section area (mm ²)		6~16	16~50
Price		970.-	3,400.-



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight




MODEL		HTN0351	HTN0451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	260	301
	b	113.5	126
	c	32	45
cable nominal cross- section area (mm ²)		6~16	16~50
Price		1,080.-	3,500.-

CONNECTORS IP67


ตัวรับกลางทางกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight




MODEL		HTN2131	HTN2231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	134	166
	b	78.5	98
	c	15	22
	d	71	93.5
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		245.-	365.-

MODEL		HTN2141	HTN2241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	138	166
	b	85	98
	c	15	22
	d	79	93.5
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		285.-	375.-

MODEL		HTN2151	HTN2251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	146	171
	b	93	104
	c	17	22
	d	86.5	99.5
cable nominal cross- section area (mm ²)		1~2.5	2.5~6
Price		320.-	455.-

MODEL		HTN2331	HTN2431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	260	319
	b	113.5	130
	c	32	45
	d	111	127
cable nominal cross- section area (mm ²)		6~16	16~50
Price		1,080.-	3,355.-


MODEL		HTN2341	HTN2441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	260	319
	b	113.5	130
	c	32	45
	d	111	127
cable nominal cross- section area (mm ²)		6~16	16~50
Price		1,210.-	3,575.-




MODEL		HTN2351	HTN2451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	260	319
	b	113.5	130
	c	32	45
	d	111	127
cable nominal cross- section area (mm ²)		6~16	16~50
Price		1,320.-	3,960.-

WALL SOCKETS IP67


เต้ารับติดลอยกันน้ำ




MODEL		HTN1131	HTN1231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	101	114
	b	150	162
	c	93.5	93.5
	d	150	162
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		320.-	420.-



MODEL		HTN1141	HTN1241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	104	114
	b	150	162
	c	93.5	93.5
	d	150	162
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		345.-	455.-



MODEL		HTN1151	HTN1251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	107	116
	b	151	163
	c	93.5	93.5
	d	151	163
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		410.-	520.-




MODEL		HTN1331	HTN1431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	171	165
	b	170	230
	c	230	330
	d	118	160
	e	135	240
	f	105	160
	g	171	165
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,255.-	4,390.-


* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice



current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN1341	HTN1441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	171	165
	b	170	230
	c	230	330
	d	118	160
	e	135	240
	f	105	160
cable nominal cross- section area (mm ²)		6~16	25~70
Price		1,320.-	4,510.-


MODEL		HTN1351	HTN1451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	171	165
	b	170	230
	c	230	330
	d	118	160
	e	135	240
	f	105	160
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,485.-	4,800.-

FLANGED SOCKETS IP67


เต้ารับฝังเดียวกันน้ำ



current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight




MODEL		HTN3131	HTN3231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	75.5	75.5
	b	86.5	86.5
	c	61	61
	d	61	61
	e	41	52.5
	f	45	49.5
	g	64	64
	h	35	35
	i	38	38
	R	32	32
	r	7	7
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		210.-	290.-

MODEL		HTN3141	HTN3241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	75.5	75.5
	b	86.5	86.5
	c	61	61
	d	61	61
	e	41.5	52.5
	f	46	49.5
	g	64	64
	h	35	35
	i	38	38
	R	32	32
	r	7	7
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		245.-	320.-




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN3151	HTN3251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	75.5	80
	b	86.5	90
	c	61	65
	d	61	70
	e	40	51.5
	f	48	52.5
	g	64	70
	h	35	37.5
	l	38	40.5
	R	32	35
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		290.-	385.-




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN3331	HTN3431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	100	114
	b	110	114
	c	80	90
	d	85	90
	e	65.5	90.5
	f	77.5	80.5
	g	81	94
	h	42.5	47
	l	45.5	53
	R	40.5	47
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,090.-	2,970.-




current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN3341	HTN3441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	100	114
	b	110	114
	c	80	90
	d	85	90
	e	66.5	90.5
	f	77.5	80.5
	g	81	94
	h	42.5	47
	l	45.5	53
	R	40.5	47
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,130.-	3,080.-



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight




MODEL		HTN3351	HTN3451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	100	114
	b	110	114
	c	80	90
	d	85	90
	e	66.5	90.5
	f	77.5	80.5
	g	81	94
	h	42.5	47
	i	45.5	53
	R	40.5	47
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,320.-	3,300.-

FLANGED SOCKETS IP67

เต้ารับฝังตรงกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN4131	HTN4231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	75	75
	b	75	75
	c	60	60
	d	60	60
	e	25.8	29.2
	f	54.5	64.5
	g	80.5	97.5
	h	43	57.5
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		210.-	290.-




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN4141	HTN4241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	75	75
	b	75	75
	c	60	60
	d	60	60
	e	26.3	29.2
	f	54.5	64.5
	g	85	97.5
	h	49.5	57.5
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		245.-	320.-




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		HTN4151	HTN4251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	75	75
	b	75	75
	c	60	60
	d	60	60
	e	26.2	29.8
	f	54.5	65.5
	g	93	103.5
	h	56	64
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		290.-	385.-




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTN4331	HTN4431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	58
	f	94.5	105.5
	g	114.5	129
	h	73	87
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,090.-	2,970.-




current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN4341	HTN4441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	58
	f	94.5	105.5
	g	114.5	129
	h	73	87
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,130.-	3,080.-



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight




MODEL		HTN4351	HTN4451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	58
	f	94.5	105.5
	g	114.5	129
	h	73	87
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,320.-	3,300.-

FLANGED INLETS IP67

ปลั๊กฝังกันน้ำ



current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight




MODEL		DKN6131	DKN6231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	85.7	85.7
	b	85.7	85.7
	c	72	90
	d	69.5	69.5
	e	69.5	69.5
	f	5.5	5.5
	g	11	11
	h	2	2
	i	50	50
	j	71	94
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		440.-	565.-

* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL		DKN6141	DKN6241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	85.7	85.7
	b	85.7	85.7
	c	72	90
	d	69.5	69.5
	e	69.5	69.5
	f	5.5	5.5
	g	11	11
	h	2	2
	i	50	50
	j	79	94
cable nominal cross- section area (mm ²)		1.5-4	2.5-10
Price		480.-	590.-




current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



MODEL		DKN6151	DKN6251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	85.7	85.7
	b	85.7	85.7
	c	72	90
	d	69.5	69.5
	e	69.5	69.5
	f	5.5	5.5
	g	11	11
	h	2	2
	i	50	50
	j	89	102
cable nominal cross- section area (mm ²)		1.5-4	2.5-10
Price		540.-	625.-




current: 63A | 125A
voltage: 230V~2P+E
IP67 watertight




MODEL		HTN6331	HTN6431
earth contact position		6h	
rated current (A)		63	125
pole		3	
dimension (mm)	a	101	131
	b	38	57.5
	c	73	73
	d	5.5	5.5
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,200.-	Call




current: 63A | 125A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTN6341	HTN6441
earth contact position		6h	
rated current (A)		63	125
pole		4	
dimension (mm)	a	101	131
	b	38	57.5
	c	73	73
	d	5.5	5.5
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,265.-	Call



current: 63A | 125A
voltage: 400V~3P+N+E
IP67 watertight




MODEL		HTN6351	HTN6451
earth contact position		6h	
rated current (A)		63	125
pole		5	
dimension (mm)	a	101	131
	b	38	57.5
	c	73	73
	d	5.5	5.5
cable nominal cross- section area (mm ²)		6~25	25~70
Price		1,430.-	3,410.-

WATERPROOF WALL INLET

ปลั๊กตัวผู้ติดลอยกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL		DKN5131	DKN5231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	95	120
	b	102	112
	c	118	145
	d	64.2	90.2
	e	77.5	79
	e1	88	98.5
	f	5.5	5.5
	g	5	5
	h	144	189
	l	25	32
	m	M25	M32
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		500.-	580.-




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL		DKN5141	DKN5241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	95	120
	b	102	112
	c	118	145
	d	64.2	90.2
	e	77.5	79
	e1	88	98.5
	f	5.5	5.5
	g	5	5
	h	144	189
	l	25	32
	m	M25	M32
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		540.-	650.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight




MODEL		DKN5151	DKN5251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	95	120
	b	102	112
	c	118	150
	d	64.2	90.2
	e	77.5	79
	e1	88	98.5
	f	5.5	5.5
	g	5	5
	h	144	189
	i	25	32
	m	M25	M32
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		620.-	720.-

SWITCHED & INTERLOCKED SOCKETS IP67

ตัวรับพร้อมสวิตช์อินเตอร์ล็อกกันน้ำ




current: 16A | 32A
voltage: 230V~2P+E
IP67 watertight



MODEL		HTPZ1131	HTPZ1231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	135.8	142.5
	b	248	256.5
	c	119	119
	d	101	101
	e	208	208
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		1,980.-	2,090.-




current: 16A | 32A
voltage: 400V~3P+E
IP67 watertight



MODEL		HTPZ1141	HTPZ1241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	135.8	142.5
	b	248	256.5
	c	119	119
	d	101	101
	e	208	208
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		2,035.-	2,145.-



current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight




MODEL		HTPZ1151	HTPZ1251
earth contact position		6h	
rated current (A)		16	32
pole		5	
dimension (mm)	a	135.8	147
	b	248	256.5
	c	119	119
	d	101	101
	e	208	208
cable nominal cross- section area (mm ²)		1.5~4	2.5~10
Price		2,090.-	2,255.-

ราคาพิเศษ
จนกว่าสินค้า
จะหมด



current: 63A
IP67 watertight



MODEL	HTPZ1331	HTPZ1341
earth contact position	6h	
rated current (A)	63	
pole	3	4
dimension (mm)	a	171
	b	380
	c	130
cable nominal cross-section area (mm ²)	6~25	
Price	7,500.-	8,500.-



HTPZ21331




HTPZ21341



HTPZ21351

current: 63A
IP67 watertight




MODEL		HTPZ21331	HTPZ21341	HTPZ21351
earth contact position		6h		
rated current (A)		63		
pole		3	4	5
dimension (mm)	a	300		
	b	163		
	c	191		
	d	245		
	e	146		
cable nominal cross- section area (mm²)		6~25		
Price		9,350.-	10,450.-	11,550.-

MULTIPLE OUTLET SOCKETS

ปลั๊กกระจายไฟฟ้า 1 ออก 3




current: 16A | 32A
voltage: 230V~2P+E
IP44 splash proof



MODEL	HTN1013	HTN1023
earth contact position	6h	
rated current (A)	16	32
pole	3	
dimension (mm)	a	213.5
	b	215.5
	c	53.5
Price	935.-	1,320.-




current: 16A | 32A
voltage: 400V~3P+E
IP44 splash proof



MODEL	HTN1014	HTN1024
earth contact position	6h	
rated current (A)	16	32
pole	4	
dimension (mm)	a	231
	b	235
	c	61
Price	1,155.-	1,540.-


* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice




MODEL		HTN1015
earth contact position		6h
rated current (A)		16
pole		5
dimension (mm)	a	242
	b	248
	c	65.8
Price		1,375.-

MULTIPLE OUTLET SOCKETS IP 67


ปลั๊กกระจายไฟฟ้า 1 ออก 3 กันน้ำ




MODEL		HTN10131	HTN10231
earth contact position		6h	
rated current (A)		16	32
pole		3	
dimension (mm)	a	221.5	274
	b	220	272
	c	71	93.5
Price		990.-	1,430.-



MODEL		HTN10141	HTN10241
earth contact position		6h	
rated current (A)		16	32
pole		4	
dimension (mm)	a	238	274
	b	238	272
	c	79	93.5
Price		1,320.-	1,650.-



MODEL		HTN10151
earth contact position		6h
rated current (A)		16
pole		5
dimension (mm)	a	248.5
	b	250.5
	c	86.5
Price		1,650.-




MODEL		HTN60131
earth contact position		6h
rated current (A)		16
pole		3
input		3G2.5 cable 2.2m with plug 16A 3P 230V
output		3 CEE-socket 16A 3P 230V
Price		1,710.-

PLUGS WITH PHASE INVERTER


ปลั๊กมีขาสลับเฟส




current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof



current: 16A | 32A
voltage: 400V~3P+N+E
IP67 watertight



current: 16A | 32A
voltage: 400V~3P+N+E
IP44 splash proof



MODEL	HTN715	HTN725
earth contact position	6h	
rated current (A)	16	32
pole	5	
Remark	Nickle-plated contacts	
Price	595.-	695.-

MODEL	HTN7151	HTN7251
earth contact position	6h	
rated current (A)	16	32
pole	5	
Remark	Nickle-plated contacts	
Price	715.-	815.-


MODEL	HTB715	HTB725
earth contact position	6h	
rated current (A)	16	32
pole	5	
Remark	Nickle-plated contacts	
Price	905.-	1,025.-

7 PIN PLUGS & SOCKETS


ปลั๊กตัวผู้และตัวรับ 7 ขา




current: 16A
voltage: 400V~7P
IP44 splash proof



current: 16A
voltage: 400V~7P
IP44 splash proof



current: 16A
voltage: 400V~7P
IP44 splash proof




MODEL	HTN017
earth contact position	6h
rated current (A)	16
pole	7
Remark	-For star-delta connection
Price	440.-

MODEL	HTN217
earth contact position	6h
rated current (A)	16
pole	7
Remark	-For star-delta connection
Price	530.-

MODEL	HTB517
earth contact position	6h
rated current (A)	16
pole	7
Remark	-For star-delta connection -With cable gland
Price	575.-



current: 16A
voltage: 400V~7P
IP44 splash proof




MODEL	HTB117
earth contact position	6h
rated current (A)	16
pole	7
Remark	-For star-delta connection -With cable gland
Price	640.-

PLUGS & SOCKETS FOR REEFER CONTAINER IP67

ปลั๊กและเต้ารับสำหรับตู้เย็น




current: 32A
voltage: 400V~3P+E
IP67 watertight



MODEL	HTN0241-3
earth contact position	3h
rated current (A)	32
pole	4
Price	660.-




current: 32A
voltage: 440V~3P+E
IP67 watertight



MODEL	HTN2241-3
earth contact position	3h
rated current (A)	32
pole	4
Price	740.-




current: 32A
voltage: 400V~3P+E
IP67 watertight




MODEL	HTN4241-3
earth contact position	3h
rated current (A)	32
pole	4
Price	715.-



current: 32A
voltage: 400V~3P+E
IP67 watertight



MODEL	HTN1241-3
earth contact position	3h
rated current (A)	32
pole	4
Price	715.-



current: 32A
voltage: 400V~3P+E
IP67 watertight

MODEL	HTPZ1241-3
earth contact position	3h
rated current (A)	32
pole	4
Price	4,345.-

DISTRIBUTION BOXES

กล่องปลั๊กกระจายไฟ



MODEL	A06MA01-4
current: 16A voltage: 230V~2P+E IP44	pole 2P+E
	Amp. 16
	Cable 3G2.5sq mm
	Output 3 CEE-sockets 16A 2P+E 230V
	Protection fuse MCB 3x1P 16A RCD(0.03A) 1x2P 25A
Price	4,070.-



MODEL	A06MA07-4
current: 16A voltage: 230V~ 2P+E IP55	pole 2P+E
	Amp. 16
	Cable 3G2.5sq mm
	Output 3 CEE-sockets 16A 2P+E 230V
	Protection fuse MCB 3x1P 16A RCD(0.03A) 1x2P 25A
Price	4,400.-



MODEL	A06MJ01-4
current: 16A voltage: 230V~2P+E IP44	pole 2P+E
	Amp. 16
	Cable 3G2.5sq mm
	Output 1 CEE-sockets 16A 2P+E 230V 4 Schuko Sockets 16A 230V
	Protection fuse MCB 3x1P 16A RCD(0.03A) 1x2P 25A
Price	4,840.-



MODEL	A10MB01-4
current: 16A voltage: 230V~ 2P+E IP44	pole 2P+E
	Amp. 16
	Cable 3G2.5sq mm
	Output 4 CEE-sockets 16A 2P+E 230V
	Protection fuse MCB 4x1P 16A RCD(0.03A) 1x2P 25A
Price	4,900.-



	MODEL	A10MF01-4
current: 16A voltage: 230V~ 2P+E IP65	Input	pole 2P+E
		Amp. 16
		Cable 3G2.5sq mm
	Output	4 CEE-sockets 16A 2P+E 230V
	Protection fuse	MCB 4x1P 16A RCD(0.03A) 1x2P 25A
	Price	5,450.-



	MODEL	A10MF04-4
current: 32A voltage: 230V~ 2P+E IP65	Input	pole 2P+E
		Amp. 32
		Cable 3G4.0sq mm
	Output	2 CEE-sockets 16A 2P+E 230V 2 CEE-sockets 32A 2P+E 230V
	Protection fuse	MCB 2x1P 16A , MCB 2x1P 32A RCD(0.03) 1x2P 40A
	Price	6,000.-



	MODEL	A10MF06-4
current : 32A voltage: 230V ~ 2P+E IP65	Input	pole 2P+E
		Amp. 32
		Cable 3G4. 0sq mm
	Output	4 CEE-sockets 32A 2P+E 230V
	Protection fuse	MCB 4x1P 32A RCD(0.03A) 1x2P 40A
	Price	6,440.-



	MODEL	A10MC03-4
current: 32A voltage: 400V~3P+N+E IP55	Input	pole 3P+N+E
		Amp. 32
		Cable 5G4.0sq mm
	Output	2 CEE-sockets 32A 2P+E 230V 2 CEE-sockets 32A 3P+N+E 400V
	Protection fuse	MCB 2x1P 32A MCB 1x3P 32A RCD(0.03A) 1x4P 40A
	Price	8,250.-



	MODEL	A10MC04-4
current: 32A voltage: 400V~3P+N+E IP55	Input	pole 3P+N+E
		Amp. 32
		Cable 5G4.0sq mm
	Output	2 CEE-sockets 16A 3P+N+E 400V 2 CEE-sockets 32A 3P+N+E 400V
	Protection fuse	MCB 1x3P 16A MCB 1x3P 32A RCD(0.03A) 1x4P 40A
	Price	9,460.-



	MODEL	B11MA47-2
current: 16A voltage: 400V~3P+N+E IP44	Input	pole 3P+N+E
		Amp. 16
		Cable 5G2.5sq mm 2.2M
	Output	3CEE-sockets 16A 2P+E 230V 2CEE-sockets 16A 3P+N+E 400V
	Protection fuse	MCB 3x1P 16A, MCB 1x3P 16A RCD(0.03A) 1x4P 40A
	Price	6,490.-



	MODEL	B11MD04-2
current: 32A voltage: 400V~3P+N+E IP44	Input	pole 3P+N+E
		Amp. 32
		Cable -
	Output	1 CEE-sockets 32A 3P+N+E 400V
	Component	3 phase Electronic kWh Meter
	Price	6,380.-



	MODEL	B06MA01-4
current: 16A voltage: 230V~2P+E IP44	Input	pole 2P+E
		Amp. 16
		Cable 3G2.5sq mm
	Output	1 CEE-sockets 16A 2P+E 230V
	Protection fuse	MCB 1x1P 16A RCD(0.03A) 1x2P 25A
	Price	4,180.-



	MODEL	A12MB03-4
current: 32A voltage: 230V~2P+E IP44	Dimension	293.7 x 220.0 x 279.0 mm.
	Input	pole 2P+E
		Amp. 32
		Cable 3G4.0sq mm 2.2M
	Output	4 Schuko Sockets 16A 2P+E 230V 4 CEE Socket 16A 2P+E 230V
	Protection fuse	8 MCB 16A 1P 1 RCD 40A 2P 0.03A
	Price	8,690.-



	MODEL	A12MB31-4
current: 16A voltage: 230V~2P+E IP65	Dimension	293.7 x 220.0 x 279.0 mm.
	Input	pole 2P+E
		Amp. 16
		3G2.5sq mm 2.2M
	Output	4 CEE Socket 16A 2P+E 230V
	Protection fuse	4 MCB 16A 1P 1 RCD 40A 2P 0.03A
	Price	7,320.-



	MODEL	A12MB29-4
current: 32A voltage: 230V~2P+E IP65	Dimension	293.7 x 220.0 x 279.0 mm.
	Input	pole 2P+E
		Amp. 32
		Cable 3G4.0sq mm 2.2M
	Output	2 CEE Socket 16A 2P+E 230V 2 CEE Socket 32A 2P+E 230V
	Protection fuse	2 MCB 16A 1P, 2 MCB 32A 1P 1 RCD 40A 2P 0.03A
	Price	8,140.-



	MODEL	A12MB30-4
current: 16A voltage: 400V~3P+N+E IP65	Dimension	293.7 x 220.0 x 279.0 mm.
	Input	pole 3P+N+E
		Amp. 16
		Cable 5G2.5sq mm 2.2M
	Output	2 CEE Socket 16A 2P+E 230V 2 CEE Socket 16A 3P+N+E 400V
	Protection fuse	2 MCB 16A 1P, 2 MCB 16A 3P 1 RCD 40A 4P 0.03A
	Price	9,130.-



	MODEL	A10MA01-4
current: 16A voltage: 230V~2P+E IP44	Input	pole 2P+E
		Amp. 16
		Cable 3G2.5sq mm
	Output	2 CEE-sockets 16A 2P+E 230V
	Protection fuse	MCB 2x1P 16A
		RCD(0.03A) 1x2P 25A
	Price	5,720.-



	MODEL	A24MA02-2
current: 63A voltage: 400V~3P+N+E IP66	Input	pole 3P+N+E
		Amp. 63
		Cable -
	Output	4 CEE-sockets 16A 2P+E 230V 2 CEE-sockets 16A 3P+N+E 400V 2 CEE-sockets 32A 3P+N+E 400V
	Protection fuse	MCB 4x1P 16A, 2x3P 16A, 2x3P 32A
		RCD(0.03A) 1x4P 63A
	Price	19,250.-



	MODEL	A24MD01-4
current: 63A voltage: 400V~3P+N+E IP66	Input	pole 3P+N+E
		Amp. 63
		Cable 5G10.0sq mm
	Output	2 CEE-sockets 16A 2P+E 230V 2 CEE-sockets 32A 2P+E 400V 2 CEE-sockets 16A 3P+N+E 400V 2 CEE-sockets 32A 3P+N+E 400V
	Protection fuse	MCB 2x1P 16A, 2x1P 32A 2x3P 16A, 2x3P 32A
		RCD(0.03A) 1x4P 63A
	Price	22,000.-


LVN LOW VOLTAGE SERIES PLUGS, SOCKETS AND COUPLERS

มีสินค้าใน STOCK

PLUGS


ปลั๊กตัวผู้

current: 16A | 32A
voltage: 20-25V~2P
IP44 splash proof



MODEL		LVN012	LVN022
earth contact position			
rated current (A)		16	32
pole		2	
dimension (mm)	a	120	120
	b	89.5	89.5
	c	22.5	22.5
	d	39	39
	e	41.5	41.5
	f	15.4	15.4
	g	57.6	57.6
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call

current: 16A | 32A
voltage: 20-25V~3P
IP44 splash proof




MODEL		LVN013	LVN023
earth contact position			
rated current (A)		16	32
pole		3	
dimension (mm)	a	120	120
	b	89.5	89.5
	c	22.5	22.5
	d	39	39
	e	41.5	41.5
	f	15.4	15.4
	g	57.6	57.6
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call

CONNECTORS


ตัวเมียกลางทาง

current: 16A | 32A
voltage: 20-25V~2P
IP44 splash proof



MODEL		LVN212	LVN222
earth contact position			
rated current (A)		16	32
pole		2	
dimension (mm)	a	132	132
	b	73.5	73.5
	c	50	50
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call

current: 16A | 32A
voltage: 20-25V~3P
IP44 splash proof



MODEL		LVN213	LVN223
earth contact position			
rated current (A)		16	32
pole		3	
dimension (mm)	a	132	132
	b	73.5	73.5
	c	50	50
cable nominal cross- section area (mm ²)		1~2.5	4~6
Price		Call	Call


* ราคาข้างต้นอาจเปลี่ยนแปลงได้โดยไม่ต้องแจ้งให้ทราบล่วงหน้า
Prices are subjected to change without prior notice

FLANGED SOCKETS

เต้ารับฝังตรง




current: 16A | 32A
voltage: 20~25V~2P
IP44 splash proof



MODEL		LVN312	LVN322
earth contact position			
rated current (A)		16	32
pole		2	
dimension (mm)	a	75	75
	b	75	75
	c	51.5	51.5
	d	60	60
	e	60	60
	f	4.2	4.2
	g	11	11
	G.1	2	2
	H	88	88
	L	35	35
	K	14.5	14.5
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call



current: 16A | 32A
voltage: 20~25V~3P
IP44 splash proof



MODEL		LVN313	LVN323
earth contact position			
rated current (A)		16	32
pole		3	
dimension (mm)	a	75	75
	b	75	75
	c	51.5	51.5
	d	60	60
	e	60	60
	f	4.2	4.2
	g	11	11
	G.1	2	2
	H	88	88
	L	35	35
	K	14.5	14.5
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call


WATERTIGHT LVN LOW VOLTAGE SERIES PLUGS, SOCKETS AND COUPLERS IP67

มีสินค้าใน STOCK

PLUGS IP67


ปลั๊กตัวผู้กันน้ำ

current: 16A | 32A
voltage: 20~25V~2P
IP67 splash proof



MODEL		LVN0121	LVN0221
earth contact position			
rated current (A)		16	32
pole		2	
dimension (mm)	a	120	120
	b	89.5	89.5
	c	22.5	22.5
	d	39	39
	e	41.5	41.5
	f	15.4	15.4
	g	77.5	77.5
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call

current: 16A | 32A
voltage: 20-25V~3P
IP67 splash proof




MODEL		LVN0131	LVN0231
earth contact position			
rated current (A)		16	32
pole		3	
dimension (mm)	a	120	120
	b	89.5	89.5
	c	22.5	22.5
	d	39	39
	e	41.5	41.5
	f	15.4	15.4
	g	77.5	77.5
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call

CONNECTORS IP67


ตัวเมียกลางทางกันน้ำ

current: 16A | 32A
voltage: 20-25V~2P
IP67 splash proof



MODEL		LVN2121	LVN2221
earth contact position			
rated current (A)		16	32
pole		2	
dimension (mm)	a	134	134
	b	81	81
	c	72	72
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call

current: 16A | 32A
voltage: 20-25V~3P
IP67 splash proof




MODEL		LVN2131	LVN2231
earth contact position			
rated current (A)		16	32
pole		3	
dimension (mm)	a	134	134
	b	81	81
	c	72	72
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call

FLANGED SOCKETS IP67

เต้ารับฝังตรงกันน้ำ




current: 16A | 32A
voltage: 20-25V~2P
IP67 splash proof



MODEL		LVN3121	LVN3221
earth contact position			
rated current (A)		16	32
pole		2	
dimension (mm)	a	75	75
	b	75	75
	c	53.5	53.5
	d	60	60
	e	60	60
	f	4.2	4.2
	g	11	11
	G.1	2	2
	H	81	81
	L	35	35
	K	14.5	14.5
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call



current: 16A | 32A
voltage: 20-25V~3P
IP67 splash proof



MODEL		LVN3131	LVN3231
earth contact position			
rated current (A)		16	32
pole		3	
dimension (mm)	a	75	75
	b	75	75
	c	53.5	53.5
	d	60	60
	e	60	60
	f	4.2	4.2
	g	11	11
	G.1	2	2
	H	81	81
	L	35	35
	K	14.5	14.5
cable nominal cross- section area (mm ²)		1.5~2.5	4~6
Price		Call	Call