



Smart life



Life



Life



Google
App Store



ការស្រាវជ្រាវ ការស្រាវជ្រាវ
ការស្រាវជ្រាវ ការស្រាវជ្រាវ

Life
Style
ការស្រាវជ្រាវ



HOME Product

Smart Station

Sensor

Security Control

Switch

Socket

Lighting

Breaker

Controller

Camera

Access Control



Get



Alexa



Control
All Home



SMART HOME

Station

- Network: 433MHz / ZigBee 3.0 / IEEE 802.15.4
- Speaker: 10-20 dB
- Adapter: T180-004V AC, 02016 BC
- Backup Battery: CR2032 (3V) x 1
- Operating Temperature: -10~50°C
- Operating Humidity:
 - 10%~90% (Non-condensing)



Mini Station (Infrared/Bluetooth/ZigBee)



- Channels: 433MHz/IR/Bluetooth
- Size Weight: 50g
- Indicator Light: 2x Led Light (Red + Blue)
- Button: 1 x Button
- Working Temperature: -10~50°C
- Working Humidity: 10%~90% RH

għall-ħafna minnha, il-ħafna minnha, il-ħafna minnha, il-ħafna minnha
Smart Home dabbha minnha ZigBee, il-ħafna minnha
n-dabbha minnha minnha minnha minnha

Smart
ZigBee
Gateway



SMART HOME

| Sensor

PIR Motion Sensor

Window / Door Sensor

Temperature & Humidity

ZigBee Smoke Detector

Smoke Sensor

WiFi Gas Detector

Water Leakage Sensor

WiFi Light Sensor

Siren with Temperature &

Humidity Sensor



Tuya



Mijia



Google
Assistant

quninacodumunifouho rikabonugimaru
duj Hihenuobulunifowunonunifouho iu
EdeleleGruGruhu wibourdeGounfiohw

PIR Motion Sensor



- Product name : PIR Motion Sensor
- Battery specifications : 3x AA, LPR x3
- Detection distance : 7 meters
- Detection angle : 120 degrees
- Operating temperature : -20°C ~ 45°C
- Operating humidity : 10% ~ 90% RH (no-condensation)
- Wireless connection : ZigBee



Tuya



HomeKit



Google
Assistant

 green

SMART HOME

Power by 



Sensor

ginesinecodograpreerivulamilachu basecece
nruacem veloutydoguicograpqntorocubfukid
sechruiberluqinepimurankouilqrapqti avocruku
lorker

Temperature & Humidity Sensor

- Product Name : Temperature & Humidity sensor
- Model : ZC4H1
- Battery Type : CR2032
- Temperature detection range and accuracy : $0^{\circ}\text{C} \sim 50^{\circ}\text{C}$, $\pm 0.5^{\circ}\text{C}$
- Wireless Connection : ZigBee



Get



Alexa



Google
Home

+ green

SMART HOME



zigbee
Sensor



qinoricecekturfa piderfaküturnu
flutheuasümaakipfakütoqinorice
rufl se fashyngmuküküaunüfela



Zigbee smoke detector

- Power supply: DC 3VCR2032 (Micro battery)
- Trigger: Laser infrared light
- Built-in current: 0.02mA
- Alarm sound: 90dB
- Networking: Zigbee/433MHz
- Sound alarm: 300Hz
- Detection distance: 1700m (theoretical)
- Working principle: IR light
- Dimension: 60mm x 60mm x 60mm



Tuya



Alexa



Google
Assistant

green

SMART HOME

Powered by

Environmental Sensor



10



10



10
10/10





SMART HOME
Model No. **SH-001**

Sensor

qulnrlwcedlmeRfuhle Gocrowwuhoculwlnlos
edmeslwkulhwewr nufemurwlnfowuqulnrlw
Wlhwuoufuköndle

WiFi



- Battery capacity: 100mAh ■ Recharge battery
- Standby power: 0.01mA
- Standby time: 400months
- Charging time: 1 hour / time
- Material: ABS
- Size: 45x45x15mm (LxWxH)
- Operating temperature: -40°C ~ 60°C (-40°F ~ 140°F)
- Working humidity: 10% ~ 90% ~ 95% RH
- Size: 1.5g



Sen



Aires



Google
Play Store

green

SMART HOME

www.green.com



WiFi



gün ışığını ölçer ve ışık miktarını mobil uygulamaya bildirir. Işığın artmasıyla otomatik olarak ışıklandırma sistemini kontrol eder. Ayrıca, ışık miktarını ölçer ve ışık miktarını mobil uygulamaya bildirir.

Wifi light sensor

- Operating frequency: 2.4GHz
- Storage temperature: 0°C - 40°C (32°F - 104°F)
- Product size: 36 mm x 36 mm x 36 mm
- Cableless and wireless with 3.5 mm
- Packing quantity: 100PCS per box
- Color: white, black and silver
- Product net weight: 10g
- Product gross weight: 40g
- Gross weight of carton: 4.2kg



Tuya



Alexa



Google
Assistant



SMART HOME
powered by 

Sensor

with 

Slam with temperature
and humidity sensor



güncelesorSeğrengÜce-noruSünko
İuChuwSouwawuguwow wlooufıfıouDo
DopungÖfıfıonruSünkİİnİfıeçhıruçıfıfı
günceİfıerunsoİfıİğrengÜce-noruSünkİ
öfıfıoİ

- Trigger alarm (make sound and light)
- Temperature/humidity sensor with anti-flood function
- Battery: CR2032 (3V)
- IP Rating: IP67
- Communication: Wi-Fi
- Standby current: 10µA • 100mA
- Detection temperature: -10°C • 50°C
- Detection humidity: 0% • 100%
- Communication protocol: ZigBee 3.0
- Wireless standard: IEEE 802.15.4
- Size: 30mm x 30mm x 12mm



Tuya



Aqara



Google
Home



1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

Features

- 2.4GHz Wi-Fi
- 1080P Full HD
- Max. Distance: 200m 2.4GHz Wi-Fi
- Max. Distance: 120m
- APP: iOS and Android
- App: Amazon Alexa, Google Assistant, IFTTT



Alexa



Google Assistant



Google Assistant

Security Control

Smart Home Security Control - Remote Control - Door Sensor - PIR Motion Sensor



PIR Motion Sensor

- 1. PIR Motion Sensor - Detects the presence of moving objects in the field of view.
- 2. PIR Motion Sensor - Detects the presence of moving objects in the field of view.
- 3. PIR Motion Sensor - Detects the presence of moving objects in the field of view.
- 4. PIR Motion Sensor - Detects the presence of moving objects in the field of view.
- 5. PIR Motion Sensor - Detects the presence of moving objects in the field of view.



Door Sensor

- 1. Door Sensor - Detects the presence of a door being opened or closed.
- 2. Door Sensor - Detects the presence of a door being opened or closed.
- 3. Door Sensor - Detects the presence of a door being opened or closed.
- 4. Door Sensor - Detects the presence of a door being opened or closed.
- 5. Door Sensor - Detects the presence of a door being opened or closed.



Remote Control

- 1. Remote Control - Allows you to control your smart home devices from anywhere.
- 2. Remote Control - Allows you to control your smart home devices from anywhere.
- 3. Remote Control - Allows you to control your smart home devices from anywhere.
- 4. Remote Control - Allows you to control your smart home devices from anywhere.
- 5. Remote Control - Allows you to control your smart home devices from anywhere.



Google



Alexa



Cortana





SMART HOME

powered by **Google**

Security Control

Control your home security system from anywhere with the **Security Control** app. You can arm and disarm your system, view live video feeds from your cameras, and receive alerts when your system is triggered.



Gateway Siren

- Operating Voltage: 24VDC/500mA
- I/O standards: 2-AC/16-DC/16-Relays
- Standby power consumption: <math>< 0.5W</math>
- Operating IP: 192.168.1.0
- Support 2 remote controls and 80 wireless devices
- Material: ABS
- Dimensions: 60x120x60
- Working temperature: 0°C ~ 40°C
- Working Humidity: <math>< 80\%</math>



Siri



Alexa



Google
Assistant



SMART HOME
POWER BY 

Security Control

Keamanan rumah Anda adalah prioritas utama kami. Dengan menggunakan sistem keamanan berbasis cloud kami memastikan rumah Anda selalu terlindungi.



Outdoor Siren

- Security siren 100db
- 3.6V power recharging battery include
- External power supply (12V/500mA)
- Recharging current 0.1A
- 200% low frequency frequency (100-1000Hz)
- Working temperature: -10°C to 40°C
- Humidity 95% RH
- 1 year warranty (10000)
- Call Customer Service Center (021-2500000)



Set



Alarm



Control
and Alarm





SMART HOME



Switch

Switch

Scene Switch

Curtain Switch

Dimmer Switch

Switch Module



Tuya



Alexa



Google
Assistant

Switch



Smart switch: fitur on/off yang bisa dikontrol via aplikasi atau suara. Bisa dikontrol via aplikasi atau suara. Bisa dikontrol via aplikasi atau suara.

- Rated operational voltage : 110V ~ 240V AC
- Capacity : 10A ~ 15A
- Load power : 1000W
- Working temperature : 0°C ~ 40°C
- Relative humidity : 10% ~ 90%
- Operating frequency : 50/60 Hz
- Energy consumption : 0.1W
- Life-time : 100,000



Siri



Alexa

Google
Assistant

Switch

Ճեշտեղից հիմնարարն ամբողջիկում
զգեսուղարարողը կարողանում է
ևս ուղարկել ձեր տուն



Scen Switch

- Battery specifications: CR1632 x 2
- Distance from gateway / internet
- Operating temperature: -5°C • 45°C
- Operating humidity: 10% • 90% RH (non-condensing)
- Zigbee-Connectivity: Zigbee 3.0



Alexa



Apple HomeKit



Google Assistant

• **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
 • **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
 • **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
 • **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**



Curtain Switch

- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**

Dimmer Switch



- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**
- **Codebook** / **Codebook** / **Codebook** / **Codebook** / **Codebook**



Tuya



Alexa



Google
Assistant



• **quadrifilar e a 1 o 2 fili**
• **Dimensioni 86x86x30mm**
• **funzionamento a 230V**
• **100% dimmerabile**
• **dotato di display a LED**
• **di facile installazione**

Switch Module Dimmer

- **100% dimmerabile a 1 o 2 fili**
- **86x86x30mm**
- **100% dimmerabile a 230V**
- **dotato di display a LED**
- **funzionamento a 230V**
- **100% dimmerabile**
- **di facile installazione**



Google



Amazon

Apple
HomeKit



SMART HOME

| Socket



Wall Socket

Smart Socket

Universal Power Strip



Siri



Alexa



Google Assistant

1. Produk ini memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud yang dapat diakses melalui smartphone.



Wall Socket

- Produk ini memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud.
- Bisa terintegrasi dengan sistem smart home.
- Memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud.
- Memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud.
- Memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud.
- Memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud.
- Memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud.
- Memiliki fitur kontrol jarak jauh menggunakan aplikasi berbasis cloud.



Google



Alexa



Apple
HomeKit



SMART HOME

Socket

ඔබගේ නිවසේදී, විදුලි පුනරුත්ථාපන ක්‍රමයක්
ආරක්ෂා සිදු කිරීමේදී, විදුලි පුනරුත්ථාපන ක්‍රමයක්

WiFi Smart power plug

- ආරක්ෂිතයින් WiFi Smart power plug මාදිලිය
- ආරක්ෂිතයින් E14/E27 ආකාරයේ
- විදුලි පුනරුත්ථාපන ක්‍රමයක් (ON/OFF)
- WiFi මාරු කිරීමේදී
- ආරක්ෂිතයින් (WiFi) මාරු කිරීමේදී මාරු කිරීමේදී
- ආරක්ෂිතයින් (WiFi) මාරු කිරීමේදී මාරු කිරීමේදී
- ආරක්ෂිතයින් (WiFi) මාරු කිරීමේදී මාරු කිරීමේදී
- ආරක්ෂිතයින් (WiFi) මාරු කිරීමේදී මාරු කිරීමේදී

WiFi



Tuya

Alexa

Google
Assistant



SMART HOME

| Lighting

Light Strip

LED Downlight

Smart RGB Bulb



iQ



Aloha



Google
Assistant



Light Strip 5m/10m

- Working Voltage: 12VDC
- Length: 5m/10m
- Power: 24W
- Power: 12W (5m) / 24W (10m)
- Output Type: 1600lm (5m) / 3200lm (10m)
- Output Type: 1600lm (5m) / 3200lm (10m)
- Temperature: 25°C (68°F) / 30°C (86°F)



LED Downlight

- Voltage: 12VDC
- Current: 1.0A (10W)
- Waterproof: IP65
- LED Type: SMD3528
- Beam: 36°
- CCT: Warm White (2700K) / Cool White (6000K)
- Beam: 36°

Smart RGB Bulb

- Voltage: 12V
- Working Voltage: 12VDC
- CCT: Warm White (2700K)
- CCT: 2700K
- Power: 12W (10W)
- Working Voltage: 12VDC
- CCT: Warm White (2700K)
- CCT: 2700K
- Working Voltage: 12VDC



Get



Alexa



Google
Home



SMART HOME



Socket

Measure Watt Sensor

Smart Breaker



Siri



Alexa



Google
Assistant



WiFi Smart Circuit Breaker with Energy Monitoring

- Certificate: CE
- Rated Current: 125A Max
- Rated Power: 100kVA
- Voltage: 100V-240V
- WiFi: 2.4GHz/5GHz



WiFi Smart Circuit Breaker

- Certificate: CE
- Rated Current: 125A Max
- Rated Power: 100kVA
- Voltage: 100V-240V
- WiFi: 2.4GHz/5GHz



Get



Download



Get it on
Microsoft

green

SMART HOME

Powered by **Google**



Controller

Universal IR Remote
Garage Controller



Alexa



HomeKit



Google
Assistant



SMART HOME



Quitar el polvo de la cámara y limpiar el lente de la cámara. El sensor de movimiento de la cámara de Smart Home 1000 puede ser utilizado para controlar el acceso al garaje. El sensor de movimiento de la cámara de Smart Home 1000 puede ser utilizado para controlar el acceso al garaje.

Garage Controller

- Product Dimensions: 127*40*20mm
- Thickness: 20mm
- Power: 12000W
- Voltage: 100-240V
- Electricity: 10A



100



1000



10000
100000



Camera

Indoor

ETim

indoor camera

Outdoor

Floodlight Camera

Fix Camera

NVR KIT



Get



Alexa



Control
with Home

green

SMART HOME



Camera Indoor Camera

Indoornalichu konueudōau Full-HD rinihapanunah
Eauatorunulūhūdāshōdōschu yunikoofinchoosōu
nōshōna 2 mōhūanōōu kōnōfūmōwōpōn
nōnōfūdōōōu

I-Tim

- Image Sensor 1/2.8" 2MP CMOS
- 170°WideView | 1080P x 60FPS
- 2.4GHz Wireless up to 300m
- 2mm Lens 2.8mm
- App | 2.4GHz | 2.4G | 2.4G

- Support Wi-Fi
- 2.4GHz | 2.4G | 2.4G | 2.4G
- 2.4GHz | 2.4G | 2.4G | 2.4G
- 2.4GHz | 2.4G | 2.4G | 2.4G



Tuya



HomeKit



Google
Assistant

rekomendasi dan konsultasi. Full HD 1080p dengan lensa sudut pandang ultra lebar 130 derajat untuk pemantauan ruangan 2 arah dan monitor. Hijau dan hitam dengan resolusi tinggi.



Indoor Camera

- Night vision up to 10 meters
- Temperature, Humidity, Light and motion sensor
- Support video, still, audio and file share
- P2P, Cloud, Email, SMS, and App
- Support Micro SD up to 32GB (not included) for recording & storage
- Green, Red, Blue, Yellow, Purple, White, Black, Grey
- Support for PC, Smart TV, and support for iOS
- Audio recording, 2-way communication
- Support 2.4GHz and 5GHz WiFi
- Works on Windows, Support Windows 7 or later
- Ambient temperature: 0°C-40°C



Twitter



Facebook



Google+
@GreenHome



SMART HOME

Power by **Net**



Camera

Outdoor Camera

Indoornuonduhuruuub
adu full HD guhuruuenu
SodotacurididovSumanilewicuuhob
uucodumelidore 2 mo uhuo
nenuhu



Floodlight Camera

- Impugnator 2018-2020
- Efficient Power 1000W 1000W
- Low Voltage 100V
- Weatherproof IP67
- Apparent IP12
- Instant ON/ OFF (Motion) 100V
- Storage Support 10-100GB to 1GB
- Adapter AC 100V-240V DC 100V
- LED lighting method 100V LED 100V
100V 100V 100V 100V



Net



Home



Google
Assistant



nikomason.harcunusibodu (A) H&B suidho
sootifora 3 maikunarefa menulo reso
v&fcomere-likomastolu



Camera

Outdoor Camera



FIX Camera

- Imagemax 1080P
- Effective pixel: 1000x1000
- 2.1 distance (distance 1.5m)
- Lens angle: 100mm
- Waterproof IP67
- Aperture F1.2
- Network: 802.11 B/G/N 5GHz (optional)
- Storage Support SD-CARD up to 128GB
- Adapter AC 110V-240V DC 1.2V1A



Get



Download



Google
Play Store

 **green**

SMART HOME



NVR KIT

SMART HOME

 powered by
 

Nr 4 CH KT


- 4CH 802P Wi-Fi N450 (4x2T) 4.2dBi
- 3000 Mbps (max) 2000 M (20) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)


Nr 8 CH KT

- 8CH 802P Wi-Fi N450 (4x2T) 4.2dBi
- 3000 Mbps (max) 2000 M (20) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)
- 1000 Mbps (max) 1000 M (10) Mbps (max)



G



A


 C
 H
 K




SMART HOME

Access Control



Face Door Lock

Sligbee Face Door Lock adalah kunci pintu yang menggunakan teknologi pengenalan wajah untuk membuka pintu. Kunci ini sangat aman dan mudah digunakan. Kunci ini juga memiliki fitur anti-pencurian dan anti-kebakaran.

- 3 ways to unlock: Fingerprint, Fingerprint Lock, Card Lock, NFC Card Lock, Mechanical Key Lock
- Central management system with OLED display screen
- Holding the handle and press your fingerprint on them to unlock the door
- The compact size fits all models doors and windows
- IP65 fingerprint reader gives you the best security experience
- Emergency power supply in case of lost power





Life Style

ของคุณจะเปลี่ยนไป

ความสะอาดรอบๆ ตัวคุณจะได้

ความสะอาดที่แท้จริงด้วยสิบลูก

