Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 4/14 ID-0117/20

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name : BSTE SBR 1723

Chemical Name: Extended Oil Butadiene Styrene copolymer

 $\label{eq:molecular formula: (CH2-CH=CH-CH2-CH2-CH)_n} Molecular Formula: (CH2-CH=CH-CH2-CH2-CH)_n$ 

*.* . . .

1.2 Use: Raw material for the production of tires

1.3 Manufacturer/Import : BST Elastomers Company Limited

1.4 Address: 5/1, I-7 Rd. Maptaphut Industrial Estate, Muang District, Rayong 21150

Tel.: +66(0) 3869-8698 Fax: +66(0) 3869-8690

## 2.HAZARD IDENTIFICATION

2.1 Classification of Substance or Mixture

Classification according to Directive 1999/45/EC: Not classified

GHS classification: This product is not classified as hazardous.

Physical Hazards:

Explosives : Not classified

Flammable gases: Not applicable

Flammable aerosols : Not applicable

Oxidizing gases: Not applicable

Gases under pressure : Not applicable

Flammable liquids : Not applicable

Flammable Solids : Not classified

Self-reactive substances and mixture 
Not classified

Substances and mixtures which, Not classified

in contact with water,

emit flammable gases

Oxidizing liquids: Not applicable

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 5/14 ID-0117/20

Oxidizing solids:

Organic peroxides:

Not classified

Not classified

Not classified

Not classified

Health Hazards:

Acute toxicity (oral): Not classified

Acute toxicity (Dermal) : Classification not possible Acute toxicity (Inhalation) : Classification not possible

Serious eye damage/irritation : Not applicable

Respiratory sensitization : Classification not possible

Skin sensitization : Category 1

Germ cell mutagenicity: Classification not possible

Carcinogenicity: Not classified

Reproductive toxicity: Classification not possible

Specific target organ toxicity

(Single exposure) : Classification not possible

(Repeated exposure): Classification not possible

Aspiration hazards: Not applicable

Environmental hazards:

Hazards to aquatic environment

(Acute): Not classified (Chronic): Not classified

2.2 Label Elements:

**(!)** 

Pictogram or Symbol:

Signal word: Warning

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 6/14 ID-0117/20

Hazard statement: H317 May cause an allergic skin reaction

Precautionary statement: P261 Avoid breathing dust/fume/gas/mist/vapour/spray

P280 Wear protective glove/protective clothing/eye

protection/face protection

P302+P352 If on skin: Wash with plenty of water

P333+P313 If skin irritation or rash occurs; Get medical

advice/attention

P362+P364 Take off contaminated clothing and wash it

before reuse

P501 Dispose of content/container to hazardous or

special waste collection point, in accordance with

local, regional, national and/or international

regulation.

#### 2.3 Other Hazards

May cause an allergic skin reaction

<u>Precautionary Statements</u>: Not expected to produce significant adverse health effect when the recommended instruction for use are followed. May cause mechanical irritation (abrasion). Toxic and irritating gases/fumes maybe given off during burning or thermal decomposition. Contact with hot material will cause thermal burns.

### 3.COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name : Extended Oil Styrene Butadiene Copolymer

Synonyms: None

 Name
 CAS No.
 %

 Styrene Butadiene Copolymer
 9003-55-8
 73

 TDAE OIL
 64741-88-4
 27

4.First - aid measures

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 7/14 ID-0117/20

## 4.1 Description of first aid measures

Skin: Wash skin with soap and water.

Eye: Wash eyes with large amounts of water occasionally lifting upper and lower lids, until no evidence of chemical remains at least 15-20 minutes.

Inhalation: Although this product is not known to cause respiratory problems, if breathing is difficult, remove to fresh air and provide oxygen.

Ingestion: Ingestion is not considered a potential route of exposure.

#### 4.2 Potential acute health effects

Skin: May cause slight skin irritation.

Eye: No hazards expected in normal industrial use at room temperature.

Inhalation: Irritating vapors may be formed when product is processed at high temperature.

Ingestion: Ingestion is not considered a potential route of exposure.

#### 4.3 Potential Chronic health effects.

Chronic effects: No known significant effects or critical hazards

Carcinogenicity: No carcinogenic substances as defined by IARC, NTP and/or OSHA.

4.4 Notes to physician: No specific treatment. Treat symptomatically.

### 5.FIRE FIGHTING MEASURES

### 5.1 Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder,  $CO_2$ , water spray or regular foam. For large fires, use water spray, fog or regular foam.

# 5.2 Special Hazards Arise from the Substance or Mixture

Hazards from the substance or mixture: Toxic and irritating gases/fumes may give off during burning or thermal decomposition

Hazardous decomposition Products : Thermal decomposition may release acrid smoke and irritation fumes

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 8/14 ID-0117/20

### 5.3 Advice for Firefighters

Special Fire-Fighting Procedures: Move container from fire area if you can do it without risk. Do not scatter spilled material with high-pressure water streams. Dike fire –control water for later disposal (1993 Emergency Response Guidebook, RSPA P5800.6, Guide Page 31). Use agents suitable for type of surrounding fire. Avoid breathing hazardous vapors, keep upwind.

Special Protective Equipment for Firefighters: Should wear appropriate protective equipment and SCBA with a full face-piece operated in positive pressure mode.

### 6.ACCIDENTAL RELEASE MEASURES

- 6.1 Personal Precaution: No special measure required
- 6.2 Environmental Precaution: Sweep up and place in suitable containers. Do not flush spilled material into sewer. Keep unnecessary people away.
- 6.3 Method and Materials for Containment and Cleaning Up

Small Spill: Take up mechanically, treat or dispose of waste material in accordance with all local and national requirements.

Large Spill: Handle as solid waste. Vacuum or sweep up material and place in a disposal container.

# 7.HANDLING AND STORAGE

- 7.1 Precaution for Safe Handling:
  - Make efforts to keep workplace clean and tidy, and avoid using fire.
- Since there is possibility of volatile matter generating during work, it may cause irritation to the eyes.
  - After work, before smoking or eating, wash the hands well, and gargle.

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 9/14 ID-0117/20

## 7.2 Condition for Safe Storage including any incompatibilities:

- Indoor to prevent deterioration, avoid the following.
  - Exposure to the direct sun rays.
  - High temperature, high humidity.
  - Outdoor storage.
- Even in the case of indoor storage, avoid storing in high-temperature area or near UV-emitting lights such as the incandescent lamps and mercury lamps.
- In case of bulk shipments, in odor to prevent crumbling of the bulk cargo, keep the height as low as possible.

## 8.EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control Parameter

Exposure limit value: No Data Available

## 8.2 Exposure Control

Occupational exposure controls: User operation generate dust, fume or dust use ventilation to keep exposure to airborne contaminants below the exposure limit.

Environment exposure controls

Technical measure: Emission from ventilation or work process equipment should be check to ensure comply with the requirement of environmental protection legislation. In some case, fume scrubbes, filters or engineering modifications to the process equipment will be necessary to reduce emission to acceptable levels.

#### 8.3 Personal protection measure

Respiratory protection: Respirator with a dust and mist filter in case dust formation.

Protective Gloves: Employee should wear appropriate protective gloves to prevent contact with this substance.

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 10/14 ID-0117/20

Eye Protection: Employee must wear splash-proof or dust resistant safety goggles to prevent eye contact with this substance.

Skin: Employee should wear appropriate protective (impervious) clothing and equipment to prevent repeated or prolonged skin contact with this substance.

# 9.PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information Appearance

Physical State: Solid (Rubber bales)

Colour: Greenish brown or dark brown

Odour: Odorless to weak aromatice

9.2 Odour threshold limit: No data available.

9.3 pH: No data available.

9.4 Melting Point / Freezing point : No data available.

9.5 Initial boiling point and boiling range: No data available.

9.6 Flash point : Closed cup : > 210°C

9.7 Evaporation Rate: No data available

9.8 Flammability (Solid/Gas): Not flammable.

9.9 Upper Flammability/Explosive limits: No data available.

Lower Flammability/Explosive limits: No data available.

9.10 Vapor Pressure: No data available.

9.11 Vapor density: No data available.

9.12 Relative density: 0.93-0.97

9.13 Solubility: Insoluble in water.

9.14 partition Coefficien: n-octanol/water: No data available

9.15 (Specific Gravity ) (Water=1): No data available

9.16 Auto ignition temperature : > 246°C

9.17 Decomposition temperature : > 218°C

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 11/14 ID-0117/20

9.18 Viscosity: No data available.

9.19 Molecular Weight: No data available.

### 10. STABILITY AND REACTIVITY

- 10.1 Reactivity: No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Stability: Stable at ambient temperature and pressure
- 10.3 Possibility of hazardous reaction : Under normal condition storage and use , hazardous reaction will not occur.
- 10.4 Conditions to Avoid : Extreme temperature, 300-350°C (572-662 °F) will cause thermal decomposition.
- 10.5 Incompatible material: Strong Oxidizers
- 10.6 Hazardous Decomposition Products : Carbon monoxide, Carbon dioxide, Partially oxidized hydrocarbon

# 11. TOXICOLOGICAL INFORMATION

11.1 Potential acute health effects

Skin: May cause mechanical irritation (abrasion). Contact with hot material will cause thermal burns.

Eye: May cause mechanical irritation (abrasion).

Inhalation: May cause mechanical irritation (abrasion).

Ingestion: No known significant effects or critical hazards.

11.2 Potential Chronic health effects.

Chronic effects: No known significant effects or critical hazards

Carcinogenicity: Products/ Similar products – IARC Group 3 not classifiable as a human carcinogen.

11.3 Acute Toxicity Level:

Acute oral toxicity: Not available

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 12/14 ID-0117/20

Acute dermal toxicity: Not available

Acute inhalation toxicity: Not available

### 12. ECOLOGICAL INFORMATION

12.1 Eco-Toxicity: No data available.

12.2 Persistence and Degradability: No data available.

12.3 Bioaccumulative Potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other Adverse effect: No data available.

The product is practically insoluble in water. No ecological problems are to be expected if the product is properly handling.

### 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal should be in accordance with local, state and national legislation. Waste water has to be treated. Packaging waste (paper bags) shall be collected and send for recycling. Plastic waste shall be removed to disposal.

## 14. TRANSPORT INFORMATION

14.1 UN No.: Not available

14.2 UN Proper shipping name: Not available

14.3 Transport Hazard class: Not available

14.4 Packing group: Not available

14.5 Marine pollutants: Not available

14.6 Transport in bulk according to annex II of MARPOL73/78 and the ICB code: Not

available

14.7 Special precautions for user/Additional information : Not available

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 13/14 ID-0117/20

### 15. REGULATORY INFORMATION

## 15.1 Thailand Regulation

- Labour Protection Act B.E.2541 : Material is not listed

- Hazardous Substance Act B.E. 2535 : Material is not listed

15.2 CLP Regulation: European Regulation (EC) No 1272/2008 on Classification, Labelling and

Packaging of Substances and Mixtures, ; Material is listed in Annex VI

15.3 OSHA: No data available.

15.4 TSCA: No data available.

15.5 SARA: No data available

15.6 REACH Regulation: Material is not listed

#### **16.OTHER INFORMATION**

### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH: American Conference of Government Industrial Hygienists

NFPA: National Fire Protection Agency

NIOSH: National Institute for Occupational Safety & Health

OSHA: Occupational Safety & Health Administration

IARC: International Agency for Research on Cancer

SARA: Superfund Amendments and Reauthorization Act.

GHS: Globally Harmonized System

TSCA: Toxic Substance Control Act

WHMIS: Workplace Hazardous Materials Information System

LD50 : Lethal Dose 50%

CNS : Central Nervous System NTP National Toxicology Program

EC50 : Effective Concentration NOAEL No Observable Adverse EffectLevel

EC50 : Effective Concentration 50% NOEC No Observed Effect Concentration

PEL : Permissible Exposure Limit

Document Code S-PSM-BE-S01046 Effective Date 4 February 2020

Revision 5 Page 14/14 ID-0117/20

STEL: Short-term Exposure Limit

TLV: Threshold Limit Value

TWA: Time Weighted Average

# Remark

Additional Information Available from

Name: BST Elastomers Company Limited

Address: 5/1, I-7 Road. Maptaput Industrial Estate, Muang District, Rayong 21150

Tel.: +66(0) 3869-8698 Fax.: +66(0) 3869-8690