

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 1/9 ID-0136/26

## 1. Identification of the substance and of the supplier

- 1.1 Trade Name** : Styrene Butadiene Rubber (SBR-Oil Grade) or SBR 1723
- 1.2 Molecular Formula** :  $(\text{CH}_2\text{-CH=CH-CH}_2\text{-CH}_2\text{-CH})_n$   

- 1.3 Manufacturer /Import** : BST Elastomers Company Limited
- 1.4 Address** : 5/1, I-7 Rd. Map Ta Phut Industrial Estate, Muang District, Rayong 21150, Thailand
- Phone number** : (+66) 3869 8698
- Fax** : (+66) 3869 8699
- Emergency Phone number** : (+66) 3869 8601 (Mutual Aid Coordinator Center)
- 1.5 Relevant identified uses of the substance or mixture and uses advised against** : Not applicable
- 1.6 Identified uses** : Raw material for the production of tires. Prohibited for use in the production of food-grade products.

## 2. Hazards Identification

### 2.1 Classification of the mixture according to Globally Harmonized System (GHS) standards (GHS hazard statements and category)

Not classified

### 2.2 GHS label elements

**Hazard Pictogram** : Not applicable

**Signal Word** : Not applicable

**Hazard Statement** : Not applicable

**Precautionary Statement** : Not applicable

### 2.3 There hazards which do not result in classification : Not available

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 2/9 ID-0136/26

## 3. Composition/ Information on Ingredients

- 3.1 Chemical type (Substance/Mixture)** : Mixture
- 3.2 Chemical identity** : Extended Oil Butadiene Styrene copolymer
- 3.3 Common name and synonym** : Not available
- 3.4 CAS number** : Not available
- 3.5 EC number** : Not available
- 3.6 Impurities and stabilizing additives** : Not available
- 3.7 Ingredient :**

Substances	CAS No.	EC No.	% by weight
Styrene Butadiene Copolymer	9003-55-8	618-370-2	73%
TDAE OIL	64741-88-4	265-090-8	27%

## 4. First Aid Measures

### 4.1 Description of first aid measures

**Skin** : Wash skin with soap and water. Remove contaminated clothing. Seek medical attention if irritation develops.

**Eyes** : Wash eyes with large amounts of water occasionally lifting upper and lower lids, until no evidence of chemical remains at least 15-20 minutes.

**Inhalation** : Although this product is not known to cause respiratory problems, if breathing is difficult, remove to fresh air and provide oxygen.

**Ingestion** : Ingestion is not considered a potential route of exposure.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects :

Skin : May cause slight skin irritation .

Eyes : No hazards expected in normal industrial use at room temperature.

Inhalation : Irritating vapors may be formed when product is processed at high temperature.

Ingestion : Ingestion is not considered a potential route of exposure.

**Potential Chronic health effects** : No known significant effects or critical hazards

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569  
พิมพ์ครั้งที่ 11 หน้า 3/9 ID-0136/26

## 4.3 Indication of any immediate medical attention and special treatment needed Notes to :

No specific treatment. Treat symptomatically.

## 5. Fire Fighting Measures

### 5.1 Extinguishing Media

**Suitable Extinguishing Media** : To extinguish combustible residues of this product, use water fog, carbon dioxide, dry chemical or foam.

**Unsuitable Extinguishing Media** : Not available

### 5.2 Special Exposure Hazards

**Hazards from the substance or mixture** : Toxic and irritating gases/fumes maybe given off during burning or thermal decomposition

**Hazardous decomposition Products** : Thermal decomposition may release acrid smoke and irritation fumes

### 5.3 Advice for Firefighters

**Special Fire-Fighting Procedures** : Move container from fire area if you can do it without risk. Do not scatter spilled material with high-pressure water streams. Dike fire –control water for later disposal (1993 Emergency Response Guidebook, RSPA P5800.6, Guide Page 31). Use agents suitable for type of surrounding fire. Avoid breathing hazardous vapors, keep upwind.

**Special Protective Equipment for Firefighters** : Should wear appropriate protective equipment and SCBA with a full face-piece operated in positive pressure mode.


### 5.4 NFPA 704 Diamond

**Health hazard (Blue)** : 1

**Fire hazard (Red)** : 0

**Reactivity (Yellow)** : 0

**Specific hazard (White)** : -



### 5.5 Fire and explosion protection : Not available

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 4/9 ID-0136/26

## 6. Accidental Release Measures

**6.1 Personal precautions, protective equipment and emergency procedures :** No special measure required

**6.2 Environmental precautions :** Sweep up and place in suitable containers. Do not flush spilled material into sewer. Keep unnecessary people away.

**6.3 Methods and materials for containment and cleaning up :**

**Small spill :** Take up mechanically , Treat or dispose of waste material in accordance with all local and national requirements.

**Large spill :** Handle as solid waste. Vacuum or sweep up material and place in a disposal container.

**6.4 Spill Management :** Not available

## 7. Handling and Storage

**7.1 Precautions for safe handling :**

- Make efforts to keep workplace clean and tidy, and avoid using fire.
- Since there is possibility of volatile matter generating during work, it may cause irritation to the eyes.
- After work, before smoking or eating, wash the hands well, and gargle.

**7.2 Conditions for safe storage, including any incompatibilities :**

- Indoor to prevent deterioration, avoid the following.
- Exposure to the direct sun rays.
- High temperature, high humidity.
- Outdoor storage.
- Even in the case of indoor storage, avoid storing in high-temperature area or near UV-emitting lights such as the incandescent lamps and mercury lamps.
- In case of bulk shipments, indoor to prevent crumbling of the bulk cargo, keep the height as low as possible

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 5/9 ID-0136/26

## 8. Exposure Controls/ Personal Protection

### 8.1 Control parameters

TLV-TWA (ACGIH) : Not available

TLV-STEL (ACGIH) : Not available

TLV-C (ACGIH) : Not available

IDLH (NIOSH) : Not available

### 8.2 Personal protective equipment

**Respirators** : Respirator with a dust and mist filter in case dust formation.

**Skin** : Employee should wear appropriate protective gloves to prevent contact with this substance.

**Eyes** : Employee must wear splash-proof or dust resistant safety goggles to prevent eye contact with this substance.

**Other Protection** : Employee should wear appropriate protective (impervious) clothing and equipment to prevent repeated or prolonged skin contact with this substance.

**8.3 Appropriate engineering controls** : User operation generate dust , fume or dust use ventilation to keep exposure to airborne contaminants below the exposure limit.

## 9. Physical and chemical properties

### 9.1 General information Appearance

**Physical State** : Solid (Rubber bales)

**Color** : Greenish brown or dark brown

**9.2 Odor** : Odorless to weak aromatic

**9.3 Odor threshold limit** : Not available

**9.4 pH** : Not available

**9.5 Melting point** : Not available

**9.6 Freezing point** : Not available

**9.7 Boiling point** : Not available

**9.8 Flash point** : Not available

**9.9 Evaporation rate** : Not available

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 6/9 ID-0136/26

**9.10 Flammability (solid, gas)** : No, but the product will burn if ignited

**9.11 Lower Flammability/Explosive limits (LFL/LEL)** : Not available

**9.12 Upper Flammability/Explosive limits (UFL/UEL)** : Not available

**9.13 Vapor pressure** : Not available

**9.14 Vapor density** : Not available

**9.15 Relative density** : Not available

**9.16 Solubility** : Insoluble in water.

**9.17 Partition coefficient : n-octanol/water** : Not available

**9.18 Auto-ignition temperature** : Not available

**9.19 Decomposition temperature** : Not available

**9.20 Viscosity** : Not available

**9.21 Molecular Weight** : Not available

**9.22 Specific gravity (Water=1)** : 0.93

**9.23 Surface Tension** : Not available

## 10. Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : Stable at ambient temperature and pressure.

**10.3 Possibility of hazardous reactions** : Under normal condition storage and use, hazardous reaction will not occur.

**10.4 Condition to avoids** : Extreme temperature, 300-350 °C (572-662 °F) will cause thermal decomposition.

**10.5 Incompatible materials** : Strong Oxidizers.

**10.6 Hazardous decomposition products** : Carbon monoxide, Carbon dioxide, Partially oxidized hydrocarbon

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 7/9 ID-0136/26

## 11. Toxicological information

### 11.1 Information on toxicological effects

**Skin** : May cause mechanical irritation (abrasion). Contact with hot material will cause thermal burns.

**Eyes** : May cause mechanical irritation (abrasion).

**Inhalation** : May cause mechanical irritation (abrasion).

**Ingestion** : No known significant effects or critical hazards.

**11.2 Potential Chronic health effects** : No known significant effects or critical hazards

**11.3 Routes of Entry** : Not available

### 11.4 Acute toxicity

#### 11.4.1 LD50

**Oral (mg/kg)** : Not available

**Dermal (mg/kg)** : Not available

#### 11.4.2 LC50

**Inhalation (ppm, mg/m<sup>3</sup>)** : Not available

**11.5 Carcinogenicity/Germ cell mutagenicity (GHS or IARC)** : Products/ Similar products - IARC Group 3 not classifiable as a human carcinogen.

## 12. Ecological Information

**12.1 Eco-Toxicity** : Not available

**12.2 Persistence and Degradability** : Not available

**12.3 Bioaccumulative potential** : Not available

**12.4 Mobility in soil** : Not available

**12.5 Other adverse effects** : The product is practically insoluble in water. No ecological problems are to be expected if the product is properly handling.

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 8/9 ID-0136/26

## 13. Disposal considerations

**13.1 Waste and safe handling information** : Not available

**13.2 Waste treatment methods** : Disposal should be in accordance with local, state and national legislation. Waste water has to be treated. Packaging waste (paper bags) shall be collected and send for recycling. Plastic waste shall be removed to disposal.

**13.3 Contaminated containers/Packages** : Not available

## 14. Transport information

**14.1 UN number** : Not available

**14.2 UN proper shipping name** : Not regulated

**14.3 Transport hazard class :**

U.S. DOT hazard class : Not regulated

Canada TDG hazard class : Not regulated

Europe ADR/RID hazard class : Not regulated

IMDG Code (ocean) hazard class : Not regulated

ICAO/IATA (air) hazard class : Not regulated

**14.4 Packing group** : Not applicable

**14.5 Marine pollutant** : Not applicable

**14.6 Transport in bulk according to annex II of MARPOL73/78 and the ICB code** : Not available

**14.7 Special precautions** : Not available

**14.8 Further information** : Not available

## 15. Regulatory Information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1 Thailand Regulation**

**Ministry of Labour** : Not available

**Ministry of Industry** : Not available

**Ministry of Public Health** : Not available

# เอกสารเพื่อความปลอดภัยในการปฏิบัติงานกับสารเคมี SBR 1723

รหัสเอกสาร S-PSM-BE-S01046 วันที่มีผลบังคับใช้ 26 มกราคม 2569

พิมพ์ครั้งที่ 11 หน้า 9/9 ID-0136/26

**Ministry of Natural Resources and Environment** : Not available

**Ministry of Transport** : Not available

**Further information** : Not available

## 15.1.2 Federal and State Regulations (Foreign country) :

**CLP Regulation** : European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures ; Material is listed in Annex VI

**OSHA** : Not available

**TSCA** : Not available

**SARA** : Not available

**REACH Regulation** : Material is not listed

## 16. Other information

### 16.1 References :

### 16.2 Key or legend to abbreviations and acronyms used in the safety data sheet :

ACGIH : American Conference of Government Industrial Hygienists

NFPA : National Fire Protection Agency

NIOSH : National Institute for Occupational Safety & Health

OSHA : Occupational Safety & Health Administration

IARC : International Agency for Research on Cancer

LD50 : Lethal Dose 50%

CNS : Central Nervous System NTP National Toxicology Program

EC50 : Effective Concentration NOAEL No Observable Adverse Effect Level

EC50 : Effective Concentration 50% NOEC No Observed Effect Concentration

PEL : Permissible Exposure Limit

STEL : Short-term Exposure Limit

TLV : Threshold Limit Value

TWA : Time Weighted Average

### 16.3 Further information : Not available