


# **REHAU HYBRID PLUMBING SYSTEM** THE ULTIMATE COMBINATION

www.rehau.com

Construction Automotive Industry



Concealed in walls and cavities, the flexible RAUTITAN PEX systems provides the ultimate speed, flexibility and security for connection of fixtures.

## **RAUFUSION PP-R** 50 - 110 mm

Used for the riser main and branch distribution pipes the RAUFUSION PP-R provides straight rigid pipes and the most cost-effective jointing technique for larger dimensions.



# **REHAU HYBRID** A NEW APPROACH TO PLUMBING

The REHAU HYBRID system combines the strengths of both the PEX and PP-R systems into a comprehensive plumbing system (16-110mm) delivering greater security, higher speed and better flow, at a price that delivers value to contractors and owners alike.



### **GREATER SECURITY**

80% of all joints are made with the sizes 16-40mm on most projects, installed in tight or concealed locations where maximum damage can occur in the event of leaks. In the small sizes, socket fusion systems rely heavily on workmanship because of the shorter heating time allows little room for error. RAUTITAN PEX compression sleeve joint is therefore the best fit as it does not require any special skill for jointing and has proven to be 100% leak-proof for over 30 years of installations across the world.


# 100% permanent leak-proof joint



### SUPERIOR SPEED

RAUTITAN PEX is more than 60% faster to install than socket fusion or traditional systems such as copper. The flexible coiled PEX pipes and simple mechanical joint allow installers to transport, install and move quickly through any job, with the confidence the system is 100% secure.

# More than 60% faster





### **BETTER FLOW**


Fusion joints, particularly in small dimensions, are susceptible to excess material melting into the flow path; reducing the fitting's inner bore and causing turbulence. In contrast, the mechanical compression sleeve joint of the RAUTITAN PEX system maintains the same nominal bore for every joint based on the dimension of the inserted fitting. In addition, RAUTITAN PEX systems require >30% lesser fittings to improve.

## Better hydraulic performance

### ULTIMATE VALUE

For sizes >40mm, RAUTITAN DZR fittings are significantly more costly than RAUFUSION socket fusion equivalents and with little or no installation speed advantage. However, due to the larger surface fusion areas and the installations are usually easy access, RAUFUSION fusion joints are equally secure.

2 systems 1 quarantee



# RAUFUSION POLYPROPYLENE CO-POLYMER (PP-R) SYSTEM




Size	:	20, 25, 32, 40, 50, 63, 75, 90 and 110mm
Pressure Rating	:	PN 10, PN 16 and PN 20
Material	:	PP-R pipe and fitting – 100% corrosion free
		Brass fitting – Highest quality nickel coated brass or DZR brass
Pipe	:	Available in 4m straight length

### Three steps for socket fusion





Jointing	:	100% homogeneous socket fusion connection
Compliance Standards	:	DIN 8077, DIN 8078, ISO 15874
Quality & Certification	:	PSB Singapore, SIRIM, SPAN



RAUTITAN CROSS-LINKED POLYETHYLENE (PEX) SYSTEM



Quality & Certification

Size	:	16, 20, 25, 32, 40, 50 and 63mm
Pressure Rating	:	PN 20 only
Material	:	PE-Xa pipe – Hygienic with excellent and consistent flow rate
		PPSU fitting – 100% corrosion free
		DZR brass fitting – Highest quality dezincifica-

tion resistant brass

### Three steps for compression joint




: SKZ, PSB Singapore, SIRIM, SPAN, DVGW, Watermark


# 2. Slide in fitting 1. Expand the pipe



# HYBRID IMPLEMENTATION MANIFOLD AND SINGLE-LINE SYSTEMS



### SINGLE-LINE HYBRID SYSTEM APPLICATION





Available in 16 - 40 mm

### **REHAU PEX/PP-R ADAPTORS**

To ensure a seamless connection that gives no tolerance to any potential leakage, REHAU has developed the unique PEX/PP-R adaptors to avoid using threaded connection between the two systems.

These adaptors are made from PP-R with the insertion of a nickel coated DZR brass fitting. One side can be fused onto the RAUFUSION fitting and the other end joined to RAUTITAN pipe using a compression sleeve connection.

# **REHAU SERVICE AND SUPPORT** TRUSTWORTHY SERVICE EXCELLENCE THATS ALWAYS THERE FOR YOU

To ensure the long-term performance of our products and the satisfaction of our customers **REHAU** is committed to providing worldclass services with our innovative and high quality products. More than just a pipe supplier, **REHAU** is a total solutions provider and offers the most comprehensive line of extruded polymer construction products available.



Over more than 35 years in SEA, REHAU has established a comprehensive network of sales offices and warehouse facilities througout the region.

Backed by our Asia-Australia distribution center in China and local network of distribution partners, REHAU ensures you can meet the demands of the most challenging project schedules.

## TECHNICAL SUPPORT

REHAU provides technical application engineering support for all our systems. **Project planning, system design, appication problem solving, training and new product development** are available when you choose REHAU.

## YOUR PERFECT LONG-TERM PARTNER

We offer you the strength of a world-leading brand of polymer-based solutions. One that is backed by **outstanding innovations, the most modern manufacturing technologies and flexible logistics**. You'll find in REHAU a future-oriented, reliable partner with a depth of expertise second to none.







### COMPREHENSIVE SUPPLY CHAIN

# Established network


### LOCAL CUSTOMER SERVICE

Our local sales offices provide local customer service in local language. We are, where you are.

Service excellence & support

Technical expertise & support

Reliable partnerships



Our verbal and written advice relating to technical applications is based on experience and is to the best of our knowledge correct but is given without obligation. The use of REHAU products in conditions that are beyond our control or for applications other than those perified release up form our cublicities in caracter data. specified releases us from any obligation in regard to claims made in respect of the products.

specified releases us from any obligation in regard to claims made in respect of the products. We recommend that the suitability of any REHAU product for the intended application should be checked. Utilization and processing of our products are beyond our control and are therefore exclusively your responsibility. In the event that a liability is nevertheless considered, any compensation will be limited to the value of the goods supplied by us and used by you. Our warranty assumes consistent quality of our products in accordance with our specification and in accordance with our general conditions of sale. This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical.

form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.

### **REHAU Branches in Asia/Australia**

SINGAPORE - Regional Office for Asia/Australia

1 King George's Avenue, REHAU Building, Singapore 208557 Tel: +65 6392-6006 Fax: +65 6392-6116

AUSTRALIA National Customer Centre Tel: 1300 768 033 [toll-free] Adelaide Tel: +61 8 8299-0031 Brisbane Tel: +61 7 3889-7522 Melbourne Tel: +61 3 9587-5544 Perth Tel: +61 8 9456-4311 Sydney Tel: +61 2 8741-4500 GREATER CHINA National Customer Centre Tel: +86 400 887 8300 [toll-free] Beijing Tel: +86 10 6428-2956 Chengdu Tel: +86 28 8628-3218 Guangzhou Tel: +86 20 8776-0343 / 3646 Hong Kong Tel: +852 2898-7080 Shanghai Tel: +86 21 6355-1155 Taicang Tel: +86 512 5337-2888 Taipei Tel: +886 2 8780-3899 INDIA Bangalore Tel: +91 93 4295-2748 / 4104-6605 / 7901-6295 Mumbai Tel: +91 22 6792-2929 / 2930 New Delhi Tel: +91 11 4504-4700 ~ 4710 INDONESIA Jakarta Tel: +62 21 4587-1030 JAPAN Tokyo Tel: +81 3 5796-2102 KOREA Seoul Tel: +82 2 5011-656 MALAYSIA Kuala Lumpur Tel: +6 16 7080-384 PHILIPPINES Manila Tel: +63 2 3481634 NEW ZEALAND Auckland Tel: +64 9 2722-264 THAILAND Bangkok Tel: +66 2 7443-155 VIETNAM Ho Chi Minh City Tel: +84-8 38233030

### REHAU AUTHORISED DISTRIBUTOR: