QUALITY CONTROL





OXYBABY® Gas Analyzer	38
Leak Checker	80
pH Meter50)9
Fat Analyzer 50)9
Tally Counter)9
Calculator)9
Stopwatches and Timers	10
Metal Detectable Markers and Pens	11
Clipboards	12
Whirl-Pak® Bags	12
E. Coli Sampling Kit	13
Test Strips/Test Kits	13

OXYBABY® Portable Residual Gas **Analyzer**

Mobile handheld device can be used on-location for instant quality control of modified atmosphere packaging (MAP).

- Minimal sample gas requirement for smallest packs.
- Fast testing. Analysis in 6 seconds.
- Cordless operation using rechargeable batteries.
- Simple one hand operation.
- Integrated needle cover to protect the user.
- Long service-life of the oxygen sensor (approx. 2 years).
- Data log for 100 measurements.
- Easy to clean.
- All information at a glance with the large illuminated graphic display.
- Multilingual menu guide: German, English, French, Italian, Dutch, Swedish, Finnish, Spanish, Polish, Japanese, Chinese, Hungarian, Turkish and Russian.

Includes:

OXYBABY® M+

Charging Device and Power Supply

CD-ROM with Operating Instructions

(2) Spare Needles

(2) Spare Filters

100 Septum Pad Rubber sSeals

Carrying Case

Case dimensions:

12-4/5 inches H x 15-1/5 inches W x 4-1/2 inches D

Case weight: approx.1.7 kg



Carrying case included.



Integrated needle cover.



THE RES




ITEM NO.	PRODUCT	EACH
J097 00011	OXYBABY® M+ w/Case and Accessories	\$2,570.95
J097 00025	Replacement Needles (Pack of 15)	239.95
J097 00035	Septum Pad Rubber Seals (Sheet of 100)	59.95
J097 00045	Filters (Pack of 5)	109.95

Leak Checker


ITEM NO. PRODUCT

Use for modified atmosphere and vacuum packaging.

• Easily determines if there is a leak in your package due to a wrinkle in the seal area, a tear from the conveyor or a puncture from a bone.











Can be used in the lab or in the field.

- Measures: pH from 0 to 14.00 pH and is accurate to .02 pH mV from -999 mV to 999 mV and is accurate to 2 mV.
- Temperature: 32° to 212 °F (0 °C to 100 °C); Accuracy: to 0.8 °F (0.5 °C).
- Audible beeper to alert user when function is completed.
- 5 point buffer recognition (1.68, 4, 7, 10, 12.45) with adjustable buffer values.
- Microprocessor protected by a splash-proof housing.
- Memory function stores and recalls 25 labeled readings, including min./max.

20/pk Buffers and Rinse Pouch.....

Flat Surface Electrode.....

- Self-diagnostic display codes help user troubleshoot electrode, buffer and temperature errors.
- Includes one, 9 V battery.

PRODUCT

ITEM NO. 3024 0015

3024 0103

3024 6012

3024 1500

3024 0110

► SEE PAGE 568 **For Batteries**

Large LCD built into adjustable flip-up cover displays pH and temperature.



Univex Ground Beef Fat Analyzer

Supermarket tested and proven to be the fastest, most accurate method of ground beef fat analysis.

- Requires only a three minute cycle time.
- Power: 115 V/60 Hz/single phase.
- Shipping weight: 12 pounds.



Scan this QR code with your mobile device to watch a demo video about the Univex Ground Beef Fat Analyzer

Kit includes:

Case

Measuring Device

Meat Cartridge

Heat Transformer

(6) Vials

Electric Cord




ITEM NO.	PRODUCT	DIMENSIONS	EACH
5081 5677	Univex Fat Analyzer w/Accessories	4" x 5-1/2" x 4"	\$1,060.95

Hand-Held Solar Calculator

- Features the four basic arithmetic functions.
- Easy-to-read, eight-digit LCD display.
- Solar powered from any available light source.
- Comes with protective travel case.
- Overall size: 3 inches W x 5-1/2 inches H x 1/4 inches D.
- Includes G10 1.5 V back-up battery.

TRUL	Y:		
			0
200 serie	ruid it am	(-	OFF
ON/C	MRC	M-	M+
CE	+/-	%	÷
7	8	9	×
4	5	6	E
1	2	3	1
0			+



to fit the hand.

resets to zero.

Tally Counter

that registers to 9999 and

An easy click with thumb



PRICES ARE SUBJECT TO CHANGE • MINIMUMS MAY APPLY • VISIT OUR WEBSITE FOR CURRENT PRICING.

ITEM NO.	PRODUCT	EACH
3244 0608	Tally Counter	\$14.95

▶ 10 PER CASE. **EACH** ITEM NO. PRODUCT 1-9 10+ **3304 21681** Solar Calculator... \$7.80

BUNZL | **KOCH** Supplies


PRICES ARE SUBJECT TO CHANGE • MINIMUMS MAY APPLY • VISIT OUR WEBSITE FOR CURRENT PRICING.

TFS4 Multi-Station Timer

Color-coded LED with distinctive beepers for each timer and coordinating key pad buttons.

- Keypad is grease resistant and splash-proof.
- Automatically counts up to 99 hours/59 minutes when time goes off.
- 4 different timer mode stations that can be used independently or simultaneously.
- Adjustable volume control that makes it easy to hear from across a large room - making it the ideal timer for noisy work environments.





► SEE PAGE 568 For Batteries

 ITEM NO.
 PRODUCT
 EACH

 3098 00151
 TFS4 Timer
 \$102.95

Large Digit Countdown Timer

Large LCD display is ideal for reading countdown time from a distance.

- Set-point is automatically stored in memory.
- Counts up or down.
- Minutes displayed by two 3/4-inch digits and seconds are displayed by two 1/2-inch digits.
- Large push-buttons for minutes, seconds and start/stop.
- Magnetic back and clip with stand.
- Includes one AAA battery.

► SEE PAGE 568
For Batteries



Magnetic back and clip with stand



➤ SEE PAGE 512
For Aluminum Clipboard



6 PER CASE.		EA	СН
ITEM NO.	PRODUCT	1-5	6+
A692 02641	Countdown Timer	\$14.95	\$13.95

Survivor Water-Resistant Stopwatch

- Cumulative split function and 1-2 fast finish capabilities.
- 24-hour range that displays time, date and day of week.
- Programmable alarm.
- Water-resistant to 30 feet.
- Available in black only.
- Breakaway lanyard included.



ITEM NO.PRODUCTEACH3244 00051Survivor Stopwatch\$9.95

Water-Resistant, Dual-Function Stopwatch

• Impact- and water-resistant.

• Stopwatch has split time and 1-2 fast finish capabilities.

• Civilian or military time.

Alarm with beep.

• Month, date and day of week display.

 \bullet Includes braided nylon break-away cord/neck strap.

• Includes one LR44 1.5 V battery.

For Batteries ➤ SEE PAGE 568

ITEM NO. PRODUCT
4804 20001 Dual-Function Stopwatch

► 6 PER CASE.

1-5 6+ \$17.95 \$16.95



Pro-Survivor Water-Resistant Stopwatch

- Stopwatch is designed with no-fail switches and is water-resistant.
- \bullet 24-hour range is displayed in 6 digits, so resolution goes from 1/100 second to 1 second after 30 minutes.
- Cumulative split function along with time, month, second and day of the week.
- Break-away neck strap included. Water-resistant up to 160 feet.
- Includes one LR44 1.5 V battery.

► SEE PAGE 568
For Batteries



EACH
1-5 6+
\$19.95 \$18.95



PRICES ARE SUBJECT TO CHANGE • MINIMUMS MAY APPLY • VISIT OUR WEBSITE FOR CURRENT PRICING.

METAL DETECTABLE PRO

Permanent Markers

- Permanent marker has a blue, metal detectable body.
- Marker available with black permanent ink.
- Removable cap fits snugly onto base of marker.
- Non-toxic, xylene-free, low-odor.




► 10 MARKERS PER BOX.

ITEM NO.	PRODUCT	BOX
B639 3900	Black Ink	\$67.95

Stick Pen

- Pen body is constructed from a polypropylene mix, containing a non-toxic, metal-detectable additive.
- Body is shatterproof and will not splinter into small segments.



Metal Detectable,

Retractable, **Pressurized Pen**

For use in cold environment applications only, even the freezer.

- Pen body is constructed from a polypropylene mix, containing a non-toxic, metal-detectable additive.
- Body is shatterproof and will not splinter into small segments.
- Pressurized ink cartridge for smooth ink flow.
- Available in blue, green and red body colors for ease in color-coding work spaces to prevent cross-contamination.



push of a button.



on cap indicates pressurized.



ITEM NO. **PRODUCT** B639 22015 Blue Body, Black Ink B639 22045 Red Body, Black Ink B639 22055 Green Body, Black Ink B639 22005 Blue Body, Blue Ink B639 22025 Red Body, Blue Ink B639 22035 Green Body, Blue Ink

▶ 25 PENS PER BOX.

BOX \$239.95

Check Out More of our Best Selling Metal Detectable Products

For an added measure of safety around food processing areas.

PRODUCT	PAGE
Powder-Free Disposable Gloves.	▶ 66
Drain Plug for Stainless Vats	▶ 220
Mixing Paddle Scraper	▶ 242
Shovels	▶ 246
Hand Scoops.	▶ 252
Hand Scrapers	▶ 252
Bandages	▶ 282
Earplugs ▶ 306	- 307
Paring Knife	▶ 363



FREE SHIPPING * when you place an order for \$400 or more from THIS BUYERS GUIDE!

*FREE SHIPPING does NOT include UPS Next Day Air, UPS 2nd Day or UPS 3rd Day Select. Certain items may not qualify.
This offer is good only on orders shipped UPS Ground in the 48 contiguous states. Based on dimensional weight, we will determine the most efficient means of shipment, either UPS or LTL. Products may ship by truckline.

CLIPBOARDS AND WHIRL-PAK® BAGS

Aluminum Covered Clipboard

• Powerful clip holds approximately fifty, 8½-inch x 12-inch three-part forms.





Storage compartment holds thirty, three-part forms.



▶ 500 PER BOX.

Plastic Clipboard

• Holds standard 8-1/2-inch x 11-inch paper.



Standard Bags

3845 51671 Aluminum Clipboard

ITEM NO. PRODUCT

Sterile sample bags are used to take samples of liquids, semi-solids or solids.

\$29.95

\$28.95

- Sterilized by ethylene oxide gas by an independent, ISO-Certified company.
- Puncture-proof tabs are easier and safer to use than any other laboratory sample bag.
- Documentation of sterility is available upon request.

Nasco WHIRL-PAK®





Write-On Bags

The white write-on strip makes sample identification easier and more convenient.

- The paper-like finish virtually eliminates ink smearing and provides a surface that will accept a variety of writing instruments. Ballpoint pen is recommended.
- Some also include approximate fill lines.

				000 1211 2011
ITEM NO.	PRODUCT	SIZE	THICKNESS	вох
4220 1064	2 oz., Write-On	. 3" x 5"	.2.25 Mil	\$95.95
4220 0679	4 oz., Standard	. 3" x 7-1/4"	.2.25 Mil	95.95
4220 1062	4 oz., Write-On	. 3" x 7-1/4"	.2.25 Mil	103.95
4220 0736	18 oz., Standard	. 4-1/2" x 9"	.2.25 Mil	117.95
4220 1065	18 oz., Write-On	. 4-1/2" x 9"	.2.25 Mil	138.95
4220 1018	13 oz., Standard	. 5-1/4" x 7-1/2"	.3 Mil	150.95
4220 1020	24 oz., Standard	. 6" x 9"	.3 Mil	152.95
4220 1297	24 oz., Write-On	. 6" x 9"	.3 Mil	200.95
4220 0990	27 oz., Standard	. 5" x 12"	.3 Mil	190.95
4220 0994	36 oz., Standard	. 5" x 15"	.3 Mil	238.95
4220 1027	42 oz., Standard	. 6" x 15"	.3 Mil	269.95
4220 1323	69 oz., Standard	. 7-1/2" x 15"	.3 Mil	318.95
4220 1195	55 oz., Write-On	. 7-1/2" x 12"	.4 Mil	365.95



Bags should not be used at temperatures above 180 °F, 82 °C. Bags can be frozen to any temperature, even liquid nitrogen. Careful handling is required after freezing.

Nasco WHIRL-PAK®

Guaranteed Sterile

Whirl-Pak® bags are not autoclavable. Whirl-Pak® bags are sterilized with ethylene oxide gas. Documentation of sterility is available upon request.

"Puncture Proof Tabs"

All Whirl-Pak® bags feature "Puncture Proof Tabs." This patented process extends the tape on the tab past the wire ends eliminating the sharp points which could puncture the bags, scratch a person's hand, or puncture gloves.

FDA Compliant

Resins used in the extrusion of film for Whirl-Pak® bags are FDA approved for food contact. Bags are manufactured in accordance with the requirements for manufacturers of single service containers for milk and milk products, as specified by the FDA.

E. Coli Sampling Kit

Designed for sampling meat and turkey carcasses to test for the presence of E. coli.

- Contains a pair of sterile polyethylene gloves, 25 mL buffered peptone water (with expiration date marked on the box) a Whirl-Pak® "Speci-Sponge®" Bag, and two disposable sterile templates, one for meat carcasses and one for turkeys.
- Acquire sample by moistening the sponge with half of the peptone water, the carcass is swabbed with the sponge through the template in three places for meat carcasses and two places on turkeys. The sponge is then returned to the bag and the balance of the peptone water is added. The bag is closed and sent to the laboratory for testing.

▶ 25 KITS PER CASE

ITEM NO.	PRODUCT	THICKNESS	CASE
4220 1324	E. Coli Sampling Kit	2.5 Mil	\$228.95







QuattroSelect **Quaternary Test Strips**

For the simple, reliable and economical means to measure the concentration of Quaternary Sanitizers.

- Immerse with color matches at 0-100-200-300-400 ppm, the test strips detect the exhaustion of solutions - helping to determine which sanitizers should be replaced as well as those that have excessive amounts of sanitizing agents.
- Test results in only 10 seconds.
- 15-foot roll.



Diverse

ITEM NO.	PRODUCT	EACH
G496 93991	Quaternary Test Strip, 15 ft. Roll	\$16.95

Chlorine Test Strips

One strip accurately tests the chlorine level of water and other solutions.

• Immerse one end of test strip into water, remove immediately and blot with a paper towel — then compare to enclosed color chart to determine chlorine level.



▶ 200 STRIPS PER BOTTLE.

Diverse

3230 3425

Chlorine Test Kit

For the determination of chlorine solutions used in the sanitation of food processing areas and machinery.

Kit contents:

Sodium Thiosulfate 0.0513N, 60 mL Potassium Iodide 5%, 60 mL

Starch Indicator Solution 1%, 60 mL

Sulfuric Acid 20%, 60 mL 50 mL Test Vial

Instructions and SDS Sheets



ITEM NO.	PRODUCT	EACH
G496 97901	Chlorine Test Kit	\$71.95

Cationic Test Kit

For the determination of cationic disinfectants used in the sanitation of food processing areas and machinery.

Kit contents:

Hydrochloric Acid 10%, 60 mL Chrome Azurol 0.1%, 60 mL

Dodecyl Sulfate 0.50%, 60 mL

50 mL Test Vial

Instructions and SDS Sheets



ITEM NO. PRODUCT **EACH G496 98821** Cationic Test Kit.....

PRICES ARE SUBJECT TO CHANGE MINIMUMS MAY APPLY
 VISIT OUR WEBSITE FOR CURRENT PRICING