

SCALES

FIND IT FAST

Digital Scales.....	516-518
Portion Control Scales	516, 518, 520
Washdown Safe Scales	516 - 517, 519
Bench Scales.....	519
Hanging Scales.....	520
Dial Scales.....	520
Calibration Weights	521





NOTE: AC adapter sold separately.

Washdown Portion Control Scales

- Waterproof IP68/65.
- Over/under checkweigh indicator.
- Complete stainless steel construction with large LCD display.
- Large removable stainless steel platform.
- Initial, semi-automatic, automatic and zero setting mechanism.
- Weighs in pounds/kilograms/ounces and pounds/ounces.
- Adjustable auto shut-off.
- Battery or AC Operation.
- Four D batteries required, not included.



▶ SEE PAGE 568
For Batteries

ITEM NO.	MODEL	CAPACITY	RESOLUTION LB/OZ.	EACH
4893 03211	PPC-300WP-4	.4 lb.	5 lb x 0.05 oz.	\$511.15
4893 30111	PPC-300WP-10	.10 lb.	10 lb x 0.1 oz.	511.15
4893 00211	PPC-300WP-22	.22 lb.	22 lb x 0.2 oz.	511.15
4893 00441	PPC-300WP-44	.44 lb.	44 lb x 0.5 oz.	660.55
4893 00111	Optional Adapter			32.25

Washdown Scales

Designed for use in the poultry, seafood and meat processing industries.

- Waterproof IP65.
- Over/under checkweigh and full washdown capability.
- Portable, wireless design. • High degree of accuracy.
- Large, 9-inch x 9-inch removable stainless steel platform on a plastic housing.
- Auto and initial zero setting mechanism.
- Auto shut-off. • Weighs in pounds or kilograms.
- Does not weigh in ounces. • Shipping weight: 11 pounds.
- Six D batteries required, not included.

▶ SEE PAGE 568
For Batteries

NOTE: AC adapter sold separately.



Built in scale level.

-LEGAL FOR TRADE-

ITEM NO.	MODEL	POUNDS (lb) CAPACITY/RESOLUTION	KILOGRAMS (kg) CAPACITY/RESOLUTION	EACH
4893 00401	PPC-200W-40	.40 lb/0.02 lb.	.20 kg/0.01 kg.	\$473.15
4893 00391	PPC-200W-20	.20 lb/0.01 lb.	.10 kg/0.005 kg.	473.15
4893 00411	PPC-200W-10	.10 lb/0.005 lb.	.4 kg/0.002 kg.	473.15
4893 65551	PPC-200W-5C	.4 lb/0.002 lb.	.2 kg/0.001 kg.	473.15
4893 0610	Optional Adapter			31.25

SIGN UP FOR OUR
eDEALS



Exclusive offers not found anywhere else!

eDEAL SIGN-UP FORM AVAILABLE ON OUR WEBSITE.



www.bunzlpd.com

▶ SEE PAGES 496 and 502

**FOR LOCKER
AND DELI PAPERS**



Stainless Steel Washdown Safe Scale

Washdown when powered by batteries.

- Weighs in grams, pounds or ounces.
- Easy-to-read 1/3000 resolution LCD display.
- 6-4/5-inch x 5-2/5-inch stainless steel platform.
- Stability indicator and adjustable legs keep scale level.
- Auto power off. • Tare function.
- Overall dimensions: 6-4/5 inches L x 8-7/10 inches D x 2½ inches H.
- Shipping weight: 2 pounds.
- Six AA batteries required, not included. ➡

NOTE: AC adapter sold separately.

For Batteries ▶ SEE PAGE 568



-LEGAL FOR TRADE-

ITEM NO.	MODEL	POUNDS (lb) CAPACITY/ RESOLUTION	GRAMS (g) CAPACITY/ RESOLUTION	EACH
3416 3000	HL-3000L-WPN	66 lb/0.002 lb	3,000 g/1 g	\$379.95
3416 00041	Optional Adapter			60.95

Washdown Compact Scales

Ideal for fast and accurate checkweighing in washdown and dusty applications.

- Large LCD digits provides excellent visibility.
- 5,000-hour continuous operation with 6 D alkaline batteries, LED and backlight off.
- Key lock function prevents unwanted changes to the scale settings.
- Auto power OFF function avoids wasting power when the scale is inactive for a set period of time.
- Four selectable weighing resolutions: 1/3,000, 1/6,000 (or 1/7,500), 1/12,000 (or 15,000), and 1/30,000.
- Multiple weighing units: gram, kilogram, pound, ounce, troy ounce, pound-ounce, tael (Singapore/ HK jewelry/Taiwan), tola and Newton.
- Counting mode to count a number of small pieces of the same weight instantly and precisely.
- Take-away check weighing possible using auto-tare and negative comparison functions.
- Six D batteries required, sold separately. ➡

▶ SEE PAGE 568
For Batteries



With the innovative 5-step light system it's easy to get fast, accurate filling and checkweighing processes completed in a fraction of the time it took before.



-LEGAL FOR TRADE-

ITEM NO.	MODEL	POUNDS (lb) CAPACITY/ RESOLUTION	EACH
3416 00151	SJ-3000WP	6.6 lb/0.0002 lb	\$459.95
3416 00161	SJ-6000WP	13 lb/0.0005 lb	459.95
3416 00171	SJ-15KWP	33 lb/0.001 lb	487.95
3416 00181	SJ-30KWP	66 lb/0.002 lb	487.95

Stainless Steel Washdown Scales

Washdown when powered by batteries.

- Removable 9-inch x 7-1/2-inch platform for easy washdown.
- Digital LCD readout displays 1-inch numerals and also features auto shutoff and push button tare, zero reset and low battery indicator.
- Class III rated. • Scales weigh in pound/decimal pound and gram/kilogram.
- Shipping Weight: 8 pounds. • Six D batteries required, sold separately. ➡

For Batteries ▶ SEE PAGE 568

NOTE: AC adapter sold separately.

ITEM NO.	MODEL	POUNDS (lb) CAPACITY/ RESOLUTION	GRAMS (g) CAPACITY/ RESOLUTION	EACH
3416 1001	SK-1000WP	2.2 lb/0.001 lb	1,000 g/0.5 g	\$410.95
3416 2002	SK-2000WP	4.4 lb/0.002 lb	2,000 g/1 g	410.95
3416 5002	SK-5000WP	11 lb/0.005 lb	5,000 g/2 g	410.95
3416 0011	SK-10KWP	22 lb/0.01 lb	10 kg/0.005 kg	410.95
3416 0021	SK-20KWP	44 lb/0.02 lb	20 kg/0.01 kg	410.95
3416 00041	Optional Adapter			60.95

-LEGAL FOR TRADE-



Rechargeable Portion Control Scales

Five-way weight display shows weight in pounds; pounds and ounces; ounces; kilograms and grams.

- Operates on an internal rechargeable battery or with a recharger/adaptor.
- Continues to weigh while recharging – fully recharged in less than 4 hours.
- “Quad-Spring” base design virtually eliminates damage from shock and overload.
- Overall dimensions: 6-1/2 inches L x 8-3/4 inches D x 2 inches H.
- Case and removable platter are constructed of food grade 304 stainless steel and is wipe down safe.
- Shipping weight: 5 pounds.
- Includes 115 V AC charger/adaptor.
- 15-hour rechargeable battery included. 🔋



NOTE: AC adapter INCLUDED.

ITEM NO.	MODEL	POUNDS (lb) CAPACITY/ RESOLUTION	GRAMS (g) CAPACITY/ RESOLUTION	OUNCES (oz.) CAPACITY/ RESOLUTION	EACH
3435 0002	PC-400-02	2 lb/-	-/1 g	40 oz./0.02 oz.	\$333.95
3435 4005	PC-400-05	5 lb/0.002 lb.	2,300 g/1 g	80 oz./0.05 oz.	333.95
3435 4010	PC-400-10	10 lb/0.005 lb.	4,500 g/2 g	160 oz./0.1 oz.	333.95
3435 0039	Replacement Adapter				54.95

-LEGAL FOR TRADE-

Checkweigh Scale

Fast Stability Time — accurate reading is completed in less than one second.

- Status indication function — battery, stable, zero and net.
- High resolution, easy-to-read LCD display.
- Auto power off.
- Full digital calibration function. 9-inch x 7-1/2-inch stainless steel platform.
- Spirit level and adjustable feet for accurate weighing.
- Overall dimensions: 10-2/5 inches L x 9-4/5 inches D x 4-1/10 inches H.
- Weight in kilograms, decimal pounds, ounces or decimal ounces.
- Shipping Weight: 4.6 pounds.
- Six D batteries required, sold separately. 🔋



▶ SEE PAGE 568
For Batteries

NOTE: AC adapter sold separately.

-LEGAL FOR TRADE-


ITEM NO.	MODEL	POUNDS (lb) CAPACITY/ RESOLUTION	KILOGRAMS (kg) CAPACITY/ RESOLUTION	OUNCES (oz.) CAPACITY/ RESOLUTION	POUNDS to OUNCES CAPACITY/ RESOLUTION	EACH
3416 20121	SJ-12KHS	26 lb/0.01 lb.	12 kg/0.0005 kg.	423 oz./0.2 oz.	26 lb/1 oz.	\$207.95
3416 00041	Optional Adapter					60.95

FREE SHIPPING*
FREE GROUND SHIPPING
when you place an order for \$400 or more
from THIS BUYERS GUIDE!

*FREE SHIPPING does NOT include UPS Next Day Air, UPS 2nd Day or UPS 3rd Day Select. Certain items may not qualify. This offer is good only on orders shipped UPS Ground in the 48 contiguous states. Based on dimensional weight, we will determine the most efficient means of shipment, either UPS or LTL. Products may ship by truckline.

Low Profile Bench Scales

Built to last, easy to operate.

- One second response time.
- Weighs in pounds, kilograms and ounces.
- AC or battery operation.
- Stainless steel weigh pan: 12 inches x 15 inches (300 x 380 mm).
- Resolution: 0.005 pounds/0.002 kilograms/0.1 ounces.
- Battery operating: approximately 150 hours with alkaline dry cell battery.
- Shipping weight: 21 pounds.
- Four C batteries required. 



NOTE: AC adapter INCLUDED.



-LEGAL FOR TRADE-

▶ SEE PAGE 568
For Batteries

ITEM NO.	MODEL	CAPACITY	F.O.B. FACTORY	
			EACH	
3416 00261	FG-30KBM	60 lb.	\$612.95	
3416 00271	FG-60KBM	150 lb.	612.95	
3416 00281	FG-150KBM	300 lb.	652.95	
3416 00041	Replacement Adapter		60.95	

DP-6900 Bench/Receiving Scales

Features removable stainless steel platform.

- Large, easy-to-read display shows units displayed in pounds, ounces, pounds/ounces or kilograms.
- Tilting and rotating LCD display with annunciators.
- Includes a lighted over/under checkweighing function.
- 13-4/5-inch x 19-7/10-inch removable stainless steel platform and housing for easy clean-up.
- Auto shut-off.
- Internal rechargeable battery and AC adaptor operation.



-LEGAL FOR TRADE-

**NOTE:
AC adapter INCLUDED.**

ITEM NO.	MODEL	CAPACITY	RESOLUTION	F.O.B. FACTORY	
				EACH	
4893 0018	DP-6900-60	60 lb.	0.05 oz.	\$669.95	
4893 0015	DP-6900-150	150 lb.	1.0 oz.	669.95	
4893 0016	DP-6900-300	300 lb.	2.0 oz.	669.95	
4893 00191	Replacement Adapter			27.55	

Titan Stainless Steel Washdown Scale

Stainless steel washdown construction is dust- and water-resistant.

- Resolution can be changed automatically for three capacity levels.
- Set your own high and low weight targets and show them on the easy-to-read display.
- Change the weighing units and mode with the press of a button.
- Stainless steel display is adjustable and detachable so it can be remotely mounted.
- Weighing data can be controlled at 3 set points.
- 120 Volts.
- Standard RS-232C.
- NTEP #00-088A1.



-LEGAL FOR TRADE-

ITEM NO.	MODEL	CAPACITY	RESOLUTION	PLATFORM	SHIP WT.	F.O.B. FACTORY	
						EACH	
3416 1015	HV-15K-WP	30 lb.	0.01 lb.	9-4/5" x 9-4/5"	21 lb.	\$1,700.00	
3416 1060	HV-60K-WP	150 lb.	0.05 lb.	13" x 16-7/10"	35 lb.	1,880.00	
3416 1200	HV-200K-WP	500 lb.	0.2 lb.	15-2/5" x 20-9/10"	50 lb.	1,665.95	

PRICES ARE SUBJECT TO CHANGE • MINIMUMS MAY APPLY • VISIT OUR WEBSITE FOR CURRENT PRICING.

Hanging Dial Scale with S-Hook

- 4-inch heavy-duty plated S-hook.
- 8 inch diameter dial.
- 40 pound capacity:
20 pounds - 1st revolution
40 pounds - 2nd revolution
- Shipping weight:
4 pounds/1.8 kilograms.



ITEM NO.	MODEL	CAPACITY	EACH
3552 00401	MCS-40H 40 lb (20 lb x 2 oz.)	\$329.95

Hanging Scoop Dial Scale

- Galvanized 11-inch x 16-inch x 5-inch scoop with chains.
- 8 inch diameter dial.
- 40 pound capacity:
20 pounds - 1st revolution
40 pounds - 2nd revolution
- Shipping weight:
5 pounds/2.3 kilograms.




ITEM NO.	MODEL	CAPACITY	EACH
3552 10401	MCS-40P 40 lb (20 lb x 2 oz.)	\$329.95

Stainless Steel Scales

- These compact, portable dial scales were developed as a result of tests conducted in cooperation with Federal Inspectors and plant managers.
- All interior parts are nickel- and zinc-plated, housing is stainless steel.
- Two capacity ranges available: 32 ounces x 1/8 ounces or 5 pounds x 0.5 ounce.
- Removable 7-1/2-inch x 7-1/2-inch stainless steel platform cover snaps on and off for easy cleaning.





What's a Dashpot?
A stabilizing dial mechanism that eliminates time-consuming indicator needle bounce and provides instant readings.



Universal Dial Scales

- Accuracy is enhanced by temperature compensation and fine-tooth rack and pinion assembly.
- Strong under-platform construction with two supports and two spring mechanisms.
- Replacement plexiglass face plate available separately.
- Not legal for trade.
- Dimensions: 10-1/2 inches L x 7-1/2 inches W x 10-1/2 inches H.

Portion Control Scales

- Patented rotating dial with three over/under tolerance zones.
- Easy-to-read "target" zones of acceptable weight.
- Replacement plexiglass face plate and ring available separately.
- Dashpot included.

ITEM NO.	MODEL	CAPACITY	EACH
4893 00281	SM28PK 32 oz. x 0.125 oz. w/o Dashpot	\$174.75
4893 20051	SM5PK 5 lb x 0.5 oz. w/o Dashpot	174.75
4893 10281	DSM28PK 32 oz. x 0.125 oz. w/Dashpot	230.75
4893 00431	Replacement Face Plate		16.95

ITEM NO.	MODEL	CAPACITY	EACH
4893 10021	CW2SS 32 oz. x 0.125 oz. w/o Dashpot	\$282.55
4893 10051	CW5SS 5 lb x 0.5 oz. w/o Dashpot	282.55
4893 00451	Replacement Ring		19.95
4893 00431	Replacement Face Plate		16.95

DIGITAL SCALE COMPARISON CHART

1 pound = 16 ounces = 453.59 grams

SCALE TYPE	ITEM NO.	WEIGHT UNITS		LEGAL FOR TRADE	NSF APPROVED	POWER SOURCE		HOUSING		IP RATING
		STANDARD	METRIC			AC	DC	STAINLESS STEEL	PLASTIC	
Bench	3416 00261	✓	✓	✓		✓	✓	✓		
	3416 00271	✓	✓	✓		✓	✓	✓		
	3416 00281	✓	✓	✓		✓	✓	✓		
	4893 0018	✓	✓	✓		✓	✓	✓		
	4893 0015	✓	✓	✓		✓	✓	✓		
	4893 0016	✓	✓	✓		✓	✓	✓		
Checkweigh	3416 20121	✓	✓	✓		✓	✓	✓		IP68/65
Washdown	3416 00151	✓	✓		✓	Batteries			✓	IP67
	3416 00161	✓	✓	✓	✓		✓		✓	IP67
	3416 00171	✓	✓	✓	✓		✓		✓	IP67
	3416 00181	✓	✓	✓	✓		✓		✓	IP67
	4893 00401	✓	✓	✓		✓	✓		✓	IP65
	4893 00391	✓	✓	✓		✓			✓	IP65
	4893 00411	✓	✓	✓		✓			✓	IP65
	4893 65551	✓	✓	✓		✓	✓		✓	IP65
	3416 1001	✓	✓	✓	✓	✓	✓	✓		IP65
	3416 2002	✓	✓	✓	✓	✓	✓	✓		IP65
	3416 5002	✓	✓	✓	✓	✓	✓	✓		IP65
	3416 0011	✓	✓	✓	✓	✓	✓	✓		IP65
	3416 0021	✓	✓	✓	✓	✓	✓	✓		IP65
	4893 03211	✓	✓		✓	✓	✓	✓		IP68/85
	4893 30111	✓	✓		✓	✓	✓	✓		IP68/85
	4893 00211	✓	✓		✓	✓	✓	✓		IP68/85
	4893 00441	✓	✓		✓	✓	✓	✓		IP68/85
	3416 1015	✓			✓		✓		✓	
3416 1200				✓		✓		✓	IP65	
3416 1060	✓			✓		✓		✓		
Washdown/Food Service	3416 3000	✓	✓	✓	✓	✓	✓	✓		IP65
Rechargeable	3435 4005	✓	✓	✓	✓	✓	✓	✓		
	3435 0002	✓	✓	✓	✓			✓		
	3435 4010	✓	✓	✓	✓			✓		
	3435 0039	✓	✓	✓	✓			✓		

Stainless Steel American Calibration Weight Set

Calibration weights test accuracy of commercial scales quickly and easily.

- Complies with NIST Class F tolerance and specifications.
- Tests most accuracy class III scales and scales not marked with a class designation.
- Required for all Legal For Trade applications (include any products that are sold by weight).
- Certificate of Accuracy — states the weight(s) were manufactured per NIST accuracy guidelines.
- Traceable Certificate - states the weight(s) are tested and linked directly to the NIST specific standard applicable to weight class.
- Case size: 8-1/2 inches x 7-1/4 inches x 3-1/4 inches.
- Shipping weight: 3-1/2 pounds.

Set Includes:

- 1-pound weight
- 8-ounce weight
- 4-ounce weight
- 2-ounce weight
- 1-ounce weight
- 0.5-ounce weight
- (2) 0.2-ounce weights
- 0.1-ounce weight
- 0.05-ounce weight
- Plastic case with foam lining



MADE IN USA

***NOTE: Certificate of Accuracy or Traceable Certificate must be ordered at time of purchase.**

Metric Weights

ITEM NO.	CAPACITY	F.O.B. FACTORY EACH
3277 25121	Metric Weight Set, Stainless Steel, 500 g-1 g Class F	\$366.95
3277 25111	500 g Individual	74.95
3277 25131	1 kg NIST Individual	79.95
3277 25171	3 kg Individual	179.95
3277 25211	5 kg NIST Individual	219.95
3277 25301	300 g Individual Stainless Steel	69.95
3277 2523	20 g Individual Stainless Steel	39.95

American Weights

ITEM NO.	CAPACITY	F.O.B. FACTORY EACH
3277 2594	8 oz. Individual	\$49.95
3277 2596	1 lb Individual	71.95
3277 2598	2 lb Individual	79.95
3277 2604	5 lb Individual	134.95
3277 2606	10 lb Individual	225.95
3277 2677	50 lb Individual	799.95
ITEM NO.	CAPACITY	F.O.B. FACTORY EACH
3277 0214	Calibration Weight Set	\$329.00
3277 6092	Certification of Accuracy*	54.00
3277 25951	Traceable Certificate*	302.95

PRICES ARE SUBJECT TO CHANGE • MINIMUMS MAY APPLY • VISIT OUR WEBSITE FOR CURRENT PRICING.