

SAMSUNG LED Monitor

3 Years Warranty



เงื่อนไขการรับประกันจอเป็นจุดขายของ Samsung Monitor ทุกรุ่น รับเคลมเฉพาะกรณีสินค้าจอที่มีจุดตั้งแต่ 4 จุดขึ้นไป (ไม่เกิน 30 วันหลังจากซื้อสินค้า)



LF24T350FHEXXT
SSG-LF24T350FHEXXT



LF27T350FHEXXT
SSG-LF27T350FHEXXT



LF24T450FQEXXT
SSG-LF24T450FQEXXT

New

PIVOT

Series	Flat Monitor FT350	Flat Monitor FT350	Flat Professional Monitor FT450
Size	23.8"	27"	23.8"
Panel	IPS	IPS	IPS
Resolution	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)
Refresh Rate	75Hz	75Hz	75Hz
Response Time	5ms	5ms	5ms
Brightness	250cd/m2	250cd/m2	250cd/m2
Contrast	1000 : 1	1000 : 1	1000 : 1
Connector	D-sub(VGA) x 1, HDMI x 1	D-sub(VGA) x 1, HDMI x 1	D-sub(VGA) x 1, HDMI x 2
SRP (inc. VAT)	5,790.-	7,290.-	5,900.-



LS32AM700UEXXT
SSG-LS32AM700UEXXT



LS27A600UEXXT
SSG-LS27A600UEXXT



LS32A600UEXXT
SSG-LS32A600UEXXT



LS27A800UEXXT
SSG-LS27A800UEXXT

New

New

New

Series	Flat Smart Monitor SM700	Flat HRM Monitor SA600U	Flat HRM Monitor A600	Flat HRM Monitor A800
Size	31.5"	27"	32"	27"
Panel	VA	IPS	VA	IPS
Resolution	3840 x 2160 (4K UHD)	2560 x 1440 (2K)	2560 x 1440 (2K)	3840 x 2160 (4K UHD)
Refresh Rate	60Hz	75Hz	75Hz	60Hz
Response Time	8ms	5ms	5ms	5ms
Brightness	250cd/m2	300cd/m2	300 cd/m2	300 cd/m2
Contrast	3000 : 1	1000 : 1	3000:1	1000:1
Connector	HDMI x 2, USB-C x 1 (65W), USB x 3	HDMIx1,USB-Cx1,USB x 2	HDMIx1,USB-Cx1,USB x 2	HDMIx1,USB-Cx1,USBx3
SRP (inc. VAT)	14,550.-	14,820.-	14,890.-	14,890.-



LF24G35TFWEXXT
SSG-LF24G35TFWEXXT

PIVOT



LF27G35TFWEXXT
SSG-LF27G35TFWEXXT

PIVOT

Series	Gaming Flat Monitor(FTG3)	Gaming Flat Monitor(FTG3)
Size	24"	27"
Panel	VA	VA
Resolution	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)
Refresh Rate	144Hz	144Hz
Response Time	1ms	1ms
Brightness	250cd/m2	250cd/m2
Contrast	4000 : 1	4000 : 1
Connector	Display Port x 1, D-sub(VGA) x 1, HDMI x 1	Display Port x 1, D-sub(VGA) x 1, HDMI x 1
SRP (inc. VAT)	8,190.-	9,890.-

MONITORS

SAMSUNG LED Monitor

3 Years Warranty



เงื่อนไขการรับประกันจอเป็นจุดของ Samsung Monitor ทุกรุ่น รับเคลมเฉพาะกรณีสินค้าจอที่มีจุดตั้งแต่ 4 จุดขึ้นไป (ไม่เกิน 30 วันหลังจากซื้อสินค้า)



LC27G55TQWEXXT
SSG-LC27G55TQWEXXT



LC32G55TQWEXXT
SSG-LC32G55TQWEXXT

Series	Gaming Curved Monitor(G55T)	Gaming Curved Monitor(G55T)
Size	27"	32"
Panel	VA	VA
Resolution	2560 x 1440 (WQHD)	2560 x 1440 (WQHD)
Refresh Rate	144Hz	144Hz
Response Time	1ms	1ms
Brightness	250cd/m2	250cd/m2
Contrast	2500 : 1	2500 : 1
Connector	Display port (1.2) x 1, HDMI x 2	Display port (1.2) x 1, HDMI x 2
SRP (inc.VAT)	11,750.-	12,060.-



LC32G75TQSEXXT
SSG-LC32G75TQSEXXT

Series	Gaming Curved Monitor(CTG7)
Size	31.5"
Panel	VA
Resolution	2560 x 1440 (2K)
Refresh Rate	240Hz
Response Time	1(GTG) ms
Brightness	350cd/m2
Contrast	2500:1(Typ)
Connector	Display port x 2, HDMI x 1
SRP (inc.VAT)	20,900.-



LC49G95TSSEXXT
SSG-LC49G95TSSEXXT



LS49AG950NEXXT
SSG-LS49AG950NEXXT

Series	Gaming Curved Monitor(CTG9)	Gaming Curved Monitor(NEO G9)
Size	49"	49"
Panel	VA	VA
Resolution	5,120 x 1,440 (Double 2K)	5,120 x 1,440 (Double 2K)
Refresh Rate	240Hz	240Hz
Response Time	1(GTG) ms	1ms
Brightness	420cd/m2	420 cd/ m2
Contrast	2500:1(Typ)	1000000:1
Connector	Display port x 2, HDMI x 1, USB x 2	Display port x 2, HDMI x 1, USB x 2
SRP (inc.VAT)	46,510.-	56,520.-

MONITORS

ACER Monitor

3 Years Warranty and labor



LED 19.5"
K202HQLbi
(TN/HDMI)
ACR-UMIX2ST002



LED 21.5"
EK220QBbmiix
(VA Panel)
ACR-UMWE0STB01



LED 21.5"
SA220QBbix
(IPS Panel)
ACR-UMWS0STB02

Display Size	Display size : 19.5 inch (16:9)	Display size : 21.5 inch (16:9)	Display size : 21.5 inch (16:9)
Resolution	Resolution: 1600x900 @60Hz	Resolution: VGA: 1920x1080 @60Hz	1920x1080 @60Hz
Glare	Glare : No	Glare : No	Glare : No
Panel Type	Panel type : TN	Panel type : VA	Panel type : IPS
Response time	Response time : 5ms (on/off)	Response time : 5ms (G to G)	Response time : 1ms (VRB)
Contrast	Contrast ratio(ACM) : 100 million: 1 max	Contrast ratio(ACM) : 100 million: 1 max	Contrast ratio : 100 million: 1 max (ACM)
Brightness	Brightness :200 nits (cd/m2)	Brightness : 250 nits (cd/m2)	Brightness : 250 nits (cd/m2)
Input signal	Input Signal : VGA,HDMI	Input Signal : VGA, HDMI x 2	Input Signal : VGA, HDMI, Audio out
Other	Cable in the box : VGA,HDMI cable	Cable in the box : HDMI Cable	Cable in the box : VGA, HDMI cable
Wall mounting	VESA Wall Mounting : 100x100mm	VESA Wall Mounting : 75x75 mm	VESA Wall Mounting : N/A
Speaker	Speaker : N/A	Speaker : 2Wx2	Speaker : N/A
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	3,390.-	4,500.-	4,390.-



LED 21.5"
KA222QAbmiix
(VA Panel)
ACR-UMWX2STA01



LED 23.8"
EK240YCbi
(VA Panel)
ACR-UMQE0STC01



LED 23.8"
SA240YAbmi
(IPS, 75Hz)
ACR-UMQS0STA01

Display Size	21.5 inch (16:9)	Display size : 23.8 inch (16:9)	Display size : 23.8inch (16:9)
Resolution	1920x1080@75Hz	Resolution: 1920x1080@75Hz	1920x1080 @60Hz
Glare	No	Glare : No	Glare : No
Panel Type	VA	Panel type : VA	Panel type : IPS (In-Plane Switching)
Response time	1ms(VRB)	Response time : 5ms (G to G)	Response time : 4ms (G to G)
Contrast	100 million: 1 max	Contrast ratio(ACM) : 100 million: 1 max	Contrast ratio : 100 million:1 (ACM)
Brightness	250 cd/m2	Brightness : 250 cd/m2	Brightness : 250 nits (cd/m2)
Input signal	VGA, HDMI x2, SPK, Audio out	Input Signal : VGA, HDMI	Input Signal : VGA,HDMI
Other	HDMI Cable	Cable in the box : HDMI Cable	Cable in the box : VGA,HDMI Cable
Wall mounting	100x100mm	VESA Wall Mounting : 75x75 mm	VESA Wall Mounting : no
Speaker	2Wx2	Speaker : N/A	Speaker : 2W x 2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	4,500.-	4,590.-	4,890.-



LED 23.8"
EK240YBbmiix
(IPS Panel)
ACR-UMQE0STB01



LED 27"
KA272bi
(IPS, 75Hz)
ACR-UMHX2ST002



LED 29"
CB292CUBmiiprx
(IPS/HDMI)
ACR-UMRB2ST001

Display Size	23.8 inch (16:9)	Display size : 27 inch (16:9)	Display size : 29 inch (21:9)
Resolution	1920x1080 @ 75Hz	VGA: 1920x1080 @60Hz HDMI: 1920x1080 @75Hz	Resolution: 2560x1080 @75Hz
Glare	No	Glare : No	Glare : No
Panel Type	VA	Panel type : IPS	Panel type : IPS
Response time	5ms (G to G)	Response time : 1ms (VRB)	Response time : 1ms(VRB)
Contrast	100 million: 1 max		Contrast ratio(ACM) : 100 million: 1 max
Brightness	250 cd/m2	Brightness : 250 nits (cd/m2)	
Input signal	VGA, HDMI	Input Signal : VGA, HDMI	Input Signal : HDMIx2,DisplayPort,Audio out
Other	HDMI Cable	Cable in the box : HDMI Cable	Cable in the box : HDMI, DP Cable
Wall mounting	75x75 mm	VESA Wall Mounting : 100 x 100 mm	VESA Wall Mounting : 100x100mm
Speaker	N/A	Speaker : N/A	Speaker : 2Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	4,990.-	5,700.-	6,990.-

ACER Monitor

3 Years Warranty and labor



Nitro Gaming LED 21.5" VG220Qbmiix (IPS Panel)
ACR-UMWV0ST001



Nitro Gaming LED 23.8" VG240Ybmiix (IPS,75 Hz)
ACR-UMQV0ST001



Nitro Gaming LED 23.8" VG240YSbmiipx (IPS,144 Hz)
ACR-UMQV0STS01

Display Size	Display Size :21.5" H (16:9)	Display Size : 23.8" H (16:9)	Display size : 23.8 inch (16:9)
Resolution	1920 x 1080 @ 75Hz	1920 x 1080 @ 75Hz	1920x1080 @144Hz
Glare	Glare : No	Glare : No	Glare : No
Panel Type	Panel Technology : IPS	Panel Technology : IPS	Panel type : IPS
Response time	Response Time :1ms (MPRT)	Response Time : 1ms (MPRT)	Response time : 1ms (G to G)
Contrast	Contrast Ratio : 100 million:1 max (ACM)	Contrast Ratio : 100 million:1 max (ACM)	Contrast ratio : 100 million: 1 max (ACM)
Brightness	Brightness : 250 nits (cd/m2)	Brightness : 250 nits (cd/m2)	Brightness : 250 nits (cd/m2)
Input signal	Input Signal : VGA, HDMI x 2,Audio out	Input Signal : VGA,HDMI x 2, Audio out	HDMI(2.0) x2, DispalypPort(1.2),Speaker, Audio out
Other	Cable in the Box : VGA, HDMI Cable	Cable in the Box : VGA , HDMI Cable	Cable in the box : DP Cable
Wall mounting	VESA Wall Mounting : 100 x 100 mm	VESA Wall Mounting : 100 x 100 mm	VESA Wall Mounting : 100 x 100 mm
Speaker	Speaker : 2Wx2	Speaker : 2Wx2	Speaker : 2Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	4,890.-	5,290.-	6,990.-



Nitro Gaming LED 23.8" VG241Yxbmiipx (IPS,240Hz)
ACR-UMQV1STX01



Nitro Gaming LED 27" VG270bmiix (IPS,75Hz)
ACR-UMHV0ST001

Display Size	Display size : 23.8 inch (16:9)	27 inch (16:9)
Resolution	1920x1080@240Hz	1920 x 1080@60 Hz HDMI/DP@75 Hz
Glare	Glare : No	No
Panel Type	Panel type : IPS	IPS
Response time	Native: 5ms Overdrive: 1ms (G to G), 0.5ms (G to G, Min.)	1ms (VRB)
Contrast	Contrast ratio(ACM) : 100 million: 1 max	100 million: 1 max
Brightness	Native: 350nits (cd/m2)	250 nits (cd/m2)
Input signal	Input Signal : HDMI x2, DisplayPort, SPK, Audio out	VGA, HDMI x2,Speaker, Audio out
Other	Cable in the box : HDMI,DP Cable	VGA , HDMI Cable
Wall mounting	VESA Wall Mounting : 100x100mm	100x100mm
Speaker	Speaker : 2Wx2	2Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor 3 Year OnSite
SRP(inc.VAT)	8,990.-	5,990.-



Nitro Gaming LED 27" VG272LVbmiipx (IPS,ovc165Hz)
ACR-UMHV2STV01



Nitro Gaming LED 49" EI491CRPbmiipx (VA,120 Hz)
ACR-UMSE1STP01

Display Size	Display size : 27 inch (16:9)	Display size : 49 inch inch (Curve 32:9)
Resolution	1920x1080@144Hz	3840 x 1080 @120Hz
Glare	Glare : No	Glare : No
Panel Type	Panel type : IPS	Panel type : VA
Response time	Response time : 2ms (G to G)	Response time : 4ms (G to G)
Contrast	Contrast ratio(ACM) : 100 million: 1 max	Contrast ratio : 100 million: 1 max (ACM)
Brightness	Brightness : Native : 350nits HDR400 mode: peak 400nits	Native: 400nits; HDR400 mode: peak 400nits
Input signal	Input Signal : HDMI x2, DisplayPort,Audio out	HDMI(v1.4) x2,HDMI(v2.0),DP(v1.2),SPK, Audio out
Other	Cable in the box : HDMI, DP Cable	Cable in the box : DP Cable
Wall mounting	VESA Wall Mounting : 100x100mm	VESA Wall Mounting : 75x75mm
Speaker	Speaker : 2Wx2	Speaker : 3Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor and 3 Years on site service
SRP(inc.VAT)	7,990.-	25,900.-

MONITORS

230

PHILIPS MONITORS

PHILIPS

ประกัน 3 ปี on site ทุกรุ่น
โทรฟรี 1800-229-009
หรือ Call Center 0-2934-3900



PHL-170S9A/67



PHL-203V5LSB2/97

Panel Type	TFT-LCD Backlight type: W-LED system	TFT-LCD Backlight type: W-LED system
Aspect Ratio	5:4 (Square)	16:9
Panel Size	17" / 43.2 cm.	19.5 inch / 49.5 cm
Pixel Pitch	0.264 x 0.264 mm	0.26 x 0.26 mm
Brightness	250 cd/m ²	200 cd/m ²
Contrast Ratio (Dynamic)	1,000:1	600. : 1
Response Time	1 ms (GtG)*	5 ms
Display Color	16.7M	16.7 M
Signal Input	DVI-D (digital, HDCP), VGA (Analog)	VGA (Analogue)
Maximum Resolution	1280 x 1024 @ 60Mhz.	1600 x 900 @ 60 Hz
Dimension with stand	367 x 393 x 196 mm	465 x 345 x 170 mm
Weight	2.40 kg (Include packaging 3.66 kg)	2.33 kg
Color	Black	Black
SRP (inc.VAT)	4,360.-	3,580.-



PHL-221V8/67



PHL-222B9T/00



PHL-223V5LHSB2/67

Panel Type	VA LCD W-LED system	TFT LCD Backlight type: W-LED system	TFT-LCD Backlight type: W-LED
Aspect Ratio	16:9	16:9	16:9
Panel Size	21.5 inch/54.6 cm	21.5 inch / 54.6 cm	21.5 inch / 54.6 cm
Pixel Pitch	0.248 x 0.248 mm	0.364 x 0.364 mm	0.248x 0.248 mm
Brightness	200 cd/m ²	250 cd/m	200 cd/m ²
Contrast Ratio (Dynamic)	4000.:1	1000.:1	600.:1
Response Time	4 ms (GtG)*	1 ms (Gray to Gray)	5 ms
Display Color	16.7 M	16.7 M	16.7 M
Signal Input	VGA (Analog), HDMI (digital, HDCP)	VGA (Analog), DVI-D (digital, HDCP)	VGA (Analog), HDMI
Maximum Resolution	1920 x 1080 @ 75 Hz*	1920 x 1080 @ 60Hz	1920 x 1080 @ 60 Hz
Dimension with stand	492 x 376 x 220 mm	515 x 394 x 227 mm	503 x 376 x 213 mm
Weight	2.60 kg		2.61 kg
Color	Black	Black	Black
SRP (inc.VAT)	4,290.-	9,890.-	5,090.-



PHL-241E1D/67



PHL-241V8/67

Panel Type	IPS Backlight type: W-LED system	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9
Panel Size	23.8 inch / 60.5 cm	23.8 inch / 60.5 cm
Pixel Pitch	0.275 x 0.275 mm	0.275 x 0.275 mm
Brightness	250 cd/m ²	250 cd/m ²
Contrast Ratio (Dynamic)	1000.:1	1000.:1
Response Time	4 ms (GtG)*	4 ms (GtG)*
Display Color	16.7 M	16.7 M
Signal Input	VGA, HDMI, DVI-D	VGA, HDMI, DVI-D
Maximum Resolution	1920 x 1080 @ 75 Hz*	1920 x 1080 @ 75 Hz*
Dimension with stand	537 x 414 x 205 mm	540 x 416 x 220 mm
Weight	3.00 kg	3.06 kg
Color	Black	Black
SRP (inc.VAT)	6,590.-	4,720.-

PHILIPS MONITORS

PHILIPS

บริการ 3 ปี on site ทุกรุ่น
โทรฟรี 1800-229-009
หรือ Call Center 0-2934-3900



PHL-242B9T/00



PHL-271E1D/67

Panel Type	IPS Backlight type: W-LED system	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9
Panel Size	23.8 inch / 60.5 cm	27 inch / 68.6 cm
Pixel Pitch	0.275 x 0.275 mm	0.311 x 0.311 mm
Brightness	250 cd/m	250 cd/m ²
Contrast Ratio (Dynamic)	1000.:1	1000.:1
Response Time	5 ms (Gray to Gray)*	4 ms (GtG)*
Display Color	16.7 M	16.7 M
Signal Input	VGA (Analog), DVI-D (digital, HDCP)	VGA , DVI-D, HDMI
Maximum Resolution	1920 x 1080 @ 60Hz	1920 x 1080 @ 60Hz
Dimension with stand	554 x 413 x 227 mm	610 x 460 x 205 mm
Weight		4.10 kg
Color	Black	Black
SRP (inc. VAT)	9,590.-	6,220.-



PHL-271V8/67

Panel Type	IIPS Backlight type: W-LED system
Aspect Ratio	16:9
Panel Size	27 inch / 68.6 cm
Pixel Pitch	0.311 x 0.311 mm
Brightness	250 cd/m
Contrast Ratio (Dynamic)	1000.:1
Response Time	4 ms (GtG)*
Display Color	16.7 M
Signal Input	VGA (Analog), HDMI (digital, HDCP)
Maximum Resolution	1920 x 1080 @ 75 Hz*
Dimension with stand	613 x 456 x 231 mm
Weight	3.75 k
Color	Black
SRP (inc. VAT)	5,770.-



PHL-436M6VBAB/67

Panel Type	MVA Backlight type: W-LED system
Aspect Ratio	16:9
Panel Size	42.51 inch / 108 cm
Pixel Pitch	0.364 x 0.364 mm
Brightness	450 cd/m ²
Contrast Ratio (Dynamic)	4000.:1
Response Time	4 ms (Grey to Grey)*
Display Color	16.7 M
Signal Input	VGA, DP1.4 x 1, HDMI 2.0x2, USB-C, USB3.0x3
Maximum Resolution	3840 x 2160 @ 60 Hz
Dimension with stand	976 x 661 x 264 mm
Weight	12.72 kg
Color	Black
SRP (inc. VAT)	18,990.-

BENQ MONITORS



Mainstream Monitor



P/N	BNQ-GL2580H	BNQ-GW2480	BNQ-GW2283
Size (Inch)	24.5"	23.8	21.5"
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250cd/m2	250cd/m2	250cd/m2
Response Time	2ms	5ms	5ms
Refresh rate	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 12M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1
Speaker	NO	1W x 2	1W x 2
power	Built-in	Built-in	25W
Signal Input	D-Sub/DVI/ HDMI	VGA / HDMI / Display port	D-Sub / HDMI x 2
SRP(inc.VAT)	5,690.-	5,790.-	3,390.-



P/N	BNQ-EW2770QZ	BNQ-EW277HDR	BNQ-EW3270U
Size (Inch)	27"	27"	32"
Resolution	2560 x 1440	1920 x 1080(HDR)	3840 x 2160HRVQ with HDR
Brightness	300 cd/m2	300 cd/m2	300 cd/m2
Response Time	5ms	4ms	4ms
Refresh rate	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1	CR = 3000:1 DCR= 20M :1	CR = 3000:1 DCR= 20M :1
Speaker	YES (2WX2)	YES (1WX2)	2W x 2
power		Adaptor	Built-in
Signal Input	HDMI	D-Sub, DVI, HDMI, Headphone Jack, Line In	HDMI / Display port / USB Type-C
SRP(inc.VAT)	16,900.-	7,690.-	18,900.-

Monitor Design for Gaming



P/N	BNQ-XL2411P	BNQ-XL2536	BNQ-XL2546	BNQ-EX3200R
Size (Inch)	24"	24.5"	24.5"	31.5"
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920x1080
Brightness	350cd/m2	320cd/m2	400 cd/m2	300 cd/m2
Response Time	1ms	1ms	1ms	4ms
Refresh rate	144Hz	144Hz	240Hz	60-144Hz
Contrast Ratio	CR = 1000:1 DCR= 12M :1	CR = 1000:1 DCR= 12M :1	CR = 1000:1 DCR= 12M :1	CR = 3000:1 DCR= 20M :1
Speaker	NO	NO	NO	No
power	130mm	140mm	140mm	60MM
Signal Input	45w	50w	55w	46w
Signal Input	DVI-DL / HDMIx1 / DP1.2 / headphone jack	DVI- DL / HDMI x2 / DP1.2 / headphone jack / microphone jack	DVI- DL / HDMI x2 / DP1.2 / headphone jack / microphone jack	HDMI1.4x3(MHL x 1)/DPx1, Display Port ,Mini port jack, line in,out
SRP(inc.VAT)	9,990.-	15,900.-	21,900.-	15,900.-

BENQ MONITORS



Monitor Design for Photographer



P/N	BNQ-SW2700PT	BNQ-SW240	BNQ-SW271	BNQ-SW320
Size (Inch)	27"	24.1"	27"	32"
Resolution	2560x1440	1920x1200	3840x2160	3840x2160 4K HDR
Brightness	350 cd/m2	250 cd/m2	350 cd/m2	350 cd/m2
Response Time	5ms	5ms	5ms	5ms
Refresh rate	60 HZ	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1
Speaker	NO	NO	NO	NO
High Adjust	130mm	140mm	150mm	130mm
WallMount	YES	YES	YES	YES
power	65w	55w	43w	65w
Signal Input	DVI-DL/ HDMI 1.4/ DP1.2 / Headphone jack	DVI-DL x 1 HDMI x 1 Display port x 1	HDMI 2.0 x 2 USB 3.1 x 3 USB-C x 1	HDMI 2.012 , miniDP1.4+DP1.4 ,Headphone jack
SRP(inc.VAT)	24,900.-	17,900.-	45,900.-	59,900.-



P/N	BNQ-PD2500Q	BNQ-PD2700Q	BNQ-PD2710QC	BNQ-PD3200U
Size (Inch)	25"	27"	27"	32"
Resolution	2560x1440	2560x1440	2560x1440	3840x2160
Brightness	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2
Response Time	4ms	4ms	5ms	4ms
Refresh rate	60 HZ	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1
Speaker	YES (2WX2)	YES (1WX2)	YES (2WX2)	YES (5WX2)
High Adjust	130mm	130mm	130mm	150mm
WallMount	YES	YES	YES	YES
power	21w	28w	45w	44w
Signal Input	HDMI1.4/ DP1.2/ mDP1.2/ Headphone jack	HDMI1.4/ DP1.2/ mDP1.2/ Headphone jack	HDMI1.4/ DP1.2/ mDP1.2/ Headphone jackUSB-C™ Docking Station	HDMIx2 / DP / mDP / usb x 5 / card reader
SRP(inc.VAT)	11,900.-	13,900.-	26,900.-	32,490.-








P/N	BNQ-PD3200Q	BNQ-PV270	BNQ-EL2870U
Size (Inch)	32"	27"	28"
Resolution	2560x1440	2560x1440	3840 x 2160
Brightness	300 cd/m2	350 cd/m2	300 cd/m2
Response Time	4ms	5ms	1ms
Refresh rate	60Hz	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 12M :1
Speaker	YES (5WX2)	NO	YES (2WX2)
High Adjust	150mm	150mm	-
WallMount	YES	YES	YES
power	35w	52w	55w
Signal Input	DVI / HDMI / DP / mDP / usb x 5 / card reader	DVI / HDMI / DP / mDP	HDMI (2.0) x 2 / DP(1.4) x 1
SRP(inc.VAT)	20,900.-	35,900.-	14,200.-




Lenovo Display Monitor

กรุณาตรวจสอบ Spec & ราคากับพนักงานก่อนทุกครั้ง

Lenovo

 D22-20 LNV-66ADKAC1TH(Black)	 Legion Y25-25 LNV-66AAGAC6TH (Raven Black)	 L22e-20 LNV-65DEKAC1TH (Raven Black)	
Display	21.5" WLED TN	24.5" WLED IPS (Gaming Monitor)	21.5" WLED
Resolution	FHD (1920 x 1080)	FHD (1920 x 1080)	FHD (1920 x 1080)
Aspect Ratio	16:9	16:9	16:9
Brightness	200 cd/m2	Typical : 400 cd/m2	250 cd/m2
Color Gamut	72% NTSC	99% sRGB	72% NTSC
Contrast Ratio	Typical : 600:1 Dynamic : 3M:1	Typical 1000:1 Dynamic 3M:1	Typical 3000:1 Dynamic 3M:1
Display Colors	16.7 Million	16.7 Million	16.7 Million
Response Time	5 ms	Extreme : 1 ms Normal : 3 ms"	Extreme : 4 ms Typical Mode : 6 ms
Anti-Glare	Yes	Yes	Yes
Connectivity	Vdo Input Signal : VGA+HDMI Port (HDMI Cables Supplied Length 1.8 m)	Vdo Signal:1 xHDMI 2.0,1 x DisplayPort 1.2 (Support DP Cable In Box Length 1.8 m)	VGA + HDMI HDMI-out Audio Out : Yes
Power Supply	100--240VAC (47-63 Hz)	Internal	Internal
Power Voltage	Packed:4.38 kg Unpacked: 2.71 kg	100 VAC – 250 VAC (50-60 Hz)	100--240VAC
Weight	3 Years AE(Advance Exchange)	Packed : 7.53 kg Unpacked : 5.59 kg	4.26 kg (Packed)2.75 kg (UnPacked)
Warranty		3 Years AE(Advance Exchange)	3 Yrs Onsite (AE: Advance Exchange)
SRP(inc.VAT)	2,690.-	10,900.-	2,990.-

 L24q-30 LNV-65FBGAC1TH(Black)	 <div style="background-color: black; color: white; border-radius: 50%; padding: 2px 10px; display: inline-block; font-weight: bold;">New</div> L24e-20 LNV-65DFKAC1TH(Raven Black)	
Display	23.8" WLED IPS (In-Plane Switching)	23.8" WLED VA
Resolution	QHD (2560 x 1440)	FHD (1920 x 1080)
Aspect Ratio	16:9	16:9
Brightness	Typical 240cd/m2 Peak 300cd/m2	250cd/m2
Color Gamut	72% NTSC	72% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million	16.7 Million
Response Time	Extreme Mode : 4 ms Typical Mode : 6 ms	Extreme Mode : 4 ms Typical Mode : 6 ms
Anti-Glare	Yes	Yes
Connectivity	Video Input Signal : HDMI 1.4 + DP 1.2 (Support HDMI Cable In Box) Audio Out : Yes	Video Input Signal : VGA + HDMI Audio Out : Yes
Power Supply	Internal	Internal
Power Voltage	100--240VAC	100--240VAC
Weight	Packed : 5.25 kg Unpacked : 3.50 kg	Packed:Starting at 5.03 kg Unpacked: 3.36 kg
Warranty	3 Years AE(Advance Exchange)	3 Years AE(Advance Exchange)
SRP(inc.VAT)	5,990.-	3,490.-

 G24-10 LNV-65FDGAC2TH(Black)	 G27c-10 Curve LNV-66A3GACBTH(Raven Black)	 G32qc-10 LNV-66A2GACBTH(Black)	
Display	23.6" WLED TN	27" WLED VA	31.5" WLED VA
Resolution	FHD (1920 x 1080)	FHD (1920 x 1080)	QHD (2560 x 1440)
Aspect Ratio	16:9	16:9	16:9
Brightness	Typical : 240 cd/m2 Peak : 300 cd/m2	Typical : 350 cd/m2	Typical : 350 cd/m2
Color Gamut	72% NTSC	72% NTSC	72%
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 3000:1	Typical 3000:1 Dynamic 3M:1
Display Colors	16.7 Million	16.7 Million	16.7 Million
Response Time	1 ms (extreme mode)	1 ms with MPRT	1 ms with MPRT
Anti-Glare	Yes	Yes	Yes
Connectivity	1 x HDMI 1.4 + 1 x DisplayPort 1.2 Audio Signal : 1 x Audio-Out (35mm.)	VDO Signal : 1 x HDMI 2.0+1 xDisplayPort 1.2 Audio Signal : 1 x Audio-Out (35mm.)	1 x HDMI 2.0 1 x DP 1.2
Power Supply		AC 90 VAC – 264 VAC (47/63 Hz)	
Power Voltage	AC 90 VAC – 264 VAC (47/63 Hz)	Packed : 8.5 kg Unpacked : 6.1 kg	AC 90 VAC – 264 VAC
Weight	4.95 kg (Packed)3.73 kg (UnPacked)	3 Years AE(Advance Exchange)	Packed : 10.6 kg Unpacked : 7.7 kg
Warranty	3 Yrs Onsite (AE: Advance Exchange)		3 Years AE(Advance Exchange)
SRP(inc.VAT)	5,290.-	7,890.-	12,900.-

MONITORS

Lenovo Display Monitor

กรุณาตรวจสอบ Spec & ราคากับพนักงานก่อนทุกครั้ง



Q24h-10

LNV-66A8GAC6TH(Warm Gray)



Q27h-10

LNV-66A7GAC2TH(Gray)

Display	23.8" WLED IPS (In-Plane Switching)	27" WLED IPS (In-Plane Switching)
Resolution	QHD (2560 x 1440)	QHD (2560 x 1440)
Aspect Ratio	16:9	16:9
Brightness	300 cd/m2	350 cd/m2
Color Gamut	99% sRGB	> 99% sRGB
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million	16.7 Million
Response Time	Extreme Mode : 4 ms Typical Mode : 6 ms	Extreme Mode : 4 ms
Anti-Glare	Yes	Yes
Connectivity	Video Signal : 1 x HDMI 1.4 , 1 x DP 1.2 ,1x USB Type-C 3.1,	Video Signal : 1 x HDMI 1.4 , 1 x DP 1.2, 1x USB Type-C 3.1, 2 x USB Type-A 3.0, 1 with BC 1.2
Power Supply	100 – 240 VAC (50-60 Hz)	100 – 240 VAC (47-63 Hz)
Power Voltage		
Weight	Packed: 6.61 kg Unpacked: 4.68 kg	Packed:8.6 kg Unpacked:5.79 kg
Warranty	3 Years AE(Advance Exchange)	3 Years AE(Advance Exchange)
SRP(inc.VAT)	9,400.-	11,900.-



Q24i-10

LNV-65F3KAC3TH
(Raven Black)



Q27q-10

LNV-65F4GAC3TH
(Raven Black)

Display	23.8" WLED IPS (In-Plane Switching)	27" WLED IPS (In-Plane Switching)
Resolution	FHD (1980 x 1080)	QHD (2560 x 1440)
Aspect Ratio	16:9	16:9
Brightness	250 cd/m2	300 cd/m2
Color Gamut	72% NTSC	99% sRGB
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million	16.7 Million
Response Time	Extreme : 4 ms Typical : 6 ms	Extreme : 4 ms Typical : 6 ms
Anti-Glare	Yes	Yes
Connectivity	HDMI 1.4 + VGA (Support HDMI External Adapter)	HDMI 1.4 + DP 1.2 External Adapter
Power Supply		
Power Voltage	90 – 264 VAC	90 – 264 VAC
Weight	Starting at 6.5 kg	Starting at 6.5 kg
Warranty	3 Years AE(Advance Exchange)	3 Years AE(Advance Exchange)
SRP(inc.VAT)	4,490.-	8,150.-



G25-10

LNV-65FEGAC2TH
(Raven Black)



New

G34w-10 Curved

LNV-66A1GACBTH
(Black)

Display	24.5" WLED TN	34" WLED VA
Resolution	FHD (1920 x 1080)	4K (3440 x 1440)
Aspect Ratio	16:9	16:9
Brightness	Typical : 320 cd/m2 Peak : 400 cd/m2	Typical : 350 cd/m2
Color Gamut	72% NTSC	72% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 3000:1 Dynamic 3M:1
Display Colors	16.7 Million	16.7 Million
Response Time	1 ms (extreme mode)	1 ms with MPRT
Anti-Glare	Yes	Yes
Connectivity	1 x HDMI 1.4 + 1 x DisplayPort 1.2 Audio Signal : 1 x Audio-Out (35mm.)	Input Connectors : 1 x HDMI 2.0 , 1 x DisplayPort 1.4 Audio Signal : 1 x Audio out (3.5 mm) Typical : 43 W Maximum : 50 W
Power Supply		
Power Voltage	AC 90 VAC – 264 VAC (47/63 Hz)	AC 90 VAC – 264 VAC
Weight	Packed : 6.55 kg Unpacked : 5.09 kg	Packed : Starting at 11.3 kg Unpacked : 8.1 kg
Warranty	3 Years AE(Advance Exchange)	3 Years AE(Advance Exchange)
SRP(inc.VAT)	6,190.-	15,900.-

Xiaomi : Monitor



Mi Desktop Monitor 1C 23.8"

XMI-BHR4510GL



มาพร้อมกับพาเนลแบบ IPS
 รองรับความละเอียดแบบ 1920x1080 (FullHD)
 มุมมองสูงสุด 178 องศา
 Aspect Ratio 16:9/Refresh rate 60Hz/6ms response time อนุบ GtG
 Contrast 1000 : 1/Port : 1xHDMI1.4 , 1xVGA
 Flicker Free & Low Blue Light Technology
 ปรับกั้น/เงย ได้ 5/15 องศา ตามลำดับ
 ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
 ขนาด 53.92 x 41.95 x 18.12 เซนติเมตร
 น้ำหนัก 2.7 กิโลกรัม
อุปกรณ์ในกล่อง
 ตัวจอ , ขาตั้ง , ฐาน , สายไฟ , สาย HDMI, ไขควง, สกรูฐาน 1 ตัว, สกรูขาตั้ง 2 ตัว , คู่มือ

SRP (inc. VAT) 4,990.-

Mi Desktop Monitor 27" EU

XMI-BHR4975EU



มาพร้อมกับพาเนลแบบ IPS
 รองรับความละเอียดแบบ 1920x1080 (FullHD)
 มุมมองสูงสุด 178 องศา
 Aspect Ratio 16:9/Refresh rate 75Hz/6ms response time อนุบ GtG
 Contrast 1000 : 1/Port : 1xHDMI1.4 , 1xVGA 1xAudio
 Flicker Free & Low Blue Light Technology
 ปรับกั้น/เงย ได้ 5/21 องศา ตามลำดับ
 ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
 ขนาด 61.32 x 47.60 x 20.53 เซนติเมตร
 น้ำหนัก 4.3 กิโลกรัม
อุปกรณ์ในกล่อง
 ตัวจอ , ขาตั้ง , ฐาน , สายไฟ , สาย HDMI, ไขควง, สกรูฐาน 1 ตัว, สกรูขาตั้ง 2 ตัว , คู่มือ

6,290.-

Mi Curved Gaming Monitor 34"

XMI-BHR5133GL



เกมมิ่งมอเนออร์จอลิ่ง ขนาด 34 นิ้ว 1500R@144hz
 รองรับความละเอียดแบบ 4K Ultrawide (3440x1440) พร้อม 121% sRGB
 Aspect Ratio 21:9/Refresh rate 144Hz/4ms response time อนุบ GtG
 Contrast 3000 : 1/Port : 2xHDMI 2.0 , 2xDP 1.4, 1xAudio
 ลดแสงสีฟ้า ทำงาน เล่นเกมส์ได้ยาวนานขึ้น
 รองรับเทคโนโลยี AMD Free-Sync ลดอาการ Screen Tearing
 รองรับการเชื่อมต่อแบบ DisplayPort, HDMI และ Audio Interface
 ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
 ขนาด 81.04 x 52.06 x 24.25 เซนติเมตร
 น้ำหนัก 10.5 กิโลกรัม
อุปกรณ์ในกล่อง
 ตัวจอ , ขาตั้ง , ฐาน , สายไฟ , สาย DP, สกรู 6 เหลี่ยม, น็อต 6 เหลี่ยม, น็อตสำหรับแขวนผนัง

SRP (inc. VAT) 15,990.-

**อัตราความคอนทราสต์
หน้าจอยู่ที่ 3000:1**

ปรับความสูง

เอียง

หมุน

ติดตั้งบนผนัง