

**LCD PROJECTOR**

**Panasonic**



**PT-LB280A**  
PNS-PT-LB280A



**PT-LB300**  
PNS-PT-LB300



**PT-LB332**  
PNS-PT-LB332

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	1024 x 768 (XGA)	1024 x 768 (XGA)	1024x768 (XGA)
<b>Brightness</b>	2800 ANSI Lumens	3100 ANSI Lumens	3300 ANSI Lumens
<b>Contrast</b>	10,000 : 1	10,000 : 1	12,000 : 1
<b>Lamp</b>	230 W UHM	230 W UHM	230 W UHM
<b>Lamp life (Normal/Eco)</b>	5,000/6,000/8,000 hours	5,000/6,000/8,000 hours	5000/6000
<b>Features</b>	Day light View, Auto Keystone (Vertical) HDMI,USB-Bx1,	Day light View, Auto Keystone (Vertical)	Day light View Wireless Option HDMI,RJ-45(Lan)x1
<b>Port</b>	VDO inx1,VGA inx1,VGA outx1, Audio inx1,Audio outx1	HDMI,USB-Bx1, VDO inx1,VGA inx1,VGA outx1, Audio inx1,Audio outx1	VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
<b>Dimension (mm)</b>	335 x 92 x 252 mm	335 x 92 x 252 mm	335 x 96 x 252 mm
<b>Weight</b>	2.8 Kg	2.8 Kg	2.9 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	Body 2 Years, Lamp 1 year/ 1,000 Hrs.
<b>SRP</b>	18,900.-	20,900.-	26,900.-



**PT-LB382**  
PNS-PT-LB382



**PT-LB412A**  
PNS-PT-LB412A



**PT-LW312A**  
PNS-PT-LW312A

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	1024x768 (XGA)	1024x768 (XGA)	1080x800 (WXGA)
<b>Brightness</b>	3800 ANSI Lumens	4100 ANSI Lumens	3100 ANSI Lumens
<b>Contrast</b>	12,000 : 1	12,000 : 1	12,000 : 1
<b>Lamp</b>	230 W UHM	230 W UHM	230 W UHM
<b>Lamp life (Normal/Eco)</b>	5000/6000	5000/6000	5000/6000
<b>Features</b>	Day light View Wireless Option	Day light View Wireless Option	Day light View Wireless Option
<b>Port</b>	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
<b>Dimension (mm)</b>	335 x 96 x 252 mm	335 x 96 x 252 mm	335 x 96 x 252 mm
<b>Weight</b>	2.9 Kg	2.9 Kg	2.9 Kg
<b>Warranty</b>	Body 2 Years, Lamp 1 year/ 1,000 Hrs.	Body 2 Years, Lamp 1 year/ 1,000 Hrs.	Body 2 Years, Lamp 1 year/ 1,000 Hrs.
<b>SRP</b>	33,900.-	39,900.-	39,000.-



**PT-VW350**  
PNS-PT-VW350



**PT-VW355N**  
PNS-PT-VW355



**PT-VX600A**  
PNS-PT-VX600A

<b>Projector Type</b>	LCD Projector	LCD Projector (Wireless)	LCD Projector
<b>Resolution</b>	1280 x 800 (WXGA)	1280 x 800 (WXGA)	1024x768 (XGA)
<b>Brightness</b>	4000 ANSI Lumens	4000 ANSI Lumens	5500 ANSI Lumens
<b>Contrast</b>	12,000 : 1	12,000 : 1	10,000:1
<b>Lamp</b>	240 W UHM	240 W UHM	270 W UHM
<b>Lamp life (Normal/Eco)</b>	5,000/7,000 hours	5,000/7,000 hours	7,000 hours
<b>Features</b>	Day light View, USB Display Quiet Operation	Day light View Quiet Operation	Daylight View Basic
<b>Port</b>	HDMI,RJ-45(Lan)x1 S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMI,RJ-45(Lan)x1,USB-Ax1,USB-Bx1, S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	352 x 98 x 279.4 mm	352 x 98 x 279.4 mm	389 x 125 x 332 mm
<b>Weight</b>	3.4 Kg	3.4 Kg	4.9 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP</b>	62,060.-	77,040.-	107,000.-

PROJECTORS

**LCD PROJECTOR**

**Panasonic**



**PT-VW535NA**  
PNS-PT-VW535NA



**PT-VW530A**  
PNS-PT-VW530A



**PT-VZ575NA**  
PNS-PT-VZ575NA

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	1280x800 (WXGA)	1280x800 (WXGA)	1920x1200 (WUXGA )
<b>Brightness</b>	5000 ANSI Lumens	5000 ANSI Lumens	4500 ANSI Lumens
<b>Contrast</b>	10,000:1	10,000:1	270 W UHM
<b>Lamp</b>	270 W UHM	270 W UHM	10,000:1
<b>Lamp life (Normal/Eco)</b>	7,000 hours	7,000 hours	7,000 hours
<b>Features</b>	Wireless Ready : Miracast, Wireless Manager, iOS, Android	Daylight View Basic	Wireless Ready : Miracast, Wireless Manager, iOS, Android
<b>Port</b>	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	389 x 125 x 332 mm	389 x 125 x 332 mm	389 x 125 x 332 mm
<b>Weight</b>	4.9 Kg	4.9 Kg	4.9 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP</b>	124,120.-	117,700.-	155,150.-



**PT-VZ570A**  
PNS-PT-VZ570A



**PT-EZ580E**  
PNS-PT-EZ580E



**PT-EW640E**  
PNS-PT-EW640E

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	1920x1200 (WUXGA )	1920x120 (WUXGA )	1280x800 (WXGA)
<b>Brightness</b>	4500 ANSI Lumens	5400 ANSI Lumens	5800 ANSI Lumens
<b>Contrast</b>	270 W UHM	5,000:1	5,000:1
<b>Lamp</b>	10,000:1	335 W UHM	335 W UHM
<b>Lamp life (Normal/Eco)</b>	7,000 hours	4500 hours	4500 hours
<b>Features</b>	Daylight View Basic	Daylight View Basic, P-in-P / Side-by-Side	Daylight View Basic, P-in-P / Side-by-Side
<b>Port</b>	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	389 x 125 x 332 mm	530 x 177 x 445 mm	530 x 177 x 445 mm
<b>Weight</b>	4.9 Kg	9.8 Kg	9.8 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP</b>	144,450.-	321,000.-	214,000.-

**PT-DZ21KE**  
PNS-PT-DZ21KE



**PT-DZ13KE**  
PNS-PT-DZ13KE

<b>Projector Type</b>	DLP 3chip	DLP 3chip
<b>Resolution</b>	1920x120 (WUXGA )	1920x120 (WUXGA )
<b>Brightness</b>	20000 ANSI Lumens	12000 ANSI Lumens
<b>Contrast</b>	10,000:1	10,000:1
<b>Lamp</b>	380 W UHM x2	380 W UHM x2
<b>Lamp life (Normal/Eco)</b>		
<b>Features</b>	System Daylight View 2, Detail clarity Processor3	System Daylight View 2, Detail clarity Processor3
<b>Port</b>	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	620 x 291 x 800mm	530 x 200 x 548.5 mm
<b>Weight</b>	43 Kg	24 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP</b>	3,745,000.-	2,033,000.-

**Acer : PROJECTOR**



**Acer X115H**  
ACR-MRJN811007



**Acer X125H**  
ACR-MRJN911006



**Acer X135WH**  
ACR-MRJNA11006

Free	Screen 70"×70"	Screen 70"×70"	Screen 70"×70"
Projector Type	DLP, Native SVGA (800 x 600)	DLP, Native XGA (1,024 x 768)	DLP®, Native WXGA (1,280 x 800)
Brightness	3,300 ANSI Lumens	3,300 ANSI Lumens	3,400 ANSI Lumens
Contrast	20,000:1	20,000:1	20,000:1
Throw Distance			
Displayable Colors			
Lamp Life	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)	5,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual
Input Interface	D-Sub x1, Composite x1, HDMI x 1 PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 1, HDMI x 1, PC Audio x 1	Analog RGB/Component Video x 1, HDMI x 1, PC Audio x 1
Output Interface	N/A	N/A	N/A
SRP	11,900.-	15,900.-	19,900.-



**Acer X1278H(3D)**  
ACR-MRJMK11006



**Acer X1385WH(3D)**  
ACR-MRJL511006



Free	Screen 70"×70"	Screen 70"×70"
Projector Type	DLP, Native XGA (1,024 x 768)	DLP, Native WXGA (1,280 x 800)
Brightness	3,800 ANSI Lumens (Standard)	3,200 ANSI (Standard), 2,560 ANSI (ECO)
Contrast	20000:1	20,000:1
Throw Distance	50" @2m	Throw Ratio 62 inch @2m
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	3,000 Hours (Standard), 4,000 Hours (ECO), 5,000 Hours (ExtremeEco)	4,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)
Keystone Correction	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual & Auto
Input Interface	D-sub x2, Composite Video x1, S-Video x1, HDMI x1, PC Audio x1, Mic In x1	Analog RGB / (D-Sub) X2, (RCA) X 1, S-vdo X1, HDMI/MHL X 1, PC Audio X 2
Output Interface	D-Sub x1, PC Audio x1, DC Out x1; DLP 3D	Analog RGB X 1, PC Audio x 1, DC Out x 1
SRP	25,900.-	24,900.-



**Acer P1185(3D)**  
ACR-MRJL811006



**Acer P1286**  
ACR-MRJMW11006

Free	Screen 70"×70"	Screen 70"×70"
Projector Type	DLP, Native SVGA (800 x 600)	DLP, Native XGA (1,024 x 768)
Brightness	3,200 ANSI Lumens (Standard)	3,400 ANSI Lumens
Contrast	20,000:1	20,000:1
Throw Distance	Throw Ratio: 50 inch @2m, 100 inch @4m	
Displayable Colors	1.07 Billion Colors	
Lamp Life	4,000 Hours (Standard), 6,000 Hrs (ECO), 10,000 Hours (ExtremeECO)	5,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto
Input Interface	Analog RGB/Component Video x2, Composite x1, S-Video x1, HDMI/MHL x1, PC Audio x2	D-sub, Composite Vdoo (RCA), HDMI/MHL (Vdo, Audio, HDCP), HDMI (Vdo, Audio, HDCP), PC Audio
Output Interface	Analog RGB x1, PC Audio x1, DC Out x1	PC Audio, DC Out (5V/1A, USB Type A)
SRP	13,900.-	16,900.-

**Acer : PROJECTOR**



**Acer P1285B(3D)**  
ACR-MRJM011006



**Acer P1387W (3D)**  
ACR-MRJL911006

Free	Screen 70"***70	Screen 70"***70
Projector Type	DLP, Native XGA (1,024 x 768)	DLP, Native WXGA (1,280 x 800)
Brightness	3,200 ANSI Lumens (Standard)	4,500 ANSI Lumens (Standard)
Contrast	17000:1	17000:1
Throw Distance	53"@2m	
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	4,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExEco)	3,000 Hours(Standard),4,000 Hours (ECO), 5,000 Hours (ExtremeEco)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical ), Manual
Input Interface	D-sub x 2, Composite Video, S-Video , HDMI/MHL, PC Audio x 2	D-sub x 2, Composite Video, S-Video , HDMI/MHL, PC Audio x 2
Output Interface	D-Sub, PC Audio, DC Out; DLP 3D	Analog RGB (D-Sub), PC audio
SRP	21,900.-	39,900.-



**Acer P1385WB\_WiFi (3D)**  
ACR-MRJLQ11006



**Acer A1500**  
ACR-MRJN011006

Free	Screen 70"***70	Screen 70"***70"
Projector Type	DLP, Native WXGA (1,280 x 800)	3,100 ANSI Lumens (Standard)
Brightness	3,200 ANSI Lumens (Standard)	
Contrast	20000:1	20,000:1
Throw Distance		100 inch@2.5m
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	4,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical ), Manual & Auto	+/-40 Degrees (Vertical ), Manual
Input Interface	D-subx2,Composite Video, S-Vdo, HDMI/MHLx2, PC Audiox2	D-subx2, Composite Vdo, S-Vdo,HDMI, (MHL),PC Audiox2D-subx1,PC Audio,DC OutOut
Output Interface	D-Sub, PC Audio, DC Out; DLP 3D	(5V/1A, USB Mini-B, Internal Port)
SRP	24,900.-	28,700.-



**Acer K135i (LED)**  
ACR-MRJKW11004



**Acer K137i (LED)**  
ACR-MRJKX11004

Free	USB wireless dongle	USB wireless dongle
Projector Type	DLP, Native WXGA (1,280 x 800)	DLP, Native WXGA (1,280 x 800)
Brightness	600 ANSI Lumens (Standard)	700 ANSI Lumens (Standard)
Contrast	10,000:1	10,000:1
Throw Distance		
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	LED 20,000 Hours (Standard), 30,000 Hours (ECO),	LED 20,000 Hours (Standard), 30,000 Hours (ECO),
Keystone Correction	+/-40 Degrees (Vertical ), Manual & Auto	+/-40 Degrees (Vertical ), Manual & Auto
Input Interface		
Output Interface		
SRP	18,900.-	20,900.-

## RICOH : PROJECTOR

RICOH

## Entry Level

รับประกัน 3 ปีซ่อมถึงสถานที่



New

Model	PJWX2240	PJX2340
Projector Type	DLP	DLP
Resolution	1280 x 800 (WXGA)	XGA (1024 x 768)
Brightness	3,100 Lumens	3,000 ANSI Lumens
Native Contrast /High Contrast	2,100 : 1 / 10,000 : 1	2,200:1
Lamp life	4,500 Hr	4500 hrs / 6000 hrs (eco)
Port	Mini D-SUB15pin x 3, Mini DIN 4pin x 1, RCA 1pin x 1, D-SUB 9pin x 1 (RS-232C), Mini Jack x 3,USB-TYPE-minB x1, HDMI(1.4) x 1	Mini D-SUB15pin in x 1, Mini D-SUB15pin out x 1 , RCA_1pin x 1 (Video), Mini Jack x 1 (Audio1 IN/OUT), HDMI x 1, RS-232C 3-pin x 1 (service)
Network	N/A	N/A
Projection screen size	30" to 300"	30" to 300"
Dimension	314.2 x 223.5 x 101.7 mm	286 x 100 x 208 mm
Weight	2.6 kg	2.4 kg
Warranty	Onsite 3 Years	3 Years onsite
SRP	20,865.-	19,795.-

## Desk Edge



Model	PJ X3351N	PJ WX3351N
Projector Type	DLP	DLP
Resolution	1024 x 768 (XGA)	1280 x 800 (WXGA)
Brightness	3,500 Lumens	3,600 Lumens
Native Contrast /High Contrast	13,000 : 1	13,000 : 1
Lamp life	3,500 Hr	3,500 Hr
Port	Mini D-SUB15pin x 1 (Computer IN), Mini D-SUB15pin x 1 (Monitor OUT), RCA_1pin x 1 (Video), Mini Jack x 1 (Audio1 IN/OUT), USB-TYPE-minB x1, HDMI(1.4) x 1, USB TYPE-A for PC free presentation	
Network	RJ-45 x 1 (Compatible with 10 BASE-T/100ASE-TX/1000BASE-T) ,Compatible with IEEE 802.11a/b/g/n	
Projection screen size	30"-400"	40"-400"
Dimension	297 x 235 x 100 mm	297 x 235 x 100 mm
Weight	3.1 kg	3.1 kg
Warranty	Onsite 3 Years	Onsite 3 Years
SRP	40,660.-	46,973.-

## Short Throw



Model	PJ X4240N (Short Throw)	PJ WX4240N (Short Throw)
Projector Type	DLP	DLP
Resolution	1024 x 768 (XGA)	1280 x 800 (WXGA)
Brightness	3,000 Lumens	3,000 Lumens
Native Contrast /High Contrast	5,000 : 1	5,000 : 1
Lamp life	3,500 Hr	3,500 Hr
Port	Mini D-sub 15 pin x 2,Mini D-sub 15 pin x 1 (switched with input),HDMI x 1, RCA pin jack x 1,3.5 mm (0.1 inch) diameter stereo mini pin jack x 2(in&out), USB Mini-B x 1 (for firmware version upgrades), USB Type A x 1	
Network	RJ-45 x 1 (Compatible with 10 BASE-T/100ASE-TX/1000BASE-T) ,Compatible with IEEE 802.11a/b/g/n	
Projection screen size	50"-120"	60"-140"
Dimension	297 x 235 x 100 mm	297 x 235 x 100 mm
Weight	3.1 kg	3.1 kg
Warranty	Onsite 3 Years	Onsite 3 Years
SRP	40,660.-	48,043.-

**RICOH : PROJECTOR**

**RICOH**

**Standard**

รับประกัน 3 ปีซ่อมถึงสถานที่



Model	PJ X5371N (Option)	PJ WX5361N
Projector Type	DLP	DLP
Resolution	1024 x 768 (XGA)	1280 x 800 (WXGA)
Brightness	5,000 Lumens	4,500 Lumens
Native Contrast /High Contrast	4,000 : 1	4,000 : 1
Lamp life	3,500 Hr	3,500 Hr
Port	Mini D-sub 15 pin x 1, HDMI Type A x 2, Mini D-sub 15, pin x 1, Mini D-sub 15, Type-A x 1 (PC-less function use), Type-A x 1 (Wireless LAN unit use), Type-B x 1 (Display use) pin x 1, 3.5 mm diameter stereo mini pin jack x 1 Control Port: Mini D-Sub 9 pin x 1	
Network	RJ-45 x 1 (Compatible with 10 BASE-T/100BASE-TX/1000BASE-T) ,Compatible with IEEE 802.11a/b/g/n	
Projection screen size	25" to 300"	25" to 300"
Dimension	398 x 276 x 127 mm	398 x 276 x 127 mm
Weight	4.3 kg	4.3 kg
Warranty	Onsite 3 Years	Onsite 3 Years
SRP	85,600.-	87,740.-



Model	PJ X5460	PJ WX5460
Projector Type	DLP	DLP
Resolution	1024 x 768 (XGA)	1280 x 800 (WXGA)
Brightness	4,000 Lumens	4,100 Lumens
Native Contrast /High Contrast	2,200:1 / 10,000 : 1	2,200:1 / 10,000 : 1
Lamp life	3,000 Hr	3,000 Hr
Port	D-Sub15pin x 2,D-Sub15pin x1,RCA pin x 1,Mini DIN4pin x1,HDMI x1,Mini_Jack x 2(in),Mini_Jack x 1(out),no usb	
Network	RJ 45 x 1 (Lan)	RJ 45 x 1 (Lan)
Projection screen size	30" – 300	30" – 300
Dimension	314.2 x 223.5 x 101.7 mm	314.2 x 223.5 x 101.7 mm
Weight	3.2 kg	3.2 kg
Warranty	Onsite 3 Years	Onsite 3 Years
SRP	40,660.-	48,150.-



**New**

Model	PJ HD5450
Projector Type	DLP
Resolution	1920 x 1080 (Full HD)
Brightness	3,500 Lumens
Native Contrast /High Contrast	2,100:1 / 10,000 : 1
Lamp life	3,000 Hr
Port	D-Sub15pin x 1,D-Sub15pin x1,RCA pin x 1,Mini DIN4pin x1,HDMI x2,Mini_Jack x 1(in),Mini_Jack x 1(out),no usb
Network	RJ 45 x 1 (Lan)
Projection screen size	38"-300"
Dimension	314.2 x 223.5 x 101.7 mm
Weight	3.2 kg
Warranty	Onsite 3 Years
SRP	56,603.-