

LCD PROJECTOR

Panasonic



PT-LB280A
PNS-PT-LB280A



PT-LB300
PNS-PT-LB300



PT-LB332
PNS-PT-LB332

Projector Type	LCD Projector	LCD Projector	LCD Projector
Resolution	1024 x 768 (XGA)	1024 x 768 (XGA)	1024x768 (XGA)
Brightness	2800 ANSI Lumens	3100 ANSI Lumens	3300 ANSI Lumens
Contrast	10,000 : 1	10,000 : 1	12,000 : 1
Lamp	230 W UHM	230 W UHM	230 W UHM
Lamp life (Normal/Eco)	5,000/6,000/8,000 hours	5,000/6,000/8,000 hours	5000/6000
Features	Day light View, Auto Keystone (Vertical) HDMI,USB-Bx1,	Day light View, Auto Keystone (Vertical)	Day light View Wireless Option HDMI,RJ-45(Lan)x1
Port	VDO inx1,VGA inx1,VGA outx1, Audio inx1,Audio outx1	HDMI,USB-Bx1, VDO inx1,VGA inx1,VGA outx1, Audio inx1,Audio outx1	VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
Dimension (mm)	335 x 92 x 252 mm	335 x 92 x 252 mm	335 x 96 x 252 mm
Weight	2.8 Kg	2.8 Kg	2.9 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	Body 2 Years, Lamp 1 year/ 1,000 Hrs.
SRP	18,900.-	20,900.-	26,900.-



PT-LB382
PNS-PT-LB382



PT-LB412A
PNS-PT-LB412A



PT-LW312A
PNS-PT-LW312A

Projector Type	LCD Projector	LCD Projector	LCD Projector
Resolution	1024x768 (XGA)	1024x768 (XGA)	1080x800 (WXGA)
Brightness	3800 ANSI Lumens	4100 ANSI Lumens	3100 ANSI Lumens
Contrast	12,000 : 1	12,000 : 1	12,000 : 1
Lamp	230 W UHM	230 W UHM	230 W UHM
Lamp life (Normal/Eco)	5000/6000	5000/6000	5000/6000
Features	Day light View Wireless Option	Day light View Wireless Option	Day light View Wireless Option
Port	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
Dimension (mm)	335 x 96 x 252 mm	335 x 96 x 252 mm	335 x 96 x 252 mm
Weight	2.9 Kg	2.9 Kg	2.9 Kg
Warranty	Body 2 Years, Lamp 1 year/ 1,000 Hrs.	Body 2 Years, Lamp 1 year/ 1,000 Hrs.	Body 2 Years, Lamp 1 year/ 1,000 Hrs.
SRP	33,900.-	39,900.-	39,000.-



PT-VW350
PNS-PT-VW350



PT-VW355N
PNS-PT-VW355



PT-VX600A
PNS-PT-VX600A

Projector Type	LCD Projector	LCD Projector (Wireless)	LCD Projector
Resolution	1280 x 800 (WXGA)	1280 x 800 (WXGA)	1024x768 (XGA)
Brightness	4000 ANSI Lumens	4000 ANSI Lumens	5500 ANSI Lumens
Contrast	12,000 : 1	12,000 : 1	10,000:1
Lamp	240 W UHM	240 W UHM	270 W UHM
Lamp life (Normal/Eco)	5,000/7,000 hours	5,000/7,000 hours	7,000 hours
Features	Day light View, USB Display Quiet Operation	Day light View Quiet Operation	Daylight View Basic
Port	HDMI,RJ-45(Lan)x1 S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMI,RJ-45(Lan)x1,USB-Ax1,USB-Bx1, S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	352 x 98 x 279.4 mm	352 x 98 x 279.4 mm	389 x 125 x 332 mm
Weight	3.4 Kg	3.4 Kg	4.9 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP	62,060.-	77,040.-	107,000.-

PROJECTORS

LCD PROJECTOR

Panasonic



PT-VW535NA
PNS-PT-VW535NA



PT-VW530A
PNS-PT-VW530A



PT-VZ575NA
PNS-PT-VZ575NA

Projector Type	LCD Projector	LCD Projector	LCD Projector
Resolution	1280x800 (WXGA)	1280x800 (WXGA)	1920x1200 (WUXGA)
Brightness	5000 ANSI Lumens	5000 ANSI Lumens	4500 ANSI Lumens
Contrast	10,000:1	10,000:1	270 W UHM
Lamp	270 W UHM	270 W UHM	10,000:1
Lamp life (Normal/Eco)	7,000 hours	7,000 hours	7,000 hours
Features	Wireless Ready : Miracast, Wireless Manager, iOS, Android	Daylight View Basic	Wireless Ready : Miracast, Wireless Manager, iOS, Android
Port	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	389 x 125 x 332 mm	389 x 125 x 332 mm	389 x 125 x 332 mm
Weight	4.9 Kg	4.9 Kg	4.9 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP	124,120.-	117,700.-	155,150.-



PT-VZ570A
PNS-PT-VZ570A



PT-EZ580E
PNS-PT-EZ580E



PT-EW640E
PNS-PT-EW640E

Projector Type	LCD Projector	LCD Projector	LCD Projector
Resolution	1920x1200 (WUXGA)	1920x120 (WUXGA)	1280x800 (WXGA)
Brightness	4500 ANSI Lumens	5400 ANSI Lumens	5800 ANSI Lumens
Contrast	270 W UHM	5,000:1	5,000:1
Lamp	10,000:1	335 W UHM	335 W UHM
Lamp life (Normal/Eco)	7,000 hours	4500 hours	4500 hours
Features	Daylight View Basic	Daylight View Basic, P-in-P / Side-by-Side	Daylight View Basic, P-in-P / Side-by-Side
Port	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	389 x 125 x 332 mm	530 x 177 x 445 mm	530 x 177 x 445 mm
Weight	4.9 Kg	9.8 Kg	9.8 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP	144,450.-	321,000.-	214,000.-

PT-DZ21KE
PNS-PT-DZ21KE



PT-DZ13KE
PNS-PT-DZ13KE

Projector Type	DLP 3chip	DLP 3chip
Resolution	1920x120 (WUXGA)	1920x120 (WUXGA)
Brightness	20000 ANSI Lumens	12000 ANSI Lumens
Contrast	10,000:1	10,000:1
Lamp	380 W UHM x2	380 W UHM x2
Lamp life (Normal/Eco)		
Features	System Daylight View 2, Detail clarity Processor3	System Daylight View 2, Detail clarity Processor3
Port	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	620 x 291 x 800mm	530 x 200 x 548.5 mm
Weight	43 Kg	24 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP	3,745,000.-	2,033,000.-

Acer : PROJECTOR



Acer X115H
ACR-MR.JN811007



Acer X117H
ACR-MR.JP211006



Acer X125H
ACR-MR.JN911006

Free	Screen 70"×70"	Screen 70"×70"	Screen 70"×70"
Projector Type	DLP, Native SVGA (800 x 600)	DLP, Native SVGA (800 x 600)	DLP, Native XGA (1,024 x 768)
Brightness	3,300 ANSI Lumens	Brightness:3,600 ANSI Lumens (Standard)	3,300 ANSI Lumens
Contrast	20,000:1	Contrast Ratio 20,000:1	20,000:1
Throw Distance			
Displayable Colors	1.07 Billion Colors,		
Lamp Life	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)	5,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExtremeECO)	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual
Input Interface	D-Sub x1, Composite x1, HDMI x 1 PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 1, HDMI x 1, PC Audio (Stereo mini jack) x 1	Analog RGB/Component Video (D-sub) x 1, HDMI x 1, PC Audio x 1
Output Interface	N/A	N/A	N/A
SRP	11,900.-	11,900.-	14,900.-



Acer X135WH
ACR-MR.JNA11006



Acer X1278H(3D)
ACR-MR.JMK11006



Acer X1385WH(3D)
ACR-MR.JL511006

Free	Screen 70"×70"	Screen 70"×70"	Screen 70"×70"
Projector Type	DLP®, Native WXGA (1,280 x 800)	DLP, Native XGA (1,024 x 768)	DLP, Native WXGA (1,280 x 800)
Brightness	3,400 ANSI Lumens	3,800 ANSI Lumens (Standard)	3,200 ANSI (Standard), 2,560 ANSI (ECO)
Contrast	20,000:1	20000:1	20,000:1
Throw Distance		50" @2m	Throw Ratio 62 inch @2m
Displayable Colors	1.07 Billion Colors		
Lamp Life	5,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExtremeECO)	3,000 Hours (Standard), 4,000 Hours (ECO), 5,000 Hours (ExtremeEco)	4,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)
Keystone Correction	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual & Auto
Input Interface	Analog RGB/Component Video x 1, HDMI x 1, PC Audio x 1	D-sub x2, Composite Video x1, S-Video x1, HDMI x1, PC Audio x1, Mic In x1	Analog RGB / (D-Sub) X2, (RCA) X 1, S-vdo X1, HDMI/MHL X 1, PC Audio X 2
Output Interface	N/A	D-Sub x1, PC Audio x1, DC Out x1; DLP 3D	Analog RGB X 1, PC Audio x 1, DC Out x 1
SRP	19,900.-	25,900.-	24,900.-



Acer P1185(3D)
ACR-MR.JL811006



Acer P1286
ACR-MR.JMW11006

Free	Screen 70"×70"	Screen 70"×70"
Projector Type	DLP, Native SVGA (800 x 600)	DLP, Native XGA (1,024 x 768)
Brightness	3,200 ANSI Lumens (Standard)	3,400 ANSI Lumens
Contrast	20,000:1	20,000:1
Throw Distance	Throw Ratio:50 inch@2m, 100 inch@4m	
Displayable Colors	1.07 Billion Colors	
Lamp Life	4,000 Hours (Standard), 6,000 Hrs (ECO), 10,000 Hours (ExtremeECO)	5,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	
Input Interface	Analog RGB/Component Video x2, Composite x1, S-Video x1, HDMI/MHL x1, PC Audio x2	D-sub, Composite Vdoo (RCA), HDMI/MHL (Vdo, Audio, HDCP), HDMI (Vdo, Audio, HDCP), PC Audio
Output Interface	Analog RGB x1, PC Audio x1, DC Out x1	PC Audio, DC Out (5V/1A, USB Type A)
SRP	13,900.-	16,900.-

Acer : PROJECTOR



Acer P1285B(3D)
ACR-MRJM011006



Acer P1387W (3D)
ACR-MRJL911006

Free	Screen 70"***70	Screen 70"***70
Projector Type	DLP, Native XGA (1,024 x 768)	DLP, Native WXGA (1,280 x 800)
Brightness	3,200 ANSI Lumens (Standard)	4,500 ANSI Lumens (Standard)
Contrast	17000:1	17000:1
Throw Distance	53"@2m	
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	4,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExEco)	3,000 Hours(Standard),4,000 Hours (ECO), 5,000 Hours (ExtremeEco)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual
Input Interface	D-sub x 2, Composite Video, S-Video , HDMI/MHL, PC Audio x 2	D-sub x 2, Composite Video, S-Video , HDMI/MHL, PC Audio x 2
Output Interface	D-Sub, PC Audio, DC Out; DLP 3D	Analog RGB (D-Sub), PC audio
SRP	21,900.-	39,900.-



Acer P1385WB_WiFi (3D)
ACR-MRJLQ11006



Acer A1500
ACR-MRJN011006

Free	Screen 70"***70	Screen 70"***70"
Projector Type	DLP, Native WXGA (1,280 x 800)	3,100 ANSI Lumens (Standard)
Brightness	3,200 ANSI Lumens (Standard)	
Contrast	20000:1	20,000:1
Throw Distance		100 inch@2.5m
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	4,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual
Input Interface	D-subx2,Composite Video, S-Vdo, HDMI/MHLx2, PC Audiox2	D-subx2, Composite Vdo, S-Vdo,HDMI, (MHL),PC Audiox2D-subx1,PC Audio,DC OutOut
Output Interface	D-Sub, PC Audio, DC Out; DLP 3D	(5V/1A, USB Mini-B, Internal Port)
SRP	24,900.-	28,700.-



Acer K135i (LED)
ACR-MRJKW11004



Acer K137i (LED)
ACR-MRJKX11004

Free	USB wireless dongle	USB wireless dongle
Projector Type	DLP, Native WXGA (1,280 x 800)	DLP, Native WXGA (1,280 x 800)
Brightness	600 ANSI Lumens (Standard)	700 ANSI Lumens (Standard)
Contrast	10,000:1	10,000:1
Throw Distance		
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	LED 20,000 Hours (Standard), 30,000 Hours (ECO),	LED 20,000 Hours (Standard), 30,000 Hours (ECO),
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto
Input Interface		
Output Interface		
SRP	18,900.-	20,900.-

RICOH : PROJECTOR

RICOH

รับประกัน 3 ปีซ่อมถึงสถานที่



Model	PJWX2240	PJX2340
Projector Type	DLP	DLP
Resolution	1280 x 800 (WXGA)	XGA (1024 x 768)
Brightness	3,100 Lumens	3,000 ANSI Lumens
Native Contrast /High Contrast	2,100 : 1 / 10,000 : 1	2,200:1
Lamp life	4,500 Hr	4500 hrs / 6000 hrs (eco)
Port	Mini D-SUB15pin x 3, Mini DIN 4pin x 1, RCA 1pin x 1, D-SUB 9pin x 1 (RS-232C), Mini Jack x 3,USB-TYPE-minB x1, HDMI(1.4) x 1	Mini D-SUB15pin in x 1, Mini D-SUB15pin out x 1 , RCA_1pin x 1 (Video), Mini Jack x 1 (Audio1 IN/OUT), HDMI x 1, RS-232C 3-pin x 1 (service)
Network	N/A	N/A
Projection screen size	30" to 300"	30" to 300"
Dimension	314.2 x 223.5 x 101.7 mm	286 x 100 x 208 mm
Weight	2.6 kg	2.4 kg
Warranty	Onsite 3 Years	3 Years onsite
SRP	20,865.-	15,900.-



Model	PJ X3351N	PJ WX3351N
Projector Type	DLP	DLP
Resolution	1024 x 768 (XGA)	1280 x 800 (WXGA)
Brightness	3,500 Lumens	3,600 Lumens
Native Contrast /High Contrast	13,000 : 1	13,000 : 1
Lamp life	3,500 Hr	3,500 Hr
Port	Mini D-SUB15pin x 1 (Computer IN), Mini D-SUB15pin x 1 (Monitor OUT), RCA_1pin x 1 (Video), Mini Jack x 1 (Audio1 IN/OUT), USB-TYPE-minB x1, HDMI(1.4) x 1, USB TYPE-A for PC free presentation	
Network	RJ-45 x 1 (Compatible with 10 BASE-T/100ASE-TX/1000BASE-T) ,Compatible with IEEE 802.11a/b/g/n	
Projection screen size	30"-400"	40"-400"
Dimension	297 x 235 x 100 mm	297 x 235 x 100 mm
Weight	3.1 kg	3.1 kg
Warranty	Onsite 3 Years	Onsite 3 Years
SRP	40,660.-	46,973.-



New



New

Model	PJ WXC1110	PJ WX3351N
Projector Type	0.45" WXGA DMD Chip	DLP
Resolution	1280 x 800 (WXGA)	1280 x 800 (WXGA)
Brightness	600 lumens	3,600 lumens
Native Contrast /High Contrast	40,000:1	13,000:1
Lamp life	20,000 hrs 30,000 hrs(Eco)	3,500 hrs 5,000 hrs(Eco)
Port	D-sub 15PIN via adapter cable, HDMI x 1 Available with HDMI Wi-Fi (3rd Party)	VGAin x 1, HDMI 1, RCAx 1, VGAout x 1 Mini Jack x 1 USB-miniB x1 USB-A
Network		RJ-45 x 1 , LAN IEEE 802.11a/b/g/n compliant
Projection screen size	25"-200"	40" - 400"
Dimension	112.5 x 50.5 x 105 mm	298 x 235 x 100 mm
Weight	0.45kg	3.1 kg
Warranty	3 Years Onsite Service	4 Years Onsite Service
SRP	31,565.-	46,973.-

PROJECTORS

RICOH : PROJECTOR

RICOH

รับประกัน 3 ปีซ่อมถึงสถานที่



New



Model	PJ X3351N	PJ X5460
Projector Type	DLP	DLP
Resolution	1024 x 768 (XGA)	1024 x 768 (XGA)
Brightness	3,500 lumens	4,000 Lumens
Native Contrast /High Contrast	13,000:1	2,200:1 / 10,000 : 1
Lamp life	3,500 hrs 5,000 hrs(Eco)	3,000 Hr
Port	VGAin x 1, HDMIx 1, RCAx 1, VGAout x 1 Mini Jack x 1 USB-miniB x1, USB-A RJ-45 x 1 , LAN IEEE 802.11a/b/g/n compliant	D-Sub15pin x 2,D-Sub15pin x1,RCA pin x 1 ,Mini DIN4pin x1,HDMI x1,Mini_Jack x 2(in), Mini_Jack x 1(out),no usb
Network	30" - 400"	RJ 45 x 1 (Lan)
Projection screen size	297 x 235 x 100 mm	30" – 300
Dimension	3.1 kg	314.2 x 223.5 x 101.7 mm
Weight	3 Years Onsite Service	3.2 kg
Warranty		Onsite 3 Years
SRP	40,660.-	40,660.-



New

Model	PJ WX5460	PJ X5580
Projector Type	DLP	DLP
Resolution	1280 x 800 (WXGA)	1024 x 768 (XGA)
Brightness	4,100 Lumens	6,000 lumens
Native Contrast /High Contrast	2,200:1 / 10,000 : 1	9,000:1
Lamp life	3,000 Hr	3,000 hrs 4,000 hrs (ECO)
Port	D-Sub15pin x 2,D-Sub15pin x1,RCA pin x 1 ,Mini DIN4pin x1,HDMI x1,Mini_Jack x 2(in), Mini_Jack x 1(out),no usb	HDMI x 2, VGAin x 2, RCA x 1, S-VIDEO mini, DIN 4-pin x 1, Display port x 1 VGAout x 1, Audio in x 2, RCA x 1, Audio out x 1 USB minB x1
Network	RJ 45 x 1 (Lan)	RJ-45 x 1, LAN IEEE 802.11b/g/n compliant (Option)
Projection screen size	30" – 300	30" to 300"
Dimension	314.2 x 223.5 x 101.7 mm	424 x 356 x 150 mm
Weight	3.2 kg	6.35 kg
Warranty	Onsite 3 Years	3 Years Onsite Service
SRP	48,150.-	101,650.-



New



Model	PJ WU5570	PJ HD5450
Projector Type	DLP	DLP
Resolution	1920 x 1080 (WUXGA)	1920 x 1080 (Full HD)
Brightness	5,500 lumens	3,500 Lumens
Native Contrast /High Contrast	9,000:1	2,100:1 / 10,000 : 1
Lamp life	3,000 hrs 4,000 hrs (ECO)	3,000 Hr
Port	HDMI x 2, VGAin x 2, RCA x 1, S-VIDEO mini, DIN 4-pin x 1, Display port x 1 VGAout x 1, Audio in x 2, RCA x 1, Audio out x 1 USB minB x1	D-Sub15pin x 1,D-Sub15pin x1,RCA pin x 1, Mini DIN4pin x1,HDMI x2,Mini_Jack x 1(in), Mini_Jack x 1(out),no usb
Network	RJ45 x 1, Optional IEEE802.11b/g/n compliant (Option)	RJ 45 x 1 (Lan)
Projection screen size	30" to 300"	38"-300"
Dimension	424 x 356 x 150 mm	314.2 x 223.5 x 101.7 mm
Weight	6.35 kg	3.2 kg
Warranty	3 Years Onsite Service	Onsite 3 Years
SRP	138,030.-	56,603.-