

**LCD PROJECTOR**

**Panasonic**



**PT-LB303**  
PNS-PT-LB303



**PT-LB353**  
PNS-PT-LB353



**PT-LB383**  
PNS-PT-LB383

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	1024x768 (XGA)	1024x768 (XGA)	1024x768 (XGA)
<b>Brightness</b>	3100 ANSI Lumens	3300 ANSI Lumens	3800 ANSI Lumens
<b>Contrast</b>	16,000 : 1	16,000 : 1	16,000 : 1
<b>Lamp</b>	300 W UHM	300 W UHM	300 W UHM
<b>Lamp life (Normal/Eco)</b>	5000/6000/10000	5000/6000/10000	5000/6000/10000
<b>Features</b>	Day light View	Day light View Wireless Option	Day light View Wireless Option
<b>Port</b>	HDMI VGA inx2,VGA outx1, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
<b>Dimension (mm)</b>	335 x 96 x 252 mm	335 x 96 x 252 mm	335 x 96 x 252 mm
<b>Weight</b>	2.9 Kg	2.9 Kg	2.9 Kg
<b>Warranty</b>	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.
<b>SRP(inc.VAT)</b>	20,900.-	24,900.-	29,900.-



**PT-LW333**  
PNS-PT-LW333



**PT-LB423**  
PNS-PT-LB423

<b>Projector Type</b>	LCD Projector	LCD Projector
<b>Resolution</b>	1280x800 (WXGA)	1024x768 (XGA)
<b>Brightness</b>	3100 ANSI Lumens	4100 ANSI Lumens
<b>Contrast</b>	16,000 : 1	16,000 : 1
<b>Lamp</b>	300 W UHM	300 W UHM
<b>Lamp life (Normal/Eco)</b>	5000/6000/10000	5000/6000/10000
<b>Features</b>	Day light View Wireless Option	Day light View Wireless Option
<b>Port</b>	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
<b>Dimension (mm)</b>	335 x 96 x 252 mm	335 x 96 x 252 mm
<b>Weight</b>	2.9 Kg	2.9 Kg
<b>Warranty</b>	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.
<b>SRP(inc.VAT)</b>	39,000.-	37,900.-



**PT-VW350**  
PNS-PT-VW350



**PT-VW355N**  
PNS-PT-VW355



**PT-VX600A**  
PNS-PT-VX600A

<b>Projector Type</b>	LCD Projector	LCD Projector (Wireless)	LCD Projector
<b>Resolution</b>	1280 x 800 (WXGA)	1280 x 800 (WXGA)	1024x768 (XGA)
<b>Brightness</b>	4000 ANSI Lumens	4000 ANSI Lumens	5500 ANSI Lumens
<b>Contrast</b>	12,000 : 1	12,000 : 1	10,000:1
<b>Lamp</b>	240 W UHM	240 W UHM	270 W UHM
<b>Lamp life (Normal/Eco)</b>	5,000/7,000 hours	5,000/7,000 hours	7,000 hours
<b>Features</b>	Day light View, USB Display Quiet Operation	Day light View Quiet Operation	Daylight View Basic
<b>Port</b>	HDMI,RJ-45(Lan)x1 S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMI,RJ-45(Lan)x1,USB-Ax1,USB-Bx1, S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	352 x 98 x 279.4 mm	352 x 98 x 279.4 mm	389 x 125 x 332 mm
<b>Weight</b>	3.4 Kg	3.4 Kg	4.9 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP(inc.VAT)</b>	62,060.-	77,040.-	107,000.-

**LCD PROJECTOR**

**Panasonic**



**PT-VW535NA**  
PNS-PT-VW535NA



**PT-VW530A**  
PNS-PT-VW530A



**PT-VZ575NA**  
PNS-PT-VZ575NA

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	1280x800 (WXGA)	1280x800 (WXGA)	1920x1200 (WUXGA )
<b>Brightness</b>	5000 ANSI Lumens	5000 ANSI Lumens	4500 ANSI Lumens
<b>Contrast</b>	10,000:1	10,000:1	270 W UHM
<b>Lamp</b>	270 W UHM	270 W UHM	10,000:1
<b>Lamp life (Normal/Eco)</b>	7,000 hours	7,000 hours	7,000 hours
<b>Features</b>	Wireless Ready : Miracast, Wireless Manager, iOS, Android	Daylight View Basic	Wireless Ready : Miracast, Wireless Manager, iOS, Android
<b>Port</b>	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	389 x 125 x 332 mm	389 x 125 x 332 mm	389 x 125 x 332 mm
<b>Weight</b>	4.9 Kg	4.9 Kg	4.9 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP(inc.VAT)</b>	124,120.-	117,700.-	155,150.-



**PT-VZ570A**  
PNS-PT-VZ570A



**PT-EZ580E**  
PNS-PT-EZ580E



**PT-EW640E**  
PNS-PT-EW640E

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	1920x1200 (WUXGA )	1920x120 (WUXGA )	1280x800 (WXGA)
<b>Brightness</b>	4500 ANSI Lumens	5400 ANSI Lumens	5800 ANSI Lumens
<b>Contrast</b>	270 W UHM	5,000:1	5,000:1
<b>Lamp</b>	10,000:1	335 W UHM	335 W UHM
<b>Lamp life (Normal/Eco)</b>	7,000 hours	4500 hours	4500 hours
<b>Features</b>	Daylight View Basic	Daylight View Basic, P-in-P / Side-by-Side	Daylight View Basic, P-in-P / Side-by-Side
<b>Port</b>	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	389 x 125 x 332 mm	530 x 177 x 445 mm	530 x 177 x 445 mm
<b>Weight</b>	4.9 Kg	9.8 Kg	9.8 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP(inc.VAT)</b>	144,450.-	321,000.-	214,000.-

**PT-DZ21KE**  
PNS-PT-DZ21KE



**PT-DZ13KE**  
PNS-PT-DZ13KE

<b>Projector Type</b>	DLP 3chip	DLP 3chip
<b>Resolution</b>	1920x120 (WUXGA )	1920x120 (WUXGA )
<b>Brightness</b>	20000 ANSI Lumens	12000 ANSI Lumens
<b>Contrast</b>	10,000:1	10,000:1
<b>Lamp</b>	380 W UHM x2	380 W UHM x2
<b>Lamp life (Normal/Eco)</b>		
<b>Features</b>	System Daylight View 2, Detail clarity Processor3	System Daylight View 2, Detail clarity Processor3
<b>Port</b>	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
<b>Dimension (mm)</b>	620 x 291 x 800mm	530 x 200 x 548.5 mm
<b>Weight</b>	43 Kg	24 Kg
<b>Warranty</b>	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
<b>SRP(inc.VAT)</b>	3,745,000.-	2,033,000.-

**Acer : PROJECTOR**



**X1123H**  
ACR-MRJPQ11007



**X1223H**  
ACR-MRPR11007



**X137WH**  
ACR-MRJP411006

Free	Screen 70"×70	Screen 70"×70	Screen 70"×70
<b>Projector Type</b>	DLP, Native SVGA (800 x 600)	DLP, Native XGA (1,024 x 768)	DLP®, Native WXGA (1,280 x 800)
<b>Brightness</b>	3,600 ANSI Lumens (Standard)	3,600 ANSI Lumens (Standard)	3,700 ANSI (Standard), 2,960 ANSI (ECO)
<b>Contrast</b>	20,000:1	20,000:1	20,000:1
<b>Displayable Colors</b>	1.07 Billion Colors	1.07 Billion Colors	
<b>Lamp Life</b>	5,000 Hours (Standard), 10,000 Hours (ECO), 15,000 Hours (ExtremeECO)	5,000 Hours (Standard), 10,000 Hours (ECO), 15,000 Hours (ExtremeECO)	5,000 Hrs(Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)
<b>Keystone Correction</b>	+/-40 Degrees (Vertical ), Manual	+/-40 Degrees (Vertical ), Manual	+/-40 Degrees (Vertical ), Manual
<b>Input Interface</b>	VGA x 1, RCAx1, HDMI x 1, PC Audio (Stereo mini jack) x 1	VGA x 1+, RCAx1, HDMI x 1, PC Audio (Stereo mini jack) x 1	Analog RGB / Component vdo (D-Sub)X 1HDMI X1,PCAudio(Stereo mini jack)x 1
<b>Output Interface</b>	VGA x 1, PC Audio (Stereo mini jack) x 1	VGA x 1, PC Audio (Stereo mini jack) x 1	N/A
<b>SRP(inc.VAT)</b>	12,900.-	15,900.-	19,900.-



**X1226H (3D)**  
ACR-MRJP411006



**X1326WH (3D)**  
ACR-MRJP911006

Free	Screen 70"×70	Screen 70"×70
<b>Projector Type</b>	DLP, Native XGA (1,024 x 768)	DLP, Native WXGA (1,280 x 800)
<b>Brightness</b>	4,000 ANSI (Standard), 3,200 ANSI(ECO)	4,000 ANSI (Standard), 3,200 ANSI (ECO)
<b>Contrast</b>	20,000:1	20,000:1
<b>Displayable Colors</b>	1.07 Billion Colors	1.07 Billion Colors
<b>Lamp Life</b>	4,500 Hrs (Standard), 10,000 Hrs (ECO), 15,000 Hrs (ExtremeEco)	4,500 Hrs(Standard), 10,000 Hrs (ECO), 15,000 Hrs (ExtremeEco)
<b>Keystone Correction</b>	+/-40 Degrees (Vertical ), Manual	+/-40 Degrees (Vertical ), Manual&Auto
<b>Input Interface</b>	D-sub, Composite Video, S-Video, HDMI(MHL), HDMI, PC Audio x2	D-sub x2, Composite Video x1,S-Video x1,HDMIx1,HDMI/MHL x1,PC Audio x2
<b>Output Interface</b>	D-Sub x1, PC Audio x1, DC Out x1	D-Sub x1, PC Audio x1, DC Out x1
<b>SRP(inc.VAT)</b>	29,900.-	33,900.-



**X1385WH(3D)**  
ACR-MRJL511006



**P1150**  
ACR-MRJPK11006

Free	Screen 70"×70	Screen 70"×70
<b>Projector Type</b>	DLP, Native WXGA (1,280 x 800)	DLP, Native SVGA (800 x 600)
<b>Brightness</b>	3,200 ANSI (Standard), 2,560 ANSI (ECO)	3,600 ANSI Lumens (Standard)
<b>Contrast</b>	20,000:1	20,000:1
<b>Displayable Colors</b>	1.07 Billion Colors	1.07 Billion Colors
<b>Lamp Life</b>	4,000 Hrs(Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)	5,000 Hrs (Standard), 10,000Hrs(ECO), 15,000Hrs(ExtremeECO)
<b>Keystone Correction</b>	+/-40 Degrees (Vertical ), Manual & Auto	+/-40 Degrees (Vertical ), Manual & Auto
<b>Input Interface</b>	Analog RGB / (D-Sub)X2, (RCA) X 1, S-vdoX1,HDMI/MHL X 1,PC AudioX 2	D-Subx2,Composite, HDMI/MHL, PC Audio
<b>Output Interface</b>	Analog RGB X 1, PC Audio x 1, DC Out x 1	D-Sub, PC Audio x1, DC Out x1.
<b>SRP(inc.VAT)</b>	24,900.-	13,900.-

**Acer : PROJECTOR**



ကနဦး X1286



**P1250**  
ACR-MRJK11006



**Acer P1285B(3D)**  
ACR-MRJM011006



Free	Screen 70"***70	Screen 70"***70
<b>Projector Type</b>	DLP®, Native XGA (1,024 x 768)	DLP, Native XGA (1,024 x 768)
<b>Brightness</b>	Brightness:3,600 ANSI Lumens (Standard)	3,200 ANSI Lumens (Standard)
<b>Contrast</b>	20,000:1	17000:1
<b>Displayable Colors</b>	1.07 Billion Colors	1.07 Billion Colors
<b>Lamp Life</b>	5,000 Hrs (Standard), 10,000Hrs(ECO), 15,000Hrs(ExtremeECO)	4,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExEco)
<b>Keystone Correction</b>	+/-40 Degrees (Vertical ), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto
<b>Input Interface</b>	D-Subx2,Composite, HDMI/MHL, PC Audio	D-sub x 2, Composite Video, S-Video , HDMI/MHL, PC Audio x 2
<b>Output Interface</b>	D-Sub, PC Audio x1, DC Out x1.	D-Sub, PC Audio, DC Out; DLP 3D
<b>SRP(inc.VAT)</b>	16,900.-	21,900.-



**Acer P1385WB WiFi (3D)**  
ACR-MRQL11006



**Acer A1500**  
ACR-MRJN011006

Free	Screen 70"***70	Screen 70"***70"
<b>Projector Type</b>	DLP, Native WXGA (1,280 x 800)	3,100 ANSI Lumens (Standard)
<b>Brightness</b>	3,200 ANSI Lumens (Standard)	
<b>Contrast</b>	20000:1	20,000:1
<b>Displayable Colors</b>	1.07 Billion Colors	1.07 Billion Colors
<b>Lamp Life</b>	4,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)
<b>Keystone Correction</b>	+/-40 Degrees (Vertical ), Manual & Auto	+/-40 Degrees (Vertical ), Manual
<b>Input Interface</b>	D-subx2,Composite Video, S-Vdo, HDMI/MHLx2, PC Audiox2	D-subx2, Composite Vdo, S-Vdo,HDMI, (MHL),PC Audiox2D-subx1,PC Audio,DC OutOut
<b>Output Interface</b>	D-Sub, PC Audio, DC Out; DLP 3D	(5V/1A, USB Mini-B, Internal Port)
<b>SRP(inc.VAT)</b>	24,900.-	28,700.-



**Acer K135i (LED)**  
ACR-MRJKW11004



**Acer K137i (LED)**  
ACR-MRJKX11004

Free	USB wireless dongle	USB wireless dongle
<b>Projector Type</b>	DLP, Native WXGA (1,280 x 800)	DLP, Native WXGA (1,280 x 800)
<b>Brightness</b>	600 ANSI Lumens (Standard)	700 ANSI Lumens (Standard)
<b>Contrast</b>	10,000:1	10,000:1
<b>Displayable Colors</b>	1.07 Billion Colors	1.07 Billion Colors
<b>Lamp Life</b>	LED 20,000 Hours (Standard), 30,000 Hours (ECO),	LED 20,000 Hours (Standard), 30,000 Hours (ECO),
<b>Keystone Correction</b>	+/-40 Degrees (Vertical ), Manual & Auto	+/-40 Degrees (Vertical ), Manual & Auto
<b>Input Interface</b>		
<b>Output Interface</b>		
<b>SRP(inc.VAT)</b>	18,900.-	20,900.-

**RICOH : PROJECTOR**

**RICOH**

รับประกัน 3 ปีซ่อมถึงสถานที่



**New**



**New**



**New**

Model	PJ S2440	PJ X2440	PJ WX2440
Projector Type	Single-chip DLP	Single-chip DLP	Single-chip DLP
Resolution	800 x 600 (SVGA)	1024 x 768 (XGA)	1280 x 800 (XGA)
Brightness	3,000 lumens	3,000 lumens	3,000 lumens
Native /High Contrast	2,200:1, 10,000:1	2,200:1, 10,000:1	2,200:1, 10,000:1
Lamp life	4,500 hrs Eco mode 1: 6,000 hrs	4,500 hrs Eco1: 6,000 hrs	Standard: 4,500 hrs Eco mode 1: 6,000 hrs
Port	Mini D-SUB15pin x 1, RCA x 2, HDMI x 1, Mini D-SUB 15pin x1, 3.5mm diameter mini jack x 2	Mini D-SUB15pin x 2, RCA x 1, HDMI x 1, HDMI (MHL) Type A x 1, 3.5mm diameter mini jack x 2	Mini D-SUB15pin x 2, RCA x 1, HDMI x 1, S-Video x 1, HDMI (MHL) Type A x 1, 3.5mm diameter mini jack x 2
Network		RJ-45 x 1, LAN IEEE 802.11a/b/g/n	RJ-45 x 1, LAN IEEE 802.11a/b/g/n
Projection screen size	30"-300"	30"-300"	30"-300"
Dimension	112.5 x 50.5 x 105 mm	297 x 235 x 100 mm	297 x 235 x 100 mm
Weight	0.45kg	3.1 kg	3.1 kg
Warranty	3 Years Onsite Service	3 Years Onsite Service	3 Years Onsite Service
SRP(inc.VAT)	12,000.-	16,000.-	21,000.-



Model	PJ X3351N	PJ WX3351N	PJ WXC1110
Projector Type	DLP	DLP	0.45" WXGA DMD Chip
Resolution	1024 x 768 (XGA)	1280 x 800 (WXGA)	1280 x 800 (WXGA)
Brightness	3,500 Lumens	3,600 Lumens	600 lumens
Native /High Contrast	13,000 : 1	13,000 : 1	40,000:1
Lamp life	3,500 Hr	3,500 Hr	20,000 hrs 30,000 hrs(Eco)
Port	Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A	Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A	D-sub 15PIN via adapter cable, HDMI x 1 Available with HDMI Wi-Fi (3rd Party)
Network		RJ-45 x 1 ,Compatible with IEEE 802.11a/b/g/n	
Projection screen size	30"-400"	40"-400"	25"-200"
Dimension	297 x 235 x 100 mm	297 x 235 x 100 mm	112.5 x 50.5 x 105 mm
Weight	3.1 kg	3.1 kg	0.45kg
Warranty	Onsite 3 Years	Onsite 3 Years	3 Years Onsite Service
SRP(inc.VAT)	47,204.-	46,973.-	31,720.-



**New**



Model	PJ WX5460	PJ WX5461	PJ HD5450
Projector Type	DLP	Single chip DLP	DLP
Resolution	1280 x 800 (WXGA)	1280 x 800 (WXGA)	1920 x 1080 (Full HD)
Brightness	4,100 Lumens	4,100 lumens	3,500 Lumens
Native /High Contrast	2,200:1 / 10,000 : 1	2,200:1, 8,000:1	2,100:1 / 10,000 : 1
Lamp life	3,000 Hr	Std: 3,000 hrs Eco 1: 6,000 hrs	3,000 Hr
Port	D-Sub15pin x 2,D-Sub15pin x1,RCA pin x 1 ,Mini DIN4pin x1,HDMI x1,Mini_Jack x 2(in), Mini_Jack x 1(out),no usb	Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S Vdo x 1, Composite (Video) x 1,D-sub15 (Monitor out) x1,Mini Jack x 3,Mini USB x 1	D-Sub15pin x 1,D-Sub15pin x1,RCA pin x 1, Mini DIN4pin x1,HDMI x2,Mini_Jack x 1(in), Mini_Jack x 1(out),no usb
Network	RJ 45 x 1 (Lan)	RJ45 (for control)	RJ 45 x 1 (Lan)
Projection screen size	30" - 300	40"-300"	38"-300"
Dimension	314.2 x 223.5 x 101.7 mm	314.2x223.5x91.8	314.2 x 223.5 x 101.7 mm
Weight	3.2 kg	3.2 kg	3.2 kg
Warranty	Onsite 3 Years	3 Years Onsite Service	Onsite 3 Years
SRP(inc.VAT)	48,150.-	48,390.-	56,603.-

PROJECTORS

**RICOH : PROJECTOR**

**RICOH**

รับประกัน 3 ปีซ่อมถึงสถานที่



<b>Model</b>	<b>PJ HD5451</b>	<b>PJ X5580</b>
<b>Projector Type</b>	DLP	DLP
<b>Resolution</b>	1920 x 1080 (HD)	1024 x 768 (XGA)
<b>Brightness</b>	3,800 lumens	6,000 lumens
<b>Native /High Contrast</b>	2,200:1, 8,000:1	9,000:1
<b>Lamp life</b>	Standard: 3,000 hours Eco mode 1: 6,000 hours	3,000 hrs 4,000 hrs (ECO)
<b>Port</b>	Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S-Video x 1, Composite (Video) x 1 ,D-sub15 (Monitor out) x 1 ,Mini Jack (Input) x 1 Mini Jack (Out) x 1 ,Mini USB x 1	HDMI x 2, VGAIN x 2, RCA x 1, S-VDO mini, DIN 4-pin x 1, Display x 1 VGAout x 1, Audio inx2,RCA x1,Audio out x1USB minB x1
<b>Network</b>	RJ45 (for control)	RJ-45 x 1, LAN IEEE 802.11b/g/n (Option)
<b>Projection screen size</b>	40"-300"	30" to 300"
<b>Dimension</b>	314.2x223.5x91.8	424 x 356 x 150 mm
<b>Weight</b>	3.2 kg	6.35 kg
<b>Warranty</b>	3 Years Onsite Service	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	<b>56,880.-</b>	<b>102,150.-</b>



<b>Model</b>	<b>PJ WU5570</b>	<b>PJ X6181N</b>
<b>Projector Type</b>	DLP	LCD
<b>Resolution</b>	1920 x 1080 (WUXGA)	1024 x 768 (XGA)
<b>Brightness</b>	5,500 lumens	7,200 lumens (for Standard Lens)
<b>Native /High Contrast</b>	9,000:1	6,000:1
<b>Lamp life</b>	3,000 hrs 4,000 hrs (ECO)	Standard : 3,000 hours Eco : 4,000 hours
<b>Port</b>	HDMI x 2, VGAIN x 2, RCA x 1, S-VIDEO mini, DIN 4-pin x 1, Display port x 1 VGAout x 1, Audio in x 2, RCA x 1, Audio out x 1 USB minB x1	HDMI x2, HDMI(1.4) x 1, D-SUB15 x 1.5BNC x 1, VIDEO: BNC R Share, SVIDEO:BNC G/B Share, HDMI x 2,Display port x 1, Repeater, Mini Jack x 2, Stereo mini jack x 1, USB type A x 2"
<b>Network</b>	RJ45 x 1, Optional IEEE802.11b/g/n compliant (Option)	RJ-45 x 1, LAN IEEE 802.11b/g/n (Option)
<b>Projection screen size</b>	30" to 300"	Please see in Optional Lens Sheet
<b>Dimension</b>	424 x 356 x 150 mm	499 x 359 x 142 mm
<b>Weight</b>	6.35 kg	8.4 kg
<b>Warranty</b>	3 Years Onsite Service	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	<b>138,710.-</b>	<b>317,100.-</b>



<b>Model</b>	<b>PJ WUL6280</b>
<b>Projector Type</b>	Single chip DLP
<b>Resolution</b>	1920 x 1080 (WUXGA)
<b>Brightness</b>	6,000 Lumens
<b>Native /High Contrast</b>	1,200:1 (10,000:1)
<b>Lamp life</b>	Laser diodes : 20,000 hours
<b>Port</b>	D-Sub 15-pin x 2, DVI-D x 1(only support digital only) Component video (Y/Pb/Pr) x 1, HDMI x 1, wired-in(3.5mm phone jack)x1, wired out(3.5mm phone jack)x1, USB type A x 1,Mini USB-B x 1(for FW update)
<b>Network</b>	RJ45 x 1, LAN IEEE 802.11b/g/n compliant (Option)
<b>Projection screen size</b>	Please see in Optional Lens Sheet
<b>Dimension</b>	484 x 509 x 186 mm
<b>Weight</b>	less than 18.0 kg
<b>Warranty</b>	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	<b>588,710.-</b>

PROJECTORS