

**RICOH : PROJECTOR**

**RICOH**

รับประกัน 3 ปีซ่อมถึงสถานที่



**New**



**New**



**New**

<b>Model</b>	<b>PJ S2440</b>	<b>PJ X2440</b>	<b>PJ WX2440</b>
<b>Projector Type</b>	Single-chip DLP	Single-chip DLP	Single-chip DLP
<b>Resolution</b>	800 x 600 (SVGA)	1024 x 768 (XGA)	1280 x 800 (XGA)
<b>Brightness</b>	3,000 lumens	3,000 lumens	3,000 lumens
<b>Native /High Contrast</b>	2,200:1, 10,000:1	2,200:1, 10,000:1	2,200:1, 10,000:1
<b>Lamp life</b>	4,500 hrs Eco mode 1: 6,000 hrs	4,500 hrs Eco1: 6,000 hrs	Standard: 4,500 hrs Eco mode 1: 6,000 hrs
<b>Port</b>	Mini D-SUB15pin x 1, RCA x 2, HDMI x 1 ,Mini D-SUB 15pin x1 , 3.5mm diameter mini jack x 2	Mini D-SUB15pin x 2, RCA x 1, HDMI x 1,HDMI (MHL) Type A x 1 , 3.5mm diameter mini jack x 2	Mini D-SUB15pin x 2, RCA x 1, HDMI x 1, S-Video x 1, HDMI (MHL) Type A x 1 , 3.5mm diameter mini jack x 2
<b>Network</b>		RJ-45 x 1 , LAN IEEE 802.11a/b/g/n	RJ-45 x 1 , LAN IEEE 802.11a/b/g/n
<b>Projection screen size</b>	30"-300"	30"-300"	30"-300"
<b>Dimension</b>	297 x 235 x 100 mm	297 x 235 x 100 mm	297 x 235 x 100 mm
<b>Weight</b>	3.1 kg	3.1 kg	3.1 kg
<b>Warranty</b>	3 Years Onsite Service	3 Years Onsite Service	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	9,900.-	13,900.-	15,900.-



<b>Model</b>	<b>PJ X3351N</b>	<b>PJ WX3351N</b>	<b>PJ WXC1110</b>
<b>Projector Type</b>	DLP	DLP	0.45" WXGA DMD Chip
<b>Resolution</b>	1024 x 768 (XGA)	1280 x 800 (WXGA)	1280 x 800 (WXGA)
<b>Brightness</b>	3,500 Lumens	3,600 Lumens	600 lumens
<b>Native /High Contrast</b>	13,000 : 1	13,000 : 1	40,000:1
<b>Lamp life</b>	3,500 Hr	3,500 Hr	20,000 hrs 30,000 hrs(Eco)
<b>Port</b>	Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A	Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A	D-sub 15PIN via adapter cable, HDMI x 1 Available with HDMI Wi-Fi (3rd Party)
<b>Network</b>		RJ-45 x 1 ,Compatible with IEEE 802.11a/b/g/n	
<b>Projection screen size</b>	30"-400"	40"-400"	25"-200"
<b>Dimension</b>	297 x 235 x 100 mm	297 x 235 x 100 mm	112.5 x 50.5 x 105 mm
<b>Weight</b>	3.1 kg	3.1 kg	0.45kg
<b>Warranty</b>	Onsite 3 Years	Onsite 3 Years	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	47,204.-	46,973.-	31,720.-



**New**



<b>Model</b>	<b>PJ WX5460</b>	<b>PJ WX5461</b>	<b>PJ HD5450</b>
<b>Projector Type</b>	DLP	Single chip DLP	DLP
<b>Resolution</b>	1280 x 800 (WXGA)	1280 x 800 (WXGA)	1920 x 1080 (Full HD)
<b>Brightness</b>	4,100 Lumens	4,100 lumens	3,500 Lumens
<b>Native /High Contrast</b>	2,200:1 / 10,000 : 1	2,200:1, 8,000:1	2,100:1 / 10,000 : 1
<b>Lamp life</b>	3,000 Hr	Std: 3,000 hrs Eco 1: 6,000 hrs	3,000 Hr
<b>Port</b>	D-Sub15pin x 2,D-Sub15pin x1,RCA pin x 1 ,Mini DIN4pin x1,HDMI x1,Mini_Jack x 2(in), Mini_Jack x 1(out),no usb	Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S Vdo x 1, Composite (Video) x 1,D-sub15 (Monitor out) x1,Mini Jack x 3,Mini USB x 1	D-Sub15pin x 1,D-Sub15pin x1,RCA pin x 1, Mini DIN4pin x1,HDMI x2,Mini_Jack x 1(in), Mini_Jack x 1(out),no usb
<b>Network</b>	RJ 45 x 1 (Lan)	RJ45 (for control)	RJ 45 x 1 (Lan)
<b>Projection screen size</b>	30" - 300	40"-300"	38"-300"
<b>Dimension</b>	314.2 x 223.5 x 101.7 mm	314.2x223.5x91.8	314.2 x 223.5 x 101.7 mm
<b>Weight</b>	3.2 kg	3.2 kg	3.2 kg
<b>Warranty</b>	Onsite 3 Years	3 Years Onsite Service	Onsite 3 Years
<b>SRP(inc.VAT)</b>	48,150.-	48,390.-	56,603.-

**RICOH : PROJECTOR**

**RICOH**

รับประกัน 3 ปีซ่อมถึงสถานที่



<b>Model</b>	<b>PJ HD5451</b>	<b>PJ X5580</b>
<b>Projector Type</b>	DLP	DLP
<b>Resolution</b>	1920 x 1080 (HD)	1024 x 768 (XGA)
<b>Brightness</b>	3,800 lumens	6,000 lumens
<b>Native /High Contrast</b>	2,200:1, 8,000:1	9,000:1
<b>Lamp life</b>	Standard: 3,000 hours Eco mode 1: 6,000 hours	3,000 hrs 4,000 hrs (ECO)
<b>Port</b>	Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S-Video x 1, Composite (Video) x 1 ,D-sub15 (Monitor out) x 1 ,Mini Jack (Input) x 1 Mini Jack (Out) x 1 ,Mini USB x 1	HDMI x 2, VGAI n x 2, RCA x 1, S-VDO mini, DIN 4-pin x 1, Display x 1 VGAout x 1, Audio inx2,RCA x1,Audio out x1USB minB x1
<b>Network</b>	RJ45 (for control)	RJ-45 x 1, LAN IEEE 802.11b/g/n (Option)
<b>Projection screen size</b>	40"-300"	30" to 300"
<b>Dimension</b>	314.2x223.5x91.8	424 x 356 x 150 mm
<b>Weight</b>	3.2 kg	6.35 kg
<b>Warranty</b>	3 Years Onsite Service	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	<b>56,880.-</b>	<b>102,150.-</b>



<b>Model</b>	<b>PJ WU5570</b>	<b>PJ X6181N</b>
<b>Projector Type</b>	DLP	LCD
<b>Resolution</b>	1920 x 1080 (WUXGA)	1024 x 768 (XGA)
<b>Brightness</b>	5,500 lumens	7,200 lumens (for Standard Lens)
<b>Native /High Contrast</b>	9,000:1	6,000:1
<b>Lamp life</b>	3,000 hrs 4,000 hrs (ECO)	Standard : 3,000 hours Eco : 4,000 hours
<b>Port</b>	HDMI x 2, VGAI n x 2, RCA x 1, S-VIDEO mini, DIN 4-pin x 1, Display port x 1 VGAout x 1, Audio in x 2, RCA x 1, Audio out x 1 USB minB x1	HDMI x2, HDMI(1.4) x 1, D-SUB15 x 1.5BNC x 1, VIDEO: BNC R Share, SVIDEO:BNC G/B Share, HDMI x 2,Display port x 1, Repeater, Mini Jack x 2, Stereo mini jack x 1, USB type A x 2"
<b>Network</b>	RJ45 x 1, Optional IEEE802.11b/g/n compliant (Option)	RJ-45 x 1, LAN IEEE 802.11b/g/n (Option)
<b>Projection screen size</b>	30" to 300"	Please see in Optional Lens Sheet
<b>Dimension</b>	424 x 356 x 150 mm	499 x 359 x 142 mm
<b>Weight</b>	6.35 kg	8.4 kg
<b>Warranty</b>	3 Years Onsite Service	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	<b>138,710.-</b>	<b>317,100.-</b>



<b>Model</b>	<b>PJ WUL6280</b>
<b>Projector Type</b>	Single chip DLP
<b>Resolution</b>	1920 x 1080 (WUXGA)
<b>Brightness</b>	6,000 Lumens
<b>Native /High Contrast</b>	1,200:1 (10,000:1)
<b>Lamp life</b>	Laser diodes : 20,000 hours
<b>Port</b>	D-Sub 15-pin x 2, DVI-D x 1(only support digital only) Component video (Y/Pb/Pr) x 1, HDMI x 1, wired-in(3.5mm phone jack)x1, wired out(3.5mm phone jack)x1, USB type A x 1,Mini USB-B x 1(for FW update)
<b>Network</b>	RJ45 x 1, LAN IEEE 802.11b/g/n compliant (Option)
<b>Projection screen size</b>	Please see in Optional Lens Sheet
<b>Dimension</b>	484 x 509 x 186 mm
<b>Weight</b>	less than 18.0 kg
<b>Warranty</b>	3 Years Onsite Service
<b>SRP(inc.VAT)</b>	<b>588,710.-</b>

**LCD PROJECTOR**

**Panasonic**



**PT-LB306**  
PNS-PT-LB306



**PT-LB356**  
PNS-PT-LB356



**PT-LB386**  
PNS-PT-LB386

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	XGA (1024x768)	XGA (1024x768)	XGA (1024x768)
<b>Brightness</b>	3100 ANSI Lumens	3300 ANSI Lumens	3800 ANSI Lumens
<b>Contrast</b>	20,000:1	20,000:1	20,000:1
<b>Lamp</b>	230 W	230 W	230 W
<b>Lamp life (Normal/Eco)</b>	Normal 10,000 / Eco 20,000	Normal 10,000 / Eco 20,000	Normal 10,000 / Eco 20,000
<b>Features</b>		Wireless Option	Wireless Option
<b>Port</b>	HDMI, VGA in, VGA in/out, Video in, Audio in, Audio out	HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45	HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45
<b>Dimension (mm)</b>	335 x 96 x 252 mm	335 x 96 x 252 mm	335 x 96 x 252 mm
<b>Weight</b>	2.9 Kg	2.9 Kg	2.9 Kg
<b>Warranty</b>	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.
<b>SRP(inc.VAT)</b>	23,900.-	24,900.-	27,900.-



**PT-LB426**  
PNS-PT-LB426



**PT-LW336**  
PNS-PT-LW336



**PT-LW376**  
PNS-PT-LW376

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	XGA (1024x768)	WXGA (1280x800)	WXGA (1280x800)
<b>Brightness</b>	4100 ANSI Lumens	3,100 ANSI Lumens	3,600 ANSI Lumens
<b>Contrast</b>	20,000:1	20,000:1	20,000:1
<b>Lamp</b>	230 W	230 W	230 W
<b>Lamp life (Normal/Eco)</b>	Normal 10,000 / Eco 20,000	Normal 10,000 / Eco 20,000	Normal 10,000 / Eco 20,000
<b>Features</b>	Wireless Option	Wireless Option	Wireless Option
<b>Port</b>	HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45	HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45	HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45
<b>Dimension (mm)</b>	335 x 96 x 252 mm	335 x 96 x 252 mm	335 x 96 x 252 mm
<b>Weight</b>	2.9 Kg	2.9 Kg	2.9 Kg
<b>Warranty</b>	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.
<b>SRP(inc.VAT)</b>	29,900.-	27,900.-	29,900.-



**PT-VW360**  
PNS-PT-VW360



**PT-VX430**  
PNS-PT-VX430



**PT-VX610**  
PNS-PT-VX610

<b>Projector Type</b>	LCD Projector	LCD Projector	LCD Projector
<b>Resolution</b>	WXGA (1280x800)	1024x768 (XGA)	XGA (1024x768)
<b>Brightness</b>	4,000 ANSI Lumens	4500 ANSI Lumens	5,500 ANSI Lumen
<b>Contrast</b>	20,000:1	20,000 : 1	16,000 : 1
<b>Lamp</b>	240U UHM	240 W UHM	280 W UHM
<b>Lamp life (Normal/Eco)</b>	5,000 / 7,000 Hours	5000/7000	5,000 / 6,000 /7,000 Hrs
<b>Features</b>		Wireless Option	Day light view, USB Display
<b>Port</b>	HDMIx2, VGA inx1, VGA outx1, Serial inx1, USB-Ax1, RJ45(Lan)x1, Audio in, Audio Out, Video in	HDMIx2, VGA inx1, VGA outx1, Serial inx1, USB-A, RJ-45(Lan) Audio in, Audio out, Video in	HDMI in x2, VGA in, VGA out, Audio in, Audio out, USB-A, RJ45
<b>Dimension (mm)</b>	352x98x279 mm	352x 98 x 279 mm	389x125x332
<b>Weight</b>	3.3 kg	3.3 Kg	4.8 Kg
<b>Warranty</b>	2 Years / Lamp 1 Year or 1,000 hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	2 Years / Lamp 1 Year or 1,000 Hrs.
<b>SRP(inc.VAT)</b>	35,500.-	35,900.-	57,900.-

**Acer : PROJECTOR**



**C250i**  
ACR-MRJRZ11005



**X1226AH**  
ACR-MRJP811006



**X1326AWH**  
ACR-MRJR911006

<b>Projector Type</b>	DLP/LED 1080p (1,920 x 1,080)	DLP®, XGA (1,024 x 768)	DLP, WXGA (1,280 x 800)
<b>Brightness</b>	300 ANSI Lumens	4,000 ANSI (Standard), 3,200 ANSI (ECO)	4,000 ANSI Lumens
<b>Contrast</b>	5,000:1	20,000:1	20,000:1
<b>Displayable Colors</b>	16.7 Million Colors	1.07 Billion Colors,	16.7 Million Colors
<b>Lamp Life</b>	20,000 Hours (Standard)	Lamp Life: 6,000 Hours(Standard), 7,000 Hours (ECO), 10,000 Hours (ExtremeEco)	6,000 Hrs (Standard), 7,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)
<b>Keystone Correction</b>	+/-30° (Vertical, Manual & Auto)	+/-40 Degrees (Vertical ), Manual&Auto	+/-40° (Vertical, Manual & Auto)
<b>Input Interface</b>	HDMI, SD (SDHC), USB Type C, USB Type A	D-Sub, HDMI, PC Audio, Composite Video	D-sub,HDMI,PC Audio, Composite Video (RCA)
<b>Output Interface</b>	PC Audio, USB Type A	PC Audio, DC Out, D-Sub	PC Audio,DC Out,Analog RGB (D-sub)
<b>SRP(inc.VAT)</b>	14,900.-	11,900.-	13,900.-



**X1227i**  
ACR-MRJS611006



**X1327Wi**  
ACR-MRJS511006



**H6531BD**  
ACR-MRJR211005

<b>Projector Type</b>	DLP, XGA (1,024 x 768)	DLP, WXGA (1,280 x 800)	DLP, 1080p (1,920 x 1,080)
<b>Brightness</b>	4,000 ANSI Lumens	4,000 ANSI Lumens	3500 ANSI Lumens
<b>Contrast</b>	20,000:1	20,000:1	10,000:1
<b>Displayable Colors</b>	16.7 Million Colors	16.7 Million Colors	1.07 Billion Colors
<b>Lamp Life</b>	6,000 Hours (Standard)	6,000 Hours (Standard)	5,000 Hours (Standard), 10,000 Hours (ECO), 20,000 Hours (EcoPro)
<b>Keystone Correction</b>	+/-40° (Vertical, Manual & Auto)	+/-40° (Vertical, Manual & Auto)	+/-40° (Vertical, Manual & Auto)
<b>Input Interface</b>	D-Sub,HDMI,PC Audio, Composite Video,USB type A	D-Sub,HDMI,PC Audio, Composite Video,USB type A	D-sub,HDMI (Video, Audio, HDCP) x 2,PC Audio (Stereo mini jack)
<b>Output Interface</b>	D-Sub, DC out	D-Sub, DC out	D-sub,PC Audio,USB A
<b>SRP(inc.VAT)</b>	13,900.-	15,900.-	17,900.-



**P5330W**  
ACR-MRJPS11006



**P6200S**  
ACR-MRJM B11005



**P6500**  
ACR-MRJM G11005

<b>Projector Type</b>	DLP® , Native WXGA (1,280 x 800)	DLP, XGA (1,024 x 768)	DLP, 1080p (1,920 x 1,080)
<b>Brightness</b>	4,500 ANSI (Standard), 3,600 ANSI (ECO)	5,000 ANSI Lumens	5000 ANSI Lumens
<b>Contrast</b>	20,000:1	20,000:1	20,000:1
<b>Displayable Colors</b>	Displayable Colors: 1.07 Billion Colors,	1.07 Billion Colors	1.07 Billion Colors
<b>Lamp Life</b>	Lamp Life: 4,000 Hours (Standard), 10,000 Hours (ECO), 15,000 Hours (ExtremeEco)	3,000 Hours (Standard), 4,000 Hours (ECO), 4,500 Hours (ExtremeEco)	3,000 Hours (Standard), 4,000 Hours (ECO), 4,500 Hours (ExtremeEco)
<b>Keystone Correction</b>	Keystone Correction: '+/-20° (Vertical)	+/-30° (Vertical, Manual & Auto)	+/-30° (Vertical,Horizontal)
<b>Input Interface</b>	Input: D-sub x 2, Composite Video, HDMI/ MHL,HDMI,PC Audio x 2,	D-sub x 2, Composite Video, HDMI/MHL,HDMI,PC Audio x 2	D-sub x 2,Composite Vdo,S-Vdo, Component
<b>Output Interface</b>	Output: D-Sub, PC Audio,DC Out	D-Sub, PC Audio,DC Out	D-sub,PC Audio,DC Out
<b>SRP(inc.VAT)</b>	25,900.-	34,900.-	44,900.-

## Xiaomi : Projector



# Xiaomi Projector

ย่อโรงภาพยนตร์มาไว้ในมือคุณ



## Mi Smart Projector 2

XMI-BHR5211GL



เครื่องฉายภาพคุณภาพสูง รองรับภาพสูงสุดที่ระดับ Full HD (1080p)  
ฉายภาพได้กว้างสุดถึง 120 นิ้ว (ตั้งค่าได้ระหว่าง 60-120 นิ้ว)  
หลอดไฟแบบ LED ความสว่างสูงสุด 500 ANSI Lms  
ระบบ Auto-Focus เพื่อให้คุณจัดภาพได้ง่ายดาย  
พร้อม Omni-Directional Keystone  
มาพร้อมลำโพงในตัว  
ใช้ระบบปฏิบัติการ AndroidTV 9.0 สามารถดาวน์โหลดแอปเพิ่มได้  
เชื่อมต่อด้วย USB, HDMI, Bluetooth 5.0 ,Wi-Fi (2.4/5.0Ghz)  
มีหน่วยความจำในตัว 16GB  
น้ำหนักเบาเพียง 1.3 กิโลกรัม  
**อุปกรณ์ในกล่อง**  
โปรเจคเตอร์ , รีโมท , สายไฟ , คู่มือ

## Mi Smart Projector Pro 2

XMI-BHR4884GL



เครื่องฉายภาพคุณภาพสูง รองรับภาพสูงสุดที่ระดับ Full HD (1080p)  
ฉายภาพได้กว้างสุดถึง 200 นิ้ว (ตั้งค่าได้ระหว่าง 40-200 นิ้ว และนำ  
60-120 นิ้วก็เพียงพอต่อการใช้งาน)  
หลอดไฟแบบ LED ความสว่างสูงสุด 1300 ANSI Lms  
ระบบ Auto-Focus เพื่อให้คุณจัดภาพได้ง่ายดาย มาพร้อมลำโพงในตัว  
ใช้ระบบปฏิบัติการ AndroidTV 9.0 สามารถดาวน์โหลดแอปเพิ่มได้  
เชื่อมต่อด้วย USB, HDMI, Bluetooth ,Wi-Fi (2.4/5.0Ghz) ,S/PDIF ,  
Ethernet , AUX In  
มีหน่วยความจำในตัว 16GB น้ำหนักเบาเพียง 1.3 กิโลกรัม

**อุปกรณ์ในกล่อง**  
โปรเจคเตอร์ , รีโมท , สายไฟ , คู่มือ

SRP(inc.VAT) 16,990.-

24,990.-