

RICOH : PROJECTOR

RICOH

รับประกัน 3 ปีซ่อมถึงสถานที่



New



New



New

| | | | |
|-------------------------------|--|---|---|
| Model | PJ S2440 | PJ X2440 | PJ WX2440 |
| Projector Type | Single-chip DLP | Single-chip DLP | Single-chip DLP |
| Resolution | 800 x 600 (SVGA) | 1024 x 768 (XGA) | 1280 x 800 (XGA) |
| Brightness | 3,000 lumens | 3,000 lumens | 3,000 lumens |
| Native /High Contrast | 2,200:1, 10,000:1 | 2,200:1, 10,000:1 | 2,200:1, 10,000:1 |
| Lamp life | 4,500 hrs Eco mode 1: 6,000 hrs | 4,500 hrs Eco1: 6,000 hrs | Standard: 4,500 hrs Eco mode 1: 6,000 hrs |
| Port | Mini D-SUB15pin x 1, RCA x 2, HDMI x 1 ,Mini D-SUB 15pin x1 , 3.5mm diameter mini jack x 2 | Mini D-SUB15pin x 2, RCA x 1, HDMI x 1,HDMI (MHL) Type A x 1 , 3.5mm diameter mini jack x 2 | Mini D-SUB15pin x 2, RCA x 1, HDMI x 1, S-Video x 1, HDMI (MHL) Type A x 1 , 3.5mm diameter mini jack x 2 |
| Network | | RJ-45 x 1 , LAN IEEE 802.11a/b/g/n | RJ-45 x 1 , LAN IEEE 802.11a/b/g/n |
| Projection screen size | 30"-300" | 30"-300" | 30"-300" |
| Dimension | 297 x 235 x 100 mm | 297 x 235 x 100 mm | 297 x 235 x 100 mm |
| Weight | 3.1 kg | 3.1 kg | 3.1 kg |
| Warranty | 3 Years Onsite Service | 3 Years Onsite Service | 3 Years Onsite Service |
| SRP(inc.VAT) | 9,900.- | 13,900.- | 15,900.- |



| | | | |
|-------------------------------|--|--|---|
| Model | PJ X3351N | PJ WX3351N | PJ WXC1110 |
| Projector Type | DLP | DLP | 0.45" WXGA DMD Chip |
| Resolution | 1024 x 768 (XGA) | 1280 x 800 (WXGA) | 1280 x 800 (WXGA) |
| Brightness | 3,500 Lumens | 3,600 Lumens | 600 lumens |
| Native /High Contrast | 13,000 : 1 | 13,000 : 1 | 40,000:1 |
| Lamp life | 3,500 Hr | 3,500 Hr | 20,000 hrs 30,000 hrs(Eco) |
| Port | Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A | Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A | D-sub 15PIN via adapter cable, HDMI x 1 Available with HDMI Wi-Fi (3rd Party) |
| Network | | RJ-45 x 1 ,Compatible with IEEE 802.11a/b/g/n | |
| Projection screen size | 30"-400" | 40"-400" | 25"-200" |
| Dimension | 297 x 235 x 100 mm | 297 x 235 x 100 mm | 112.5 x 50.5 x 105 mm |
| Weight | 3.1 kg | 3.1 kg | 0.45kg |
| Warranty | Onsite 3 Years | Onsite 3 Years | 3 Years Onsite Service |
| SRP(inc.VAT) | 47,204.- | 46,973.- | 31,720.- |



New



| | | | |
|-------------------------------|--|--|--|
| Model | PJ WX5460 | PJ WX5461 | PJ HD5450 |
| Projector Type | DLP | Single chip DLP | DLP |
| Resolution | 1280 x 800 (WXGA) | 1280 x 800 (WXGA) | 1920 x 1080 (Full HD) |
| Brightness | 4,100 Lumens | 4,100 lumens | 3,500 Lumens |
| Native /High Contrast | 2,200:1 / 10,000 : 1 | 2,200:1, 8,000:1 | 2,100:1 / 10,000 : 1 |
| Lamp life | 3,000 Hr | Std: 3,000 hrs Eco 1: 6,000 hrs | 3,000 Hr |
| Port | D-Sub15pin x 2,D-Sub15pin x1,RCA pin x 1 ,Mini DIN4pin x1,HDMI x1,Mini_Jack x 2(in), Mini_Jack x 1(out),no usb | Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S Vdo x 1, Composite (Video) x 1,D-sub15 (Monitor out) x1,Mini Jack x 3,Mini USB x 1 | D-Sub15pin x 1,D-Sub15pin x1,RCA pin x 1, Mini DIN4pin x1,HDMI x2,Mini_Jack x 1(in), Mini_Jack x 1(out),no usb |
| Network | RJ 45 x 1 (Lan) | RJ45 (for control) | RJ 45 x 1 (Lan) |
| Projection screen size | 30" - 300 | 40"-300" | 38"-300" |
| Dimension | 314.2 x 223.5 x 101.7 mm | 314.2x223.5x91.8 | 314.2 x 223.5 x 101.7 mm |
| Weight | 3.2 kg | 3.2 kg | 3.2 kg |
| Warranty | Onsite 3 Years | 3 Years Onsite Service | Onsite 3 Years |
| SRP(inc.VAT) | 48,150.- | 48,390.- | 56,603.- |

PROJECTORS

RICOH : PROJECTOR

RICOH

รับประกัน 3 ปีซ่อมถึงสถานที่



| | | |
|-------------------------------|--|---|
| Model | PJ HD5451 | PJ X5580 |
| Projector Type | DLP | DLP |
| Resolution | 1920 x 1080 (HD) | 1024 x 768 (XGA) |
| Brightness | 3,800 lumens | 6,000 lumens |
| Native /High Contrast | 2,200:1, 8,000:1 | 9,000:1 |
| Lamp life | Standard: 3,000 hours Eco mode 1: 6,000 hours | 3,000 hrs 4,000 hrs (ECO) |
| Port | Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S-Video x 1, Composite (Video) x 1 ,D-sub15 (Monitor out) x 1 ,Mini Jack (Input) x 1 Mini Jack (Out) x 1 ,Mini USB x 1 | HDMI x 2, VGAI n x 2, RCA x 1, S-VDO mini, DIN 4-pin x 1, Display x 1 VGAout x 1, Audio inx2,RCA x1,Audio out x1USB minB x1 |
| Network | RJ45 (for control) | RJ-45 x 1, LAN IEEE 802.11b/g/n (Option) |
| Projection screen size | 40"-300" | 30" to 300" |
| Dimension | 314.2x223.5x91.8 | 424 x 356 x 150 mm |
| Weight | 3.2 kg | 6.35 kg |
| Warranty | 3 Years Onsite Service | 3 Years Onsite Service |
| SRP(inc.VAT) | 56,880.- | 102,150.- |



| | | |
|-------------------------------|---|---|
| Model | PJ WU5570 | PJ X6181N |
| Projector Type | DLP | LCD |
| Resolution | 1920 x 1080 (WUXGA) | 1024 x 768 (XGA) |
| Brightness | 5,500 lumens | 7,200 lumens (for Standard Lens) |
| Native /High Contrast | 9,000:1 | 6,000:1 |
| Lamp life | 3,000 hrs 4,000 hrs (ECO) | Standard : 3,000 hours Eco : 4,000 hours |
| Port | HDMI x 2, VGAI n x 2, RCA x 1, S-VIDEO mini, DIN 4-pin x 1, Display port x 1 VGAout x 1, Audio in x 2, RCA x 1, Audio out x 1 USB minB x1 | HDMI x2, HDMI(1.4) x 1, D-SUB15 x 1.5BNC x 1, VIDEO: BNC R Share, SVIDEO:BNC G/B Share, HDMI x 2,Display port x 1, Repeater, Mini Jack x 2, Stereo mini jack x 1, USB type A x 2" |
| Network | RJ45 x 1, Optional IEEE802.11b/g/n compliant (Option) | RJ-45 x 1, LAN IEEE 802.11b/g/n (Option) |
| Projection screen size | 30" to 300" | Please see in Optional Lens Sheet |
| Dimension | 424 x 356 x 150 mm | 499 x 359 x 142 mm |
| Weight | 6.35 kg | 8.4 kg |
| Warranty | 3 Years Onsite Service | 3 Years Onsite Service |
| SRP(inc.VAT) | 138,710.- | 317,100.- |



| | |
|-------------------------------|---|
| Model | PJ WUL6280 |
| Projector Type | Single chip DLP |
| Resolution | 1920 x 1080 (WUXGA) |
| Brightness | 6,000 Lumens |
| Native /High Contrast | 1,200:1 (10,000:1) |
| Lamp life | Laser diodes : 20,000 hours |
| Port | D-Sub 15-pin x 2, DVI-D x 1(only support digital only) Component video (Y/Pb/Pr) x 1, HDMI x 1, wired-in(3.5mm phone jack)x1, wired out(3.5mm phone jack)x1, USB type A x 1,Mini USB-B x 1(for FW update) |
| Network | RJ45 x 1, LAN IEEE 802.11b/g/n compliant (Option) |
| Projection screen size | Please see in Optional Lens Sheet |
| Dimension | 484 x 509 x 186 mm |
| Weight | less than 18.0 kg |
| Warranty | 3 Years Onsite Service |
| SRP(inc.VAT) | 588,710.- |

LCD PROJECTOR

Panasonic



PT-LB306
PNS-PT-LB306



PT-LB356
PNS-PT-LB356



PT-LB386
PNS-PT-LB386

| | | | |
|-------------------------------|---|--|--|
| Projector Type | LCD Projector | LCD Projector | LCD Projector |
| Resolution | XGA (1024x768) | XGA (1024x768) | XGA (1024x768) |
| Brightness | 3100 ANSI Lumens | 3300 ANSI Lumens | 3800 ANSI Lumens |
| Contrast | 20,000:1 | 20,000:1 | 20,000:1 |
| Lamp | 230 W | 230 W | 230 W |
| Lamp life (Normal/Eco) | Normal 10,000 / Eco 20,000 | Normal 10,000 / Eco 20,000 | Normal 10,000 / Eco 20,000 |
| Features | | Wireless Option | Wireless Option |
| Port | HDMI, VGA in, VGA in/out, Video in, Audio in, Audio out | HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45 | HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45 |
| Dimension (mm) | 335 x 96 x 252 mm | 335 x 96 x 252 mm | 335 x 96 x 252 mm |
| Weight | 2.9 Kg | 2.9 Kg | 2.9 Kg |
| Warranty | Body 2 Year, Lamp 1 year/ 1,000 Hrs. | Body 2 Year, Lamp 1 year/ 1,000 Hrs. | Body 2 Year, Lamp 1 year/ 1,000 Hrs. |
| SRP(inc.VAT) | 23,900.- | 24,900.- | 27,900.- |



PT-LB426
PNS-PT-LB426



PT-LW336
PNS-PT-LW336



PT-LW376
PNS-PT-LW376

| | | | |
|-------------------------------|--|--|--|
| Projector Type | LCD Projector | LCD Projector | LCD Projector |
| Resolution | XGA (1024x768) | WXGA (1280x800) | WXGA (1280x800) |
| Brightness | 4100 ANSI Lumens | 3,100 ANSI Lumens | 3,600 ANSI Lumens |
| Contrast | 20,000:1 | 20,000:1 | 20,000:1 |
| Lamp | 230 W | 230 W | 230 W |
| Lamp life (Normal/Eco) | Normal 10,000 / Eco 20,000 | Normal 10,000 / Eco 20,000 | Normal 10,000 / Eco 20,000 |
| Features | Wireless Option | Wireless Option | Wireless Option |
| Port | HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45 | HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45 | HDMIx2, VGA in, VGA in/out, Video in, Audio in, Audio out, USB-A, LAN RJ45 |
| Dimension (mm) | 335 x 96 x 252 mm | 335 x 96 x 252 mm | 335 x 96 x 252 mm |
| Weight | 2.9 Kg | 2.9 Kg | 2.9 Kg |
| Warranty | Body 2 Year, Lamp 1 year/ 1,000 Hrs. | Body 2 Year, Lamp 1 year/ 1,000 Hrs. | Body 2 Year, Lamp 1 year/ 1,000 Hrs. |
| SRP(inc.VAT) | 29,900.- | 27,900.- | 29,900.- |



PT-VW360
PNS-PT-VW360



PT-VX430
PNS-PT-VX430



PT-VX610
PNS-PT-VX610

| | | | |
|-------------------------------|---|---|---|
| Projector Type | LCD Projector | LCD Projector | LCD Projector |
| Resolution | WXGA (1280x800) | 1024x768 (XGA) | XGA (1024x768) |
| Brightness | 4,000 ANSI Lumens | 4500 ANSI Lumens | 5,500 ANSI Lumen |
| Contrast | 20,000:1 | 20,000 : 1 | 16,000 : 1 |
| Lamp | 240U UHM | 240 W UHM | 280 W UHM |
| Lamp life (Normal/Eco) | 5,000 / 7,000 Hours | 5000/7000 | 5,000 / 6,000 /7,000 Hrs |
| Features | | Wireless Option | Day light view, USB Display |
| Port | HDMIx2, VGA inx1, VGA outx1, Serial inx1, USB-Ax1, RJ45(Lan)x1, Audio in, Audio Out, Video in | HDMIx2, VGA inx1, VGA outx1, Serial inx1, USB-A, RJ-45(Lan) Audio in, Audio out, Video in | HDMI in x2, VGA in, VGA out, Audio in, Audio out, USB-A, RJ45 |
| Dimension (mm) | 352x98x279 mm | 352x 98 x 279 mm | 389x125x332 |
| Weight | 3.3 kg | 3.3 Kg | 4.8 Kg |
| Warranty | 2 Years / Lamp 1 Year or 1,000 hrs. | Body 2 Year, Lamp 1 year/ 1,000 Hrs. | 2 Years / Lamp 1 Year or 1,000 Hrs. |
| SRP(inc.VAT) | 35,500.- | 35,900.- | 57,900.- |

PROJECTORS

Acer : PROJECTOR



C250i
ACR-MRJRZ11005



X1226AH
ACR-MRJP811006



X1326AWH
ACR-MRJR911006

| | | | |
|----------------------------|--|--|--|
| Projector Type | DLP/LED 1080p (1,920 x 1,080) | DLP®, XGA (1,024 x 768) | DLP, WXGA (1,280 x 800) |
| Brightness | 300 ANSI Lumens | 4,000 ANSI (Standard), 3,200 ANSI (ECO) | 4,000 ANSI Lumens |
| Contrast | 5,000:1 | 20,000:1 | 20,000:1 |
| Displayable Colors | 16.7 Million Colors | 1.07 Billion Colors, | 16.7 Million Colors |
| Lamp Life | 20,000 Hours (Standard) | Lamp Life: 6,000 Hours(Standard), 7,000 Hours (ECO), 10,000 Hours (ExtremeEco) | 6,000 Hrs (Standard), 7,000 Hrs (ECO), 10,000 Hrs (ExtremeEco) |
| Keystone Correction | +/-30° (Vertical, Manual & Auto) | +/-40 Degrees (Vertical), Manual&Auto | +/-40° (Vertical, Manual & Auto) |
| Input Interface | HDMI, SD (SDHC), USB Type C, USB Type A | D-Sub, HDMI, PC Audio, Composite Video | D-sub,HDMI,PC Audio, Composite Video (RCA) |
| Output Interface | PC Audio, USB Type A | PC Audio, DC Out, D-Sub | PC Audio,DC Out,Analog RGB (D-sub) |
| SRP(inc.VAT) | 14,900.- | 11,900.- | 13,900.- |



X1227i
ACR-MRJS611006



X1327Wi
ACR-MRJS511006



H6531BD
ACR-MRJR211005

| | | | |
|----------------------------|--|--|---|
| Projector Type | DLP, XGA (1,024 x 768) | DLP, WXGA (1,280 x 800) | DLP, 1080p (1,920 x 1,080) |
| Brightness | 4,000 ANSI Lumens | 4,000 ANSI Lumens | 3500 ANSI Lumens |
| Contrast | 20,000:1 | 20,000:1 | 10,000:1 |
| Displayable Colors | 16.7 Million Colors | 16.7 Million Colors | 1.07 Billion Colors |
| Lamp Life | 6,000 Hours (Standard) | 6,000 Hours (Standard) | 5,000 Hours (Standard), 10,000 Hours (ECO), 20,000 Hours (EcoPro) |
| Keystone Correction | +/-40° (Vertical, Manual & Auto) | +/-40° (Vertical, Manual & Auto) | +/-40° (Vertical, Manual & Auto) |
| Input Interface | D-Sub,HDMI,PC Audio, Composite Video,USB type A | D-Sub,HDMI,PC Audio, Composite Video,USB type A | D-sub,HDMI (Video, Audio, HDCP) x 2,PC Audio (Stereo mini jack) |
| Output Interface | D-Sub, DC out | D-Sub, DC out | D-sub,PC Audio,USB A |
| SRP(inc.VAT) | 13,900.- | 15,900.- | 17,900.- |



P5330W
ACR-MRJPS11006



P6200S
ACR-MRJMB11005




P6500
ACR-MRJMGM11005

| | | | |
|----------------------------|--|---|---|
| Projector Type | DLP® , Native WXGA (1,280 x 800) | DLP, XGA (1,024 x 768) | DLP, 1080p (1,920 x 1,080) |
| Brightness | 4,500 ANSI (Standard), 3,600 ANSI (ECO) | 5,000 ANSI Lumens | 5000 ANSI Lumens |
| Contrast | 20,000:1 | 20,000:1 | 20,000:1 |
| Displayable Colors | Displayable Colors: 1.07 Billion Colors, | 1.07 Billion Colors | 1.07 Billion Colors |
| Lamp Life | Lamp Life: 4,000 Hours (Standard), 10,000 Hours (ECO), 15,000 Hours (ExtremeEco) | 3,000 Hours (Standard), 4,000 Hours (ECO), 4,500 Hours (ExtremeEco) | 3,000 Hours (Standard), 4,000 Hours (ECO), 4,500 Hours (ExtremeEco) |
| Keystone Correction | Keystone Correction: '+/-20° (Vertical) | +/-30° (Vertical, Manual & Auto) | +/-30° (Vertical,Horizontal) |
| Input Interface | Input: D-sub x 2, Composite Video, HDMI/ MHL,HDMI,PC Audio x 2, | D-sub x 2, Composite Video, HDMI/MHL,HDMI,PC Audio x 2 | D-sub x 2,Composite Vdo,S-Vdo, Component |
| Output Interface | Output: D-Sub, PC Audio,DC Out | D-Sub, PC Audio,DC Out | D-sub,PC Audio,DC Out |
| SRP(inc.VAT) | 25,900.- | 34,900.- | 44,900.- |

Xiaomi : Projector

Xiaomi Projector

ย่อโรงภาพยนตร์มาไว้ในมือคุณ



Mi Smart Projector mini

XMI-SJL4014GL

Projector อัจฉริยะ: รุ่น Mini

เครื่องฉายภาพคุณภาพสูง รองรับภาพสูงสุดที่ระดับ Full HD (1080p)
ฉายภาพได้กว้างสุดถึง 120 นิ้ว (ตั้งค่าได้ระหว่าง 60-120 นิ้ว)

หลอดไฟแบบ LED ความสว่างสูงสุด 500 ANSI Lms

ระบบ Auto-Focus เพื่อให้คุณจัดภาพได้ง่ายดาย มาพร้อมลำโพงในตัว

ใช้ระบบปฏิบัติการ AndroidTV 9.0 สามารถดาวน์โหลดแอปเพิ่มได้

เชื่อมต่อด้วย USB, HDMI, Bluetooth, Wi-Fi (2.4/5.0GHz)

มีหน่วยความจำในตัว 16GB บันทึกลับเบ้าเพียง 1.3 กิโลกรัม

อุปกรณ์ในกล่อง

โปรเจคเตอร์, รีโมท, สายไฟ, คู่มือ

SRP(inc.VAT)

19,990.-