

CyberPower : UPS Line Interactive

CyberPower®



Part Number	CBP-BU600E	CBP-BU800E	CBP-BU1000EA	BU800ELCD	BU1000ELCD
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Capacity	600VA/360W	800VA/480W	1000VA/630W	800VA/480W	1000VA/630W
Input plug type	NEMA AS(3)	NEMA AS(3)	NEMA AS(4)	NEMA AS(3)	NEMA AS(4)
Output Sockets (number)	Overload protection EMI/RFI Filtering	Overload protection EMI/RFI filtration	Overload protection EMI/RFI filtration	Overload protection EMI/RFI filtration	Overload protection EMI/RFI filtration
Warranty	2 years including battery	2 years including battery	2 years including battery	2 years including battery	2 years including battery
Software	NO	No	No	No	No
Energy saving				Yes	Yes
After sales service	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user
SRP (inc. VAT)	1,600	1,900	3,100	2,200	3,400

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



Part Number	CBP-UT600E	CBP-UT1000E	UT1500E	UT2200E
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Capacity	600VA/360W	1000VA/600W	1500VA/900W	2200VA/1320W
Input plug type	NEMA AS(3)	NEMA AS(4)	NEMA AS(4)	NEMA AS(4)
Output Sockets (number)	Surge protection EMI/RFI filtration	Surge protection EMI/RFI filtration	Surge protection Phone/Network RJ11/RJ45	Surge protection Phone/Network RJ11/RJ45
Warranty	2 years including battery	2 years including battery	2 years including battery	2 years including battery
Software	No	No	PowerPanel® Personal Edition	PowerPanel® Personal Edition
Energy saving				
After sales service	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user
SRP (inc. VAT)	1,650	3,200	4,500	5,400

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



Part Number	Value600E	CBP-VALUE800E	CBP-VALUE1000E	CBP-UT800EG
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Capacity	600VA/360W	800VA/480W	1000VA/550WATT	800VA/480W
Input plug type	IEC C14	IEC C14	IEC C14	NEMA
Output Sockets (number)	AS(3)	AS(3)	AS(3)	AS(8) - Back up (4)
	Surge protection Phone/Network RJ11/RJ45	Surge protection Phone/Network RJ11/RJ45	Surge protection Phone/Network RJ11/RJ45	Surge protection (4) EMI/RFI filtration
Warranty	2 years including battery	2 years including battery	2 years including battery	2 years including battery
Software	PowerPanel® Personal Edition	PowerPanel® Personal Edition	PowerPanel® Personal Edition	No
Energy saving				Yes
After sales service	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user
SRP (inc. VAT)	2,790	3,500	5,200	2,200

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

CyberPower : UPS Line Interactive

CyberPower®



Part Number	Value1200ELCD	Value1500ELCD	Value2200ELCD
Topology	Line Interactive	Line Interactive	Line Interactive
Capacity	1200VA/720W	1500VA/900W	2200VA/1320W
Input plug type	IEC C14	IEC C14	IEC C14
Output Sockets (number)	AS(4)	AS(4)	AS(4)
	Surge protection	Surge protection	Surge protection
	Phone/Network RJ11/RJ45	Phone/Network RJ11/RJ45	Phone/Network RJ11/RJ45
Warranty	2 years including battery	2 years including battery	2 years including battery
Software	PowerPanel® Personal Edition	PowerPanel® Personal Edition	PowerPanel® Personal Edition
After sales service	onsite swap-user	onsite swap-user	onsite swap-user
SRP (inc. VAT)	7,200	8,300	10,900
(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)			

CyberPower : On-Line UPS

CyberPower®



Part Number	OLS1000E	OLS1500E
Topology	Online Double Conversion	Online Double Conversion
Capacity	1000VA/900W	1500VA/1350W
Input plug type	IEC-C14 with NEMA male type	IEC-C14 with NEMA male type
Output Sockets (number)	IEC-C13 (4)	IEC-C13 (4)
- Surge protection	Yes	Yes
-		
Warranty	2 years	2 years
Software	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]
After sales service	Onsite service	Onsite service
SRP (inc. VAT)	14,000	18,500

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



Part Number	OLS2000E	OLS3000E
Topology	Online Double Conversion	Online Double Conversion
Capacity	2000VA/1800W	3000VA/2700W
Input plug type	IEC-C14 with NEMA male type	IEC-C20 with NEMA male type
Output Sockets (number)	IEC-C13 (4), hardwire terminal (1)	IEC 19 (1), IEC 13 (4)
- Surge protection	Yes	Yes
-		
Warranty	2 years	2 years
Software	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]
After sales service	Onsite service	Onsite service
SRP (inc. VAT)	25,500	40,000

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



Part Number	OLS1000ELCDET2U	OLS1500ELCDRT2U	OLS2000ELCDRT2U
Topology	Online Double Conversion	Online Double Conversion	Online Double Conversion
Capacity	1000VA/900W	1500VA/1350W	2000VA/1800W
Input plug type	IEC-C14 with NEMA male type	IEC-C14 with NEMA male type	IEC-C14 with NEMA male type
Output Sockets (number)	IEC 13 (6)	IEC 13 (6)	IEC 13 (8)
- Surge protection	Yes	Yes	Yes
-			
Warranty	2 years	2 years	2 years
Software	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]
After sales service	Onsite service	Onsite service	Onsite service

SRP (inc. VAT)	19,500	22,400	35,000
-----------------------	--------	--------	--------



Part Number	OLS3000ELCDRT2U	OLS6000E	OLS10000EXL
Topology	Online Double Conversion	Online Double Conversion	Online Double Conversion
Capacity	3000VA/2700W	6000VA/5400W	10000VA/9000W
Input plug type	IEC-C20 with NEMA male type	Hardwire terminal	Hardwire terminal
Output Sockets (number)	IEC 19 (1), IEC 13 (8)	Hardwire terminal	Hardwire terminal
- Surge protection	Yes	Yes	Yes
-			
Warranty	2 years	2 years	2 years
Software	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]
After sales service	Onsite service	Onsite service	Onsite service

SRP (inc. VAT)	45,000	75,000	70,000
-----------------------	--------	--------	--------



Part Number	OLS3S20KEXL	OLS6000ELCDRT6U
Topology	Online Double Conversion	Online Double Conversion
Capacity	20000VA/18000W	6000VA/5400W
Input plug type	Hardwire terminal	Hardwire terminal
Output Sockets (number)	Hardwire terminal	Hardwire terminal
- Surge protection	Yes	Yes
-		
Warranty	2 years	2 years
Software	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]
After sales service	Onsite service	Onsite service

SRP (inc. VAT)	Call	78,000
-----------------------	------	--------

CyberPower : EPS

CyberPower®



Part Number	CPS600E-AS	CPS1000E-AS
SIS P/N		
Topology	Line Interactive	Line Interactive
Capacity	600VA/420W	1000VA/700W
Input plug type	IEC-C14 with NEMA male type	IEC-C14 with NEMA male type
Output Sockets (number)	AS (1)	AS (2)
- Surge protection	Yes	Yes
Unit Warranty	2years	2years
Software	NO	NO
After sales service	Onsite	Onsite

SRP (inc. VAT)

7,600

11,200



Part Number	CPS1500PIE	CPS3500PRO
SIS P/N		
Topology	Line Interactive	Line Interactive
Capacity	1500VA/1050W	3500VA/2450W
Input plug type	Hardwire terminal	Hardwire terminal
Output Sockets (number)	Hardwire terminal (1)	Hardwire terminal (1)
- Surge protection	Yes	Yes
Unit Warranty	2years	2 years
Software	Only CPS1500PRO with optional SNMP card	Only CPS1500PRO with optional SNMP card
After sales service	Onsite	Onsite

SRP (inc. VAT)

18,900

36,300

CPS7500PRO

Emergency Power Systems

No More Need for the Worst-Case Scenario

LCD Display

AVR

External Battery

Manual Switch

Pure Sine Wave

SNMP/HTTP



APC Back UPS : Tower Model



Exclusive for SIS

Part number	BK500EI	BK650-AS	BR500CI-AS	BV800I-MS
SIS P/N	APC-BK500EI	APC-BK650AS	APC-BR500CIAS	APC-BV800I-MST
Topology	Offline (Standby)	Offline (Standby)	Line Interactive	Line Interactive
Output power capacity	500VA / 300W	650V / 400W	500VA / 300W	800VA / 480 watt
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	NEMA 5-15P
Output Connection	(3) IEC-320 C13 (Battery Backup) (1) IEC-320 C13 (Surge protection only)	(3) IEC-320 C13 (Battery Backup) (1) IEC-320 C13 (Surge protection only)	(3) IEC-320 C13 (Battery Backup)	(4) Universal Receptacle (Battery Backup)
Warranty	2Y onsite swap	2Y onsite swap	2Y onsite swap	2Y onsite swap
Software	PowerChute Personal Edition	PowerChute Personal Edition	Not support software	Not support software
SRP (inc. VAT)	3,716	4,600	2,842	2,100



Exclusive for SIS



Part number	BVX700LUI-MS	BX625CI-MS	BX750MI-MS	BX950MI-MS
SIS P/N	APC-BVX700LUI-MS	APC-BX625CI-MS	APC-BX750MI-MS	APC-BX950MI-MS
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Output power capacity	700VA / 360W	625VA / 325W	750VA / 410W	950VA / 520W
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	IEC-320 C14
Output Connection	(2) Universal Receptacle (1) USB	(3) Universal Receptacle	(2) Universal Receptacle (1) IEC-320 C13	(2) Universal Receptacle (2) IEC-320 C13
Warranty	2Y onsite swap	2Y onsite swap	2Y onsite swap	2Y onsite swap
Software	Not support software	Not support software	PowerChute Personal Edition	PowerChute Personal Edition
SRP (inc. VAT)	1,744	2,290	4,530	5,350



Part number	BX1200MI-MS	BX1600MI-MS	BX2200MI-MS	BR1300MI
SIS P/N	APC-BX1200MI-MS	APC-BX1600MI-MS	APC-BX2200MI-MS	KIT-BR1300MI
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Output power capacity	1200VA / 650W	1600VA / 900W	2200VA / 1200W	1300VA / 780W
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	IEC-320 C14
Output Connection	(4) Universal Receptacle (1) IEC-320 C13	(4) Universal Receptacle	(4) Universal Receptacle	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)
Warranty	2Y onsite swap	2Y onsite swap	2Y onsite swap	2+1Y onsite swap
Software	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition
SRP (inc. VAT)	6,230	7,870	9,990	13,585



Part number	BR1600MI	BR1500GI	BR1200SI	BR1600SI
SIS P/N	KIT-BR1600MI	KIT-BR1500GI	KIT-BR1200SI	KIT-BR1600SI
Topology	Line Interactive	Line Interactive	Line Interactive/Sine Wave	Line Interactive/Sine Wave
Output power capacity	1600VA / 960W	1500VA / 865W	1200VA / 720W	1600VA / 960W
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	IEC-320 C14
Output Connection	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)	(5) IEC-320 C13 (Battery Backup) (5) IEC-320 C13 (Surge protection only)	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)
Warranty	2+1Y onsite swap	2+1Y onsite swap	2+1Y onsite swap	2+1Y onsite swap
Software	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition
SRP (inc. VAT)	14,557	16,120	14,360	15,984

APC Smart UPS : SMV Series

□ Outlet I I U U Universal □□ Output I I U U Pure Sine Wave

APC
Legendary Reliability™**SPECIAL OFFER**
3 YEARS WARRANTY
(On-site Swap)

Part number	SMV1000I-MS	SMV2000AI-MS	SMV3000AI-MS
SIS P/N	APC-SMV1000I-MS	APC-SMV2000AI-MS	APC-SMV3000AI-MS
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	1000VA / 700W	2000VA / 1400W	3000VA / 2100W
Input voltage	165 - 290VAC	165 - 295VAC	165 - 295VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2Y onsite swap	2Y onsite swap	2Y onsite swap
Software	UPSCAPO Monitoring Software	UPSCAPO Monitoring Software	UPSCAPO Monitoring Software
SRP (inc. VAT)	9,200	16,700	25,000

APC Smart UPS : SMC with LCD Display**APC**
Legendary Reliability™**SPECIAL OFFER**
3 YEARS WARRANTY
(On-site Swap)

Part number	SMC1000IC	SMC1500IC	SMC2000I
SIS P/N	KIT-SMC1000IC	KIT-SMC1500IC	KIT-SMC2000I
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	1000VA / 600W	1500VA / 900W	2000VA / 1300W
Input voltage	180 - 287VAC	180 - 287VAC	180 - 287VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Software	PowerChute Business Edition	PowerChute Business Edition	PowerChute Business Edition
SRP (inc. VAT)	14,889	21,743	28,900

SPECIAL OFFER
3 YEARS WARRANTY
(On-site Swap)

Part number	SMC3000I	SMC1000I-2UC	SMC1500I-2UC
SIS P/N	KIT-SMC3000I	KIT-SMC1000I-2UC	KIT-SMC1500I-2UC
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	3000VA / 2100W	1000VA / 600W	1500VA / 900W
Input voltage	180 - 287VAC	180 - 287VAC	180 - 287VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Software	PowerChute Business Edition	PowerChute Business Edition	PowerChute Business Edition
SRP (inc. VAT)	35,810	17,953	22,900

APC Smart UPS : SMT Rack Model**APC**
Legendary Reliability™**SPECIAL OFFER**
3 YEARS WARRANTY
(On-site Swap)

Part number	SMC2000I-2U	SMC3000RMI2U
SIS P/N	KIT-SMC2000I-2U	KIT-SMC3000I2U
Topology	Line Interactive	Line Interactive
Output power capacity	2000VA / 1300W	3000VA / 2100W
Input voltage	180 - 287VAC	180 - 287VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Software	PowerChute Business Edition	PowerChute Business Edition
SRP (inc. VAT)	35,172	45,800

APC Smart UPS : SMT Smart Connect Tower Model



Part number	SMT750IC	SMT1000IC	SMT1500IC
SIS P/N	KIT-SMT750IC	KIT-SMT1000IC	KIT-SMT1500IC
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	750VA / 500W	1000VA / 700W	1500VA / 1000W
Input voltage	160 - 286VAC	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	14,680	23,400	28,000



Part number	SMT2200IC	SMT3000IC
SIS P/N	KIT-SMT2200IC	KIT-SMT3000IC
Topology	Line Interactive	Line Interactive
Output power capacity	2200VA / 1980W	3000VA / 2700W
Input voltage	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	43,700	57,900

267

APC Smart UPS : SMT Smart Connect Rack Model



Part number	SMT750RMI2UC	SMT1000RMI2UC	SMT1500RMI2UC
SIS P/N	KIT-SMT750RMI2UC	KIT-SMT1000RMI2UC	KIT-SMT1500RMI2UC
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	750VA / 500W	1000VA / 700W	1500VA / 1000W
Input voltage	160 - 286VAC	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	20,600	27,700	39,100

APC Smart UPS : SMT Smart Connect Tower Model

Part number	SMT2200RMI2UC	SMT3000RMI2UC
SIS P/N	KIT-SMT2200RMI2UC	KIT-SMT3000RMI2UC
Topology	Line Interactive	Line Interactive
Output power capacity	2200VA / 1980W	3000VA / 2700W
Input voltage	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	52,600	65,500

APC Smart UPS : SMX Series

Part number	SMX750I	SMX1000I	SMX1500RMI2U
SIS P/N	KIT-SMX750I	KIT-SMX1000I	KIT-SMX1500RMI2U
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	750VA / 600W	1000VA / 800W	1500VA / 1200W
Input voltage	160 - 286VAC	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640, SMX48RMBP2U	AP9640, SMX48RMBP2U	AP9640, SMX48RMBP2U
SRP (inc. VAT)	24,450	29,400	41,800



Part number	SMX2200RMHV2U	SMX3000HV	SMX3000HVNC
SIS P/N	KIT-SMX2200RMHV2U	KIT-SMX3000HV	KIT-SMX3000HVNC
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	2200VA / 1980W	3000VA / 2700W	3000VA / 2700W
Input voltage	140 - 280VAC	140 - 280VAC	140 - 280VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640, SMX120RMBP2U	AP9640, SMX120BP	SMX120BP
SRP (inc. VAT)	59,100	74,400	93,400

APC Smart UPS On-Line



Part number	SRT1500XLI	SRT2200XLI	SRT3000XLI
Topology	Double Conversion Online	Double Conversion Online	Double Conversion Online
Output power capacity	1500VA / 1500W	2200VA / 1980W	3000VA / 2700W
Input voltage	100 - 275VAC	160 - 275VAC	160 - 275VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	SRT48BP	SRTRK4, SRT72BP	SRTRK4, SRT96BP

SRP (inc. VAT)	48,200	52,600	68,700
----------------	--------	--------	--------



Part number	SRT5KXLI	SRT6KXLI	SRT8KXLI
Topology	Double Conversion Online	Double Conversion Online	Double Conversion Online
Output power capacity	5,000VA / 4,500W	6,000VA / 6,000W	8,000VA / 8,000W
Input voltage	160 - 275VAC	160 - 275VAC	Single phase 230VAC or Three phase
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year
Option	SRTRK2, SRT192BP	SRTRK2, SRT192BP	SRTRK2, SRT192BP2

SRP (inc. VAT)	152,000	165,700	212,500
----------------	---------	---------	---------



Part number	SRT10KXLI	SURT15KRMXLI	SURT20KRMXLI
Topology	Double Conversion Online	Double Conversion Online	Double Conversion Online
Output power capacity	10,000VA / 10,000 W	15,000VA / 12,000W	20,000VA / 16,000W
Input voltage	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase
Output voltage	220, 230, 240VAC	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase
Warranty	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year
Option	SRTRK2, SRT192BP2	SURT192RMXLBP2	SURT192RMXLBP2

SRP (inc. VAT)	221,400	call	call
----------------	---------	------	------

Line Interactive UPS : PSA itON series

Line Interactive UPS : PSA itON series
เหมาะสำหรับ PC & Office Workstations
ประกัน 3 ปี onsite เสียเปลี่ยนตัวใหม่



Model	PSA650-SOHO	PSA850-BX (Exclusive at SiS)	PSA1000-BX
Part No.	EMS-PSA650-SOHO	EMS-PSA850-BX	EMS-PSA1000-BX
กำลังไฟฟ้า (VA/Watt)	650VA/390W	850VA/480W	1000/600
แรงดัน Input (VAC)	162 – 290VAC	162 – 290VAC	160-290VAC
แรงดัน Output (VAC)	230V+10%, -20%	230V +10% & -10%	220VAC/ 230VAC/ 240VAC
Power Factor	0.6	0.6	0.6
Software	None	None	None
Backup time	10 minutes -120WLoad	5 minutes- Half Load	6 minutes- Half Load
Warranty	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass
SRP (inc. VAT)	1,750	2,302	3,930

Line Interactive UPS : PSA series

Line Interactive UPS : PSA series เหมาะกับ PC
& Office Workstations ประกัน 3 ปี onsite เสียเปลี่ยนตัวใหม่



Model	PSA1000MT3230U	PSA1500MT3230U
Part No.	EMS-PSA1000MT3230U	EMS-PSA1500MT3230U
กำลังไฟฟ้า(VA/Watt)	1000/600	1500/900
แรงดัน Input	160-287VAC	160-287VAC
แรงดัน Output	230VAC ±5%	230VAC ±5%
Power factor	0.6	0.6
Software	Multilink® Software	Multilink® Software
เข้าสลับ Input	10-13 minutes – Half Load	10-13 minutes – Half Load
เข้าสลับ Output	3 Yrs On Site Replacement Warranty,	3 Yrs On Site Replacement Warranty,
Back up time (Full Load)	not include rural area and Pattani,	not include rural area and Pattani,
Warranty	Ya-La, Narathiwass	Ya-La, Narathiwass
SRP (inc. VAT)	5,885	6,120

Line Interactive UPS : PSI series

Line Interactive UPS: PSI series Rack, Tower types
เหมาะสำหรับ Standalone Server ประกัน 3 ปี onsite เสียเปลี่ยนตัวใหม่



Model	PS1000RT3-230	PS1500RT3-230	PS2200RT3-230	PS3000RT3-230
Part No.	EMS-PS1000RT3-230	EMS-PS1500RT3-230	EMS-PS2200RT3-230	EMS-PS3000RT3-230
กำลังไฟฟ้า(VA/Watt)	1000VA/900Watt	1500VA/1350Watt	2200VA/1980Watt	3000VA/2700Watt
แรงดัน Input (VAC)	165-300			
แรงดัน Output (VAC)	220/230/240+/-10%			
ความถี่ขาเข้า Input (Hz)	45-65			
ความถี่ขาออก Output (Hz)	50/60			
Wave form	Pure sine wave			
Power factor	0.9			
Software	Multilink			
เข้าสลับ Input	IEC-C14x1	IEC-C14x1	IEC-C20x1	IEC-C20x1
เข้าสลับ Output	IEC-C13x8	IEC-C13x8	IEC-C13x8+IEC-C19x1	IEC-C13x8+IEC-C19x1
Back up time (Full Load)	4 mins	3 mins	3 mins	3 mins
Hot-swappable battery	Yes			
Warranty	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass			
SRP (inc. VAT)	16,125	20,448	26,065	34,304

Online double conversion UPS : GXT-MT plus series

Online double
conversion UPS :
GXT-MT+ series
Rack, Tower types
เหมาะสำหรับ Standalone
Server



Model	GXT1000MTPLUS CX	GXT2000MTPLUS CX	GXT3000MTPLUS CX
Part Number	PEMS-GXT1000MTPLUSCX	EMS-GXT2000MTPLUSCX	EMS-GXT3000MTPLUSCX
กำลังไฟฟ้า (VA/Watt)	1000 VA / 900 W	2000 VA / 1800 W	3000 VA / 2700 W
แรงดัน Input (VAC)	110-270	110-270	110-270
แรงดัน Output (VAC)	208/220/230/240VAC	208/220/230/240VAC	208/220/230/240VAC
Power Factor	0.9	0.9	0.9
Software	ViewPower Pro	ViewPower Pro	ViewPower Pro
Backup time	11 minutes – Half Load	12 minutes – Half Load	13 minutes – Half Load
Warranty	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass
SRP (inc. VAT)	10,978	19,891	24,696

Online double conversion UPS : GXT4 series

Online double conversion UPS :
GXT4 series Rack,Tower types
เหมาะกับการใช้งานใน Data center



เพิ่ม battery ได้
แถม rack kit ทุกรุ่น



Model	GXT4-1000RT230	GXT4-1500RT230	GXT4-2000RT230	GXT4-3000RT230
Part No.	EMS-GXT4-1000RT230	EMS-GXT4-1500RT230	EMS-GXT4-2000RT230	EMS-GXT4-3000RT230
กำลังไฟฟ้า(VA/Watt)	1000VA/900Watt	1500VA/1350Watt	2000VA/1800Watt	3000VA/2700Watt
แรงดัน Input (VAC)	177-280	177-280	177-280	196-280
แรงดัน Output (VAC)	220/230/240±3%			
ความถี่ขาเข้า Input (Hz)	40-70			
ความถี่ขาเข้า Output (Hz)	50/60			
Wave form	Pure sine wave			
Power factor	0.9			
Software	Multilink			
เต้าเสียบ Input	1x IEC-C14	1x IEC-C14	1x IEC-C14	1x IEC-C14
เต้าเสียบ Output	6x IEC-C13	6x IEC-C13	6x IEC-C13	6x IEC-C13+IEC-C19x1
Back up time (Full Load)	7 mins	4 mins	3 mins	3 mins
Warranty	3 years onsite by Emerson			
SRP (inc. VAT)	23,219	28,141	37,771	49,006

เพิ่ม battery ได้
เฉพาะรุ่น 5000/
6000/10000VA
แถม rack kit+IS-WEB-
CARD



Model	GXT4-5000RT230	GXT4-6000RT230	GXT4-10000RT230
Part No.	EMS-GXT4-5000RT230	EMS-GXT4-6000RT230	EMS-GXT4-10000RT230
กำลังไฟฟ้า(VA/Watt)	5000VA/400Watt	6000VA/4800Watt	10000VA/9000Watt
แรงดัน Input (VAC)	176-280		
แรงดัน Output (VAC)	200/208/220/230/240 ± 2%		
ความถี่ขาเข้า Input (Hz)	40-70		
ความถี่ขาเข้า Output (Hz)	50/60		
Wave form	Pure sine wave		
Power factor	0.8	0.8	0.9
Software	Multilink		
เต้าเสียบ Input	PD2-CE6HWRMB5x2	PD2-CE6HWRMB5x2	PD2-CE10HWRMB5x2
เต้าเสียบ Output	6x IEC-C13+2xIEC-C19	6x IEC-C13+2xIEC-C19	4x IEC-C13+4xIEC-C19
Back up time (Full Load)	9	7	4
Warranty	2 years onsite by Emerson		
SRP (inc. VAT)	100,580	109,675	137,495

GXT-4 external battery
แถม rack kit ทุกรุ่น

Part No.	ใช้กับ GXT-4 model	SRP (Inc.Vat)
EMS-GXT4-48VBATT	1000/1500/2000RT230	17,655.00
EMS-GXT4-72VBATT	3000RT230	24,449.50
EMS-GXT4-240VBATT	5000/6000/10000RT230	39,376.00

Online double conversion UPS : ITA series

Online double conversion UPS :
ITA series Rack,Tower types
เหมาะกับการใช้งานใน Data center

* ทุกรุ่นไม่มี battery ในตัว



ITA 5-10K



ITA 16-20K
ต้องใส่ Battery เพิ่ม
ครั้งละ 2 unit

Model	01201056	01200858	01200610	01200758	01200782
Part No.	EMS-01201056	EMS-01200858	EMS-01200610	EMS-01200758	EMS-01200782
กำลังไฟฟ้า(VA/Watt)	5000VA/4500Watt	6000VA/4800Watt	10000VA/9000Watt	16000VA/14400Watt	20000VA/18000Watt
แรงดัน Input (VAC)	120-276	120-276	120-276	228-478	228-478
แรงดัน Output (VAC)	230+/-3%	230+/-3%	230+/-3%	230+/-1%	230+/-1%
ความถี่ขาเข้า Input (Hz)	45-65	45-65	45-65	45-70	45-70
ความถี่ขาเข้า Output (Hz)	50Hz+/-0.25%	50Hz+/-0.25%	50Hz+/-0.25%	50Hz+/-0.25%	50Hz+/-0.25%
Wave form	Pure sine wave	Pure sine wave	Pure sine wave	Pure sine wave	Pure sine wave
Power factor	0.9	0.8	0.9	0.9	0.9
Internal battery	No				
Warranty	2 years onsite by Emerson				
SRP (inc. VAT)	51,898	62,560	91,485	159,965	182,863