

Mi : Router & Range Extender



Model	XMI-DVB4235GL	XMI-DVB4270GL	XMI-DVB4314GL
Description	Mi Wi-Fi Range Extender Pro CPU : MT7628K 580MHz . ROM2/RAM8MB รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n ที่ความเร็วสูงสุด 300Mbps เชื่อมต่อได้สูงสุด 24 อุปกรณ์ เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK	Mi Wi-Fi Range Extender AC 1200 อุปกรณ์ช่วยขยายสัญญาณ Wi-Fi รุ่น AC1200 RAM 64MB รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n/ac (2.4 & 5.0 ghz) ที่ความเร็วสูงสุด 300Mbps (2.4 ghz) 867Mbps (5.0 ghz) เชื่อมต่อได้สูงสุด 24 อุปกรณ์ พร้อม Ethernet Port สำหรับเชื่อมต่ออุปกรณ์ที่ไม่ได้รับ Wi-Fi เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK	Xiaomi Router AX3200 เสียวัดนี้ เราเตอร์ รุ่น AX3200 รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n/ac/ax (2.4 & 5.0 ghz) ที่ความเร็วสูงสุด 800Mbps (2.4) 2402Mbps (5.0) Processor : Mediatek MT7622B Dual-Core A53 1.35Ghz RAM : 256MB มาพร้อม 1 Gigabit WAN port & 3 Gigabit LAN port เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK/ WPA3-SAE
SRP (inc. VAT)	399	599	1,999

Wireless Router : N300



Brand	Tenda	Tenda
Part	F3	N301
Sale Code	TND-TD-F3	TND-TD-N301
Ports	3 port 10/100	3 port 10/100
Standards	802.11b , 11g , 11n	802.11b , 11g , 11n
Speed Wireless	300 Mbps	300 Mbps
Feature		
Security	WPA	WPA
Other		
Warranty	5 Years	5 Years
SRP (inc. VAT)	460	428

Wireless Router : AC



Brand	Tenda	Tenda	Tenda
Part	AC6	AC5	AC19
Sale Code	TND-TD-AC6	TND-TD-AC5	TND-TD-AC19
Ports	3 port 10/100/1000	3 port 10/100/1000	4 port 10/100/1000 + 1 port USB2.0
Standards	802.11a , 11b , 11g , 11n , 11ac	802.11a , 11b , 11g , 11n , 11ac	802.11a,b,g,n , ac wave2
Speed Wireless	300 + 867 Mbps	300 + 867 Mbps	300 + 1733 Mbps
Feature	Beamforming	Beamforming	Beamforming, MU-MIMO
Security	WPA , WPA2	WPA , WPA2	WPA, WPA2, WPS
Other	Parental Control , Remote Web Management , Client Filter	Parental Control , Remote Web Management , Client Filter	
Warranty	5 Years	5 Years	5 Years
SRP (inc. VAT)	1,090	855	1,979

MESH WiFi

Brand	Tenda	Tenda	Tenda	Tenda
Part	NOVA-MW6 (Pack3)	NOVA-MW3 (Pack3)	MW12-Pack3	NOVA-MW6 (Pack 2)
Sale Code	TND-NOVA-MW6-P3	TND-NOVA-MW3-P3	TND-MW12-P3	TND-NOVA-MW6-P2
Ports	2 port 10/100/1000	1 port 10/100	3 port 10/100/1000 per units	2 port 10/100/1000
Standards	802.11a , 11b , 11g , 11n , 11ac	802.11a , 11b , 11g , 11n , 11ac	802.11a , 11b , 11g , 11n , 11ac	IEEE 802.11a, 11b, 11g, 11n, 11ac
Speed Wireless	300 + 867 Mbps	300 + 867 Mbps	300 + 867 + 867 Mbps	300 + 867 Mbps
Feature	MU-MIMO , Beamforming	MU-MIMO , Beamforming		
Security	WPA2	WPA2	WPA , WPA2	WPA2
Other	Parental Control , Guest Network	Parental Control , Guest Network		Parental Control, Guest Network
Warranty	5 Years	5 Years	5 Years	5 Years
SRP (inc. VAT)	5,899	3,290	8,399	3,990

Wireless Access Point with PoE

Brand	D-Link	D-Link	D-Link
Part	DAP-2610	DAP-2680	DAP-2695
Sale Code	DLK-DAP-2610	DLK-DAP-2680	DLK-DAP-2695
Ports	1 Gigabit LAN (supports PoE)	1 x Gigabit PoE-capable LAN port	1 port 10/100/1000
Standards	802.11a/b/g/n/ac , 802.3u/ab	802.11a/b/g/n/ac , 802.3u/ab , 802.3az,802.3af	802.11a , 11b , 11g , 11n , 11ac
Speed Wireless	,802.3az,802.3af	1750 Mbps	450Mbps (2.4GHz)
Feature	1300 Mbps AC1300 Wave2 Dual-band Gigabit POE ,MU-MIMO	AC1750 Wave2 Dual-band WI-FI POE AC, MU-MIMO	+ 1300Mbps (5GHz)
Security	WAP,WAP2,WEP	WAP,WAP2,WEP	WEP, WPA, WPA2
Other	2 internal dual-band 3 dBi omni antennas	3 x internal dual-band antennas	
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	6,900	8,490	11,600



Brand	TENDA	TENDA	TENDA	TENDA
Part	O9	O2	I9	I21
Sale Code	TND-O9	TND-TD-O2	TND-I9	TND-I21
Ports	1 port 10/100/1000	1 port 10/100	1 port 10/100	1 port 10/100
Standards	802.11a, 11n, 11ac	IEEE 802.11a/n	802.11b/g/n	802.11a/b/g/n/ac
Speed Wireless	867Mbps	300 Mbps (5 GHz)	300 Mbps (2.4GHz)	400 + 867 Mbps
Feature	PoE Support, Support Point-to-Point 25km.	PoE Support, Support point to point 2km.	support PoE, support 30 user, coverage area 300 sq.m	support PoE, support 70 user, coverage area 300 sq.m
Security	WEP, WPA, WPA2	WEP, WPA, WPA2	WEP, WPA, WPA2	WEP, WPA, WPA2
Other	แทน PoE Injector มาให้ด้วย	แทน PoE injector ให้ด้วย		
Warranty	5 year	5 Years	5 years	5 years
SRP (inc. VAT)	3,499	1,605	880	1,490

Wireless Access Point



Brand	TENDA	D-Link
Part	AP4	DAP-1665
Sale Code	TND-TD-AP4	DLK-DAP-1665
Ports	2 port 10/100	1 port 10/100/1000
Standards	802.11n, 11g, 11b	IEEE 802.11ac wave2, 11n, 11g, 11b, 11a, 802.3/802.3u
Speed Wireless	300 Mbps	300 + 867 Mbps
Feature	รองรับ AP mode / Universal	รองรับ AP mode, WISP Repeater, Client
Security	Repeater / WISP / Client / Client AP	WPA, WPA2, WPS
Other	แบบ PoE Injector ทั่วไปถอด	
Warranty	5 Years	Limited Lifetime
SRP (inc. VAT)	800	1,850

Range Extender



Brand	D-Link	Tenda
Part	DAP-1610	A18
Sale Code	DLK-DAP-1610	TND-TD-A18
Speed Wireless	300Mbps + 867Mbps (2.4G + 5G)	300Mbps + 867Mbps (2.4G + 5G)
Warranty	Limited Lifetime	5 Years
SRP (inc. VAT)	900	830

Wireless Adapter



Brand	D-Link	D-Link	D-Link
Part	DWA-123	DWA-131	DWA-182
Sale Code	DLK-DWA-123	DLK-DWA-131	DLK-DWA-182
Speed Wireless	150Mbps	300Mbps	300Mbps + 866Mbps
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	230	290	790



Brand	HPNetworking	Tenda	D-Link
Part	HPQ-JD039A	U9	DWA-192
Sale Code	IEEE 802.11 n	TND-TD-U9	DLK-DWA-192
Speed Wireless	WPA / WPA2 with TKIP	200 + 433 Mbps	600Mbps + 1300Mbps
Warranty	3 Years	5 Years	Limited Lifetime
SRP (inc. VAT)	3,950	490	1,490



Brand	Tenda	Tenda	Tenda
Part	U12	U1	U3
Sale Code	TND-TD-U12	TND-TD-U1	TND-TD-U3
Standards	802.11a, 11b, 11g, 11n, 11ac	802.11b, 11g, 11n	802.11b, 11g, 11n
Speed Wireless	400 + 867 Mbps	300 Mbps	300 Mbps
Warranty	5 Years	5 Years	5 Years
SRP (inc. VAT)	700	375	280

Wireless Adapter

Brand	Tenda	Tenda	Tenda
Part	U2	W311MI	W311M
Sale Code	TND-TD-U2	TND-W311MI	TND-W311M
Standards	802.11b , 11g , 11n	802.11b , 11g , 11n	802.11b , 11g , 11n
Speed Wireless	150Mbps	150 Mbps	150 Mbps
Warranty	5 Years	5 Years	5 Years
SRP (inc. VAT)	300	199	189

Wireless 4G

Brand	D-Link	D-Link	Tenda	Tenda
Part	DWR-921	DWR-932C	4G06	4G09
Sale Code	DLK-DWR-921	DLK-DWR-932C	TND-4G06	TND-4G09
Ports	4 port 10/100		2 port 10/100 + 1 RJ11	1 port 10/100/1000
Standards	802.11b , 11g , 11n	802.11b , 11g , 11n	802.11b/g/n	802.11b/g/n, 802.11ac
Speed Wireless	300 Mbps	300 Mbps	300 Mbps	300 + 867 Mbps
Feature				
Security	WPA , WPA2	WPA , WPA2	WEP, WPA, WPA2, WPA/WPA2	WEP, WPA, WPA2, WPA/WPA2
Other	รองรับซิมทุกค่าย	รองรับซิมทุกค่าย	รองรับทุกเครือข่าย, port RJ11 สามารถโทร โทรศัพท์บ้านมาต่อเพื่อโทรออกเป็น Voice over IP โดยไม่ต้องเช่า	รองรับทุกเครือข่าย
Warranty	3 Years	3 Years	5 Years	5 Years
SRP (inc. VAT)	2,210	1,550	1,679	2,999

Wireless Router : AX

Brand	D-Link	Tenda	Tenda
Part	DIR-X1560	TX3	TX9PRO
Sale Code	DLK-DIR-X1560	TND-TX3	TND-TX9PRO
Ports	4 port 10/100/1000	3 port 10/100/1000	3 port 10/100/1000
Standards	802.11a , 11b , 11g , 11n , 11ac , 11ax	IEEE 802.11ac/a/n/ax 5GHz IEEE 802.11b/g/n/ax 2.4GHz	IEEE 802.11ac/a/n/ax 5GHz IEEE 802.11b/g/n/ax 2.4GHz
Speed Wireless	300 + 1200 Mbps	574 + 1201 Mbps	574 + 2402 Mbps
Feature			
Security	WPS , WPA2 , WPA3	Client Filter Parental Control (support black list and white list) Remote Web Management	Client Filter Parental Control(support black list and white list) Remote Web Management
Warranty	Limited Lifetime	5 Years	5 Years
SRP (inc. VAT)	1,990	2,090	2,690

WIRELESS ACCESS POINT



Brand	ZyXEL	ZyXEL	ZyXEL
Model	NWA1100-NH	NWA1123-ACV2	NWA5123-AC
P/N	ZXL-NWA1100-NH	ZXL-NWA1123-ACV2	ZXL-NWA5123-AC
Feature	802.11b/g/n (External Antenna 5dBi) บริหารจัดการด้วย ZyXEL AP Configurator	802.11 a/b/g/n/ac Dual-Radio บริหารจัดการด้วย ZyXEL AP Configurator	802.11 a/b/g/n/ac Dual-Radio Embedded 2x2 3dBi/4dBi antenna
Warranty	Limited Lifetime (ARS* 1Y)	Limited Lifetime (ARS* 1Y)	Limited Lifetime
SRP (inc. VAT)	3,478	6,634	8,004



Brand	ZyXEL	ZyXEL	ZyXEL
Model	NWA5123-ACHD	WAC6502D-E	WAC6502D-S
P/N	ZXL-NWA5123-ACHD	ZXL-WAC6502D-E	ZXL-WAC6502D-S
Feature	802.11ac Wave 2 Dual-Radio 2x2 3dBi/3X3 3dBi antenna Support data rate up to 1600Mbps 3x3 MIMO (5 GHz)	802.11ac Dual Radio External antenna 2x2 Support data rate up to 1166Mbps 2-in-1 design Standalone/Managed AP	802.11ac Dual Radio Smart Antenna 2x2 Support data rate up to 1166Mbps 2-in-1 design Standalone/Managed AP
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	11,235	17,120	19,260



Brand	ZyXEL	ZyXEL	ZyXEL
Model	WAC6103D-I	WAC6503D-S	WAC6553D-E
P/N	ZXL-WAC6103D-I	ZXL-WAC6503D-S	ZXL-WAC6553D-E
Feature	802.11ac Dual Radio Dual-optimized Antenna 3x3 Support data rate up to 1750Mbps Dual-optimized Antenna 3x3 4dBi/5dBi 2-in-1 design Standalone/Managed AP	802.11ac Dual Radio Smart Antenna 3x3 Support data rate up to 1750Mbps Smart antenna 3x3 4dBi/6dBi antenna 2-in-1 design Standalone/Managed AP	802.11ac Dual Radio Outdoor AP Support data rate up to 1750Mbps 6 N-type connectors for external antenna (antenna not included) 2-in-1 design Standalone/Managed AP
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	16,050	24,610	31,030



*สินค้า WAC Series ทุกรุ่นไม่
Power Adapter ต้องใช้งานร่วมกับ
PoE12-HP หรือ PoE Switch ของ
ZyXEL ได้ทุกรุ่น

Brand	ZyXEL	ZyXEL	ZyXEL
Model	ZXL-NXC2500	ZXL-NXC5500	PoE12-HP
P/N	Wireless LAN Controller for	Wireless LAN Controller for	ZXL-POE12-HP
Feature	NWA3000/5000 Series and WAC Series Default license managed 8APs (support up to 64APs by extened license)	NWA3000/5000 Series and WAC Series Default license managed 64APs (support up to 512APs by extened license)	1 Gigabit PoE Injector IEEE 802.3af 15.4Watt, 802.3at 30Watt
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	21,293	159,954	1,808

Aruba Instant On

aruba Instant 

It's Blazing. It's Amazing

Effortless scalability:
Smart Mesh

802.11ac Wave 2 performance

Proven reliability

Phone/chat support,
1-year warranty

Simple setup and management

Mobile app and Cloud-based access

Separate employee and guest access

Remote and multi-site management

Customizable captive portal

SIS P/N	Description	SRP (Inc.VAT)	Warranty	Stock
Indoor				
HPE-R2W96A	Aruba Instant On AP11 (RW) 2x2 11ac Wave2 Indoor Access Point	3,628	1 Year	Stock
HPE-R2X01A	Aruba Instant On AP12 (RW) 3X3 11ac Wave2 Indoor Access Point	6,196	1 Year	Stock
HPE-R2X06A	Aruba Instant On AP15 (RW) 4X4 11ac Wave2 Indoor Access Point	7,266	1 Year	Stock
	Power Options (สำหรับลูกค้าที่ไม่มี PoE Switch)			
HPE-R2X20A	Aruba Instant On 12V/30W Power Adaptor	696	1 Year	Stock
HPE-R2X22A	Aruba Instant On 15.4W 802.3af PoE Midspan Injector	1,338	1 Year	Stock
HPE-JW124A	PC-AC-NA North America AC Power Cord	214	1 Year	Stock
	*** ลูกค้าที่ใช้ AP ต่อกับ PoE Switch ไม่ต้องใช้อุปกรณ์ Option ที่เป็น PoE Injector หรือ Power Adapter			
Desk/Wall (In room)				
HPE-R2X11A	Aruba Instant On AP17 (RW) 2x2 11ac Wave2 Outdoor Access	8,978	1 Year	Stock
	Power Options (สำหรับลูกค้าที่ไม่มี PoE Switch)			
HPE-R2X22A	Aruba Instant On 15.4W 802.3af PoE Midspan Injector	1,338	1 Year	Stock
HPE-JW124A	PC-AC-NA North America AC Power Cord	214	1 Year	Stock
	*** ลูกค้าที่ใช้ AP ต่อกับ PoE Switch ไม่ต้องใช้อุปกรณ์ Option ที่เป็น PoE Injector หรือ Power Adapter			
Outdoor				
HPE-R2X16A	Aruba Instant On AP11D (RW) 2x2 11ac Wave2 Desk/Wall Access Point	5,126	1 Year	Stock
	Power Options (สำหรับลูกค้าที่ไม่มี PoE Switch)			
HPE-R2X22A	Aruba Instant On 15.4W 802.3af PoE Midspan Injector	1,338	1 Year	Stock
HPE-JW124A	PC-AC-NA North America AC Power Cord	214	1 Year	Stock
	*** ลูกค้าที่ใช้ AP ต่อกับ PoE Switch ไม่ต้องใช้อุปกรณ์ Option ที่เป็น PoE Injector หรือ Power Adapter			

Aruba Instant (Unified AP)

เลือกใช้งานได้หลายรูปแบบ ได้แก่ Instant Mode (Virtual Controller), Controller-managed, Cloud-managed (with Aruba Central)
 กรณีใช้งานแบบ Instant Mode (Virtual Controller) สามารถทำ Cluster ได้สูงถึง 128 AP
 Built-in ClientMatch : ช่วยจัดการ client แต่ละเครื่องให้เชื่อมต่อกับ AP ที่ดีที่สุดอยู่เสมอ
 Built-in Layer 7 Firewall : สามารถวิเคราะห์ จัดลำดับความสำคัญ และบล็อกการใช้งานระดับ Application
 รองรับการทำ Guest Captive Portal, และสามารถสร้าง username & password สำหรับ Guest ได้
 รองรับการทำ Authentication ในรูปแบบ PSK, Captive Portal, Dot 1X (รองรับทำงานร่วมกับ Microsoft AD, RADIUS server)
 รับประกัน Lifetime warranty (onsite hardware exchange)



Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba AP-303 (RW) Unified AP	Aruba IAP-305 (RW) Instant 2x/3x 11ac AP	Aruba AP-515 (RW) Unified AP
Part Number	JZ320A	JX945A	Q9H62A
Wireless Radio	Dual radio, 802.11ac Wave 2 MU-MIMO 2x2:2SS (2.4 & 5 GHz)	Dual radio, 802.11ac Wave 2 MU-MIMO 3x3:3SS (5 GHz), 2x2:2SS (2.4 GHz)	Dual radio, 802.11ax (Wi-Fi 6) 4x4:4SS (5 GHz), 2x2:2SS (2.4 GHz)
SRP (inc. VAT)	12,310	21,300	31,890

Peplink Balance Series



*SpeedFusion Feature Includes Hot Failover, WAN Smoothing, Bandwidth Bonding



Model	BPL-ONE	BPL-ONE-CORE	BPL-021	BPL-031-LTE-E-T
WAN Ports	2xGE (10/100/1000)	2xGE (10/100/1000)	2xGE (10/100/1000)	2xGE (10/100/1000)
LAN Ports	8xGE (10/100/1000)	8xGE (10/100/1000)	4xGE (10/100/1000)	4xGE (10/100/1000)
Embedded LTE Modem	1	1	-	1
USB WAN Modem Ports	1	1	1	1
Wi-Fi Interface	802.11ac/a/b/g/n Wi-Fi AP	No	-	-
Throughput	600Mbps	600Mbps	150Mbps	200Mbps
SpeedFusion Features*	available as a paid upgrade	available as a paid upgrade	No	No
Number of PepVPN/Speed Fusion Peers	2	2	2 Peers by default, 5 Peers using license	2 Peers by default, 5 Peers using license
Load Balancing	Yes	Yes	Yes	Yes
Recommend Users	1-60	1-60	1-60	1-60
Warranty	1 Year Carry In	1 Year Carry In	1 Year Carry In	1 Year Carry In
SRP (inc. VAT)	19,400	16,500	13,000	24,500

*SpeedFusion Feature Includes Hot Failover, WAN Smoothing, Bandwidth Bonding



Model	BPL-210	BPL-305	BPL-380	BPL-580
WAN Ports	2xGE (10/100/1000)	3xGE (10/100/1000)	3xGE (10/100/1000)	5xGE (10/100/1000)
LAN Ports	7xGE (10/100/1000)	3xGE (10/100/1000)	3xGE (10/100/1000)	3xGE (10/100/1000)
Embedded LTE Modem	-	-	-	-
USB WAN Modem Ports	1	1	1	1
Wi-Fi Interface	-	-	-	-
Throughput	350Mbps	1Gbps	1Gbps	1.5Gbps
SpeedFusion Features*	Yes	Yes	Yes	Yes
Number of PepVPN/Speed Fusion Peers	2 Peers by default, 5 Peers using license	2 Peers by default, 20 Peers using license	20	50
Load Balancing	Yes	Yes	Yes	Yes
Recommend Users	25-150	50-500	50-500	300-1000
Warranty	1 Year Carry In	1 Year Carry In	1 Year Carry In	1 Year Carry In
SRP (inc. VAT)	70,700	100,900	151,300	201,600

*SpeedFusion Feature Includes Hot Failover, WAN Smoothing, Bandwidth Bonding



Model	BPL-710	BPL-1350	BPL-2500
WAN Ports	7xGE (10/100/1000)	13xGE (10/100/1000)	12xGE (10/100/1000)
LAN Ports	3xGE (10/100/1000)	3xGE (10/100/1000)	8xGE (10/100/1000)
Embedded LTE Modem	-	-	-
USB WAN Modem Ports	1	1	1
Wi-Fi Interface	-	-	-
Throughput	2.5Gbps	5Gbps	8Gbps
SpeedFusion Features*	Yes	Yes	Yes
Number of PepVPN/Speed Fusion Peers	300	800	4000
Load Balancing	Yes	Yes	Yes
Recommend Users	500-2000	1000-5000	5000-20000+
Warranty	1 Year Carry In	1 Year Carry In	1 Year Carry In
SRP (inc. VAT)	252,000	403,200	806,300

Teltonika



Brand	Teltonika	Teltonika	Teltonika
Part	RUT24000E000	RUT950U022C0	RUT955T03020
Sale code	TNK-RUT24000E000	TNK-RUT950U022C0	TNK-RUT955T03020
Ports	2 Ports (10/100)	4 Ports (10/100)	4 Ports (10/100)
Standards	802.11 b, g, n	802.11 b, g, n	802.11 b, g, n
Embedded 4G LTE	Single-SIM, DL up to 150 Mbps	Dual-SIM (Automatic SIM switch), DL up to 150 Mbps	Dual-SIM (Automatic SIM switch), DL up to 150 Mbps
WiFi users	Up to 50 simultaneous connections	Up to 100 simultaneous connections	Up to 100 simultaneous connections
Security	WEP, WPA, WPA2	WEP, WPA, WPA2	WEP, WPA, WPA2
Other	Teltonika Remote Management System (RMS) Industrial grade IP30, IPsec VPN, Passive PoE	Teltonika Remote Management System (RMS) Industrial grade IP30, IPsec VPN, Passive PoE	Teltonika Remote Management System (RMS) Industrial grade IP30, IPsec VPN, Passive PoE, RS234, RS485, USB Interfaces, Micro SD, Hinge Type slot, GNSS (GPS)
Dimensions	83mm x 74mm x 25mm	100mm x 110mm x 50mm	100mm x 110mm x 50mm
Weight	125g	256g	287g
Warranty	2 Years Carry In	2 Years Carry In	2 Years Carry In
SRP (inc. VAT)	7,891	16,050	17,388