






Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.25	71M4A	70	218	122	160	145	19
0.37	71M4B	70	218	122	160	145	19
0.55	80M4A	70	256	145	200	166	25
0.75	80M4B	70	256	145	200	166	26

* Based on IEC Motor

Unit : mm


Model XFK1

The real best drive





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.25	71M4A	49.5	218	122	160	145	17
0.37	71M4B	49.5	218	122	160	145	17
0.55	80M4A	62.5	256	145	200	166	21
0.75	80M4B	62.5	256	145	200	166	22

* Based on IEC Motor



Unit : mm

Model XFK1C





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.25	71M4A	70	218	122	160	145	24
0.37	71M4B	70	218	122	160	145	24
0.55	80M4A	70	256	145	200	166	30
0.75	80M4B	70	256	145	200	166	31
1.1	90S4A	70	268	155	200	188	35
1.5	90L4A	70	293	155	200	188	39

* Based on IEC Motor

Unit : mm

Model XFK2




Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.25	71M4A	49.5	218	122	160	145	19
0.37	71M4B	49.5	218	122	160	145	19
0.55	80M4A	62.5	256	145	200	166	28
0.75	80M4B	62.5	256	145	200	166	29
1.1	90S4A	83	268	155	200	188	33

* Based on IEC Motor

Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
1.5	90L4A	83	293	155	200	188	37
2.2	100L4A	91	330	170	250	210	44
3	100L4B	91	330	170	250	210	48
4	112M4A	91	340	198	250	230	56

Unit : mm

Model XFK2C





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.25	71M4A	71.5	218	122	160	145	37
0.37	71M4B	71.5	218	122	160	145	37
0.55	80M4A	71.5	256	145	200	166	43
0.75	80M4B	71.5	256	145	200	166	44
1.1	90S4A	71.5	268	155	200	188	48

Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
1.5	90L4A	71.5	293	155	200	188	52
2.2	100L4A	81.5	330	170	250	210	59
3	100L4B	81.5	330	170	250	210	63
4	112M4A	81.5	340	198	250	230	71

* Based on IEC Motor

Unit : mm

Model XFK3





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.55	80M4A	73	256	145	200	166	40
0.75	80M4B	73	256	145	200	166	41
1.1	90S4A	83	268	155	200	188	45
1.5	90L4A	83	293	155	200	188	49

* Based on IEC Motor

Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
2.2	100L4A	91	330	170	250	210	56
3	100L4B	91	330	170	250	210	60
4	112M4A	91	340	198	250	230	68

Unit : mm

Model XFK3C





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.55	80M4A	81	256	145	200	166	55
0.75	80M4B	81	256	145	200	166	56
1.1	90S4A	81	268	155	200	188	60
1.5	90L4A	81	293	155	200	188	64
2.2	100L4A	81	330	170	250	210	71
3	100L4B	81	330	170	250	210	75
4	112M4A	81	340	198	250	230	83

* Based on IEC Motor

Unit : mm

Model XFK4





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
1.5	90L4A	101	293	155	200	188	69
2.2	100L4A	111	330	170	250	210	76
3	100L4B	111	330	170	250	210	80

Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
4	112M4A	111	340	198	250	230	88
5.5	132S4A	102	390	218	300	270	106
7.5	132M4A	102	430	218	300	270	118

* Based on IEC Motor

Unit : mm

Model : XFK4C



Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
0.55	80M4A	83	256	145	200	166	110
0.75	80M4B	83	256	145	200	166	111
1.1	90S4A	83	268	155	200	188	115
1.5	90L4A	83	293	155	200	188	119
2.2	100L4A	83	330	170	250	210	126

* Based on IEC Motor



Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
3	100L4B	83	330	170	250	210	130
4	112M4A	83	340	198	250	230	138
5.5	132S4A	103	290	218	300	270	156
7.5	132M4A	103	430	218	300	270	168

Unit : mm

Model XFK5

FORCE

The real best drive





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
1.5	90L4A	86	293	155	200	188	105
2.2	100L4A	96	330	170	250	210	112
3	100L4B	96	330	170	250	210	116
4	112M4A	96	340	198	250	230	124

* Based on IEC Motor

Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
5.5	132S4A	124	390	218	300	270	142
7.5	132M4A	124	430	218	300	270	154
11	160M4A	133	505	260	350	325	194
15	160L4A	133	560	260	350	325	211

Unit : mm

Model XFK5C





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
2.2	100L4A	88	330	170	250	210	171
3	100L4B	88	330	170	250	210	175
4	112M4A	88	340	198	250	230	183
5.5	132S4A	106	290	218	300	270	201
7.5	132M4A	106	430	218	300	270	213
11	160M4A	136	505	260	350	325	253
15	160L4A	136	560	260	350	325	270

* Based on IEC Motor

Unit : mm

Model XFK6





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
2.2	100L4A	88	330	170	250	210	193
3	100L4B	88	330	170	250	210	197
4	112M4A	88	340	198	250	230	205
5.5	132S4A	108	290	218	300	270	223
7.5	132M4A	108	430	218	300	270	235
11	160M4A	138	505	260	350	325	275
15	160L4A	138	560	260	350	325	292

* Based on IEC Motor

Unit : mm

Model XFK7





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
5.5	132S4A	140	290	218	300	270	303
7.5	132M4A	140	430	218	300	270	315
11	160M4A	140	505	260	350	325	355
15	160L4A	140	560	260	350	325	372
18.5	200L6A	140	660	310	400	410	478
22	200L6B	140	660	310	400	410	483

* Based on IEC Motor

Unit : mm

Model XFK8





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
5.5	132S4A	140	290	218	300	270	433
7.5	132M4A	140	430	218	300	270	445
11	160M4A	140	505	260	350	325	485
15	160L4A	140	560	260	350	325	502
18.5	200L6A	140	660	310	400	410	608
22	200L6B	140	660	310	400	410	613
30	225M6A	172	705	325	450	460	679

* Based on IEC Motor

Unit : mm

Model XFK9





Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
11	160M4A	134	505	260	350	325	737
15	160L4A	134	560	260	350	325	754
18.5	200L6A	134	660	310	400	410	860
22	200L6B	134	660	310	400	410	865
30	225M6A	168	705	325	450	460	931

* Based on IEC Motor

Unit : mm

Model XFK10



Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
30	225M6A	177	705	325	450	460	1519
37	250M6A	177	780	365	550	500	1579
45	280S6A	177	840	390	550	570	1728
55	280M6A	177	900	390	550	570	1775



* Based on IEC Motor

Unit : mm

Model XFK11

FORCE

The real best drive



Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
15	160L4A	177	560	260	350	325	700
18.5	200L6A	177	660	310	400	410	806
22	200L6B	210	660	310	400	410	811
30	225M6A	200	705	325	450	460	877
37	250M6A	200	780	365	550	500	937

* Based on IEC Motor



Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
45	280S6A	200	840	390	550	570	1086
55	280M6A	200	900	390	550	570	1133
75	315S6A	210	1050	533	660	640	1408
90	315M6A	210	1160	533	660	640	1498
110	315L6A	210	1160	533	660	640	1578

Unit : mm

Model XFK12N

FORCE

The real best drive



Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
18.5	200L6A	193	660	310	400	410	1103
22	200L6B	193	660	310	400	410	1108
30	225M6A	193	705	325	450	460	1174
37	250M6A	193	780	365	550	500	1234
45	280S6A	193	840	390	550	570	1383

* Based on IEC Motor


Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
55	280M6A	193	900	390	550	570	1430
75	315S6A	210	1050	533	660	640	1705
90	315M6A	210	1160	533	660	640	1795
110	315L6A	210	1160	533	660	640	1875
132	315L6B	210	1160	533	660	640	2005

Unit : mm

Model XFK13N

FORCE

The real best drive



Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
22	200L6B	177	660	310	400	410	1368
30	225M6A	177	705	325	450	460	1434
37	250M6A	235	780	365	550	500	1494
45	280S6A	235	840	390	550	570	1643
55	280M6A	235	900	390	550	570	1690

* Based on IEC Motor

Power(KW)	Frame	U	J	J1	D	D1	Weight(kg)
75	315S6A	210	1050	533	660	640	1965
90	315M6A	210	1160	533	660	640	2055
110	315L6A	210	1160	533	660	640	2135
132	315L6B	210	1160	533	660	640	2265

Unit : mm

Model XFK14N